

***Reportable Disease Surveillance in Virginia,
2012***

***Cynthia C. Romero, MD, FAAFP
State Health Commissioner***

***Report Production Team: Division of Surveillance and
Investigation, Division of Disease Prevention, Division of
Environmental Epidemiology, and Division of Immunization***

***Virginia Department of Health
Post Office Box 2448
Richmond, Virginia 23218
www.vdh.virginia.gov***

ACKNOWLEDGEMENT

In addition to the employees of the work units listed below, the Office of Epidemiology would like to acknowledge the contributions of all those engaged in disease surveillance and control activities across the state throughout the year.

We appreciate the commitment to public health of all epidemiology staff in local and district health departments and the Regional and Central Offices, as well as the conscientious work of nurses, environmental health specialists, infection preventionists, physicians, laboratory staff, and administrators. These persons report or manage disease surveillance data on an ongoing basis and diligently strive to control morbidity in Virginia. This report would not be possible without the efforts of all those who collect and follow up on morbidity reports.

Divisions in the Virginia Department of Health Office of Epidemiology

Disease Prevention
Telephone: 804-864-7964

Environmental Epidemiology
Telephone: 804-864-8182

Immunization
Telephone: 804-864-8055

Surveillance and Investigation
Telephone: 804-864-8141

Introduction

The Virginia Department of Health, Office of Epidemiology is pleased to present its twenty-fifth annual report of disease surveillance activities. This report summarizes morbidity data reported by the Virginia Department of Health, Office of Epidemiology to the federal Centers for Disease Control and Prevention (CDC) during calendar year 2012.

The Office of Epidemiology, in conjunction with health departments in districts throughout Virginia, is responsible for the ongoing statewide surveillance of diseases according to the provisions of the *Regulations for Disease Reporting and Control*. Disease surveillance involves the collection of pertinent data, the tabulation and evaluation of the data, and the dissemination of the information. These data provide the foundation for public health activities to reduce morbidity.

Diseases must be diagnosed and reported to the health department before case investigations can occur and disease control activities can begin. Physicians, personnel in medical care facilities, laboratory directors, and other health care providers are therefore essential to the surveillance process. By reporting diseases, health care personnel aid the health department in identifying unusual disease patterns occurring in the community. The health department notifies physicians of these unusual disease patterns, which helps physicians provide a more rapid diagnosis and treatment of individuals who present with compatible symptoms.

This report summarizes those diseases and conditions that are listed as officially reportable in the *Regulations for Disease Reporting and Control*. The report is divided into four sections as described below.

Introduction and Data Summary: Tables summarizing 2012 morbidity are included in this introductory section. These tables include the list of reportable diseases; ten year trends; the number of reports and incidence rate per 100,000 population for selected diseases by age group, race, sex, and health planning region; and the number and percent of reports by quarter of onset.

Descriptive Epidemiology of Reportable Diseases: This section consists of narrative and graphics describing the populations reported with each disease or condition. The section includes information about the total number of cases reported; the ten year trend in reported cases; the demographics of cases in terms of age, race and sex; and the distribution of cases by date of onset and health planning region of the state. Mortality, microbial species, and other attributes of diseases also are presented when applicable. Sources of information include the CDC (<http://www.cdc.gov/>), *Infectious Disease Epidemiology* (Nelson, K., Williams, C., & Graham, N., 2004), *Red Book: 2012 Report of the Committee on Infectious Diseases* (American Academy of Pediatrics, Pickering, L., Baker, C., Kimberlin, D., Long, S., eds., 2012), and *Control of Communicable Diseases Manual* (Heymann, D., ed., 2008)

Population-based rates are often presented to provide a measure of disease frequency in the population and to allow for comparisons between groups. When calculating rates, population estimates for 2012 prepared by the United States Census Bureau for the state's cities and counties and total population were used.

Race is usually presented as black, white, or other. The “other” race category includes Asian/Pacific Islanders, American Indians, Alaskan Natives and multi-racial persons.

In describing the occurrence of disease throughout the year, date of onset is used whenever it is available. Onset is the time when symptoms first occurred. Some cases reported in 2012 experienced onset prior to the year of report. In some situations information is only available on the date of report, or the date the report was first received by the health department, and these dates are used in place of date of onset. Date of specimen collection or date of diagnosis may also be used to estimate date of onset.

To the extent possible, rates by locality are calculated based on residence of the patient. When the address of the patient is neither reported by the health care provider nor ascertained by the health department, the location of the reporting source, such as the physician, hospital, or laboratory, is used.

Number of Cases and Rate by Locality: This section of the report presents the number of cases and incidence rate per 100,000 population for selected diseases by locality, district, and health planning region. Cities and counties that have separate health departments are listed individually. Those that share one health department are combined. Caution is urged in interpreting the data in this section as well as in the following section because localities with small populations may have large disease rates but only a few reported cases of disease. Both numbers of cases and incidence rates should be considered when using these tables to rank morbidity by city or county.

Maps of Incidence Rates: The first map in this section illustrates the location of the health planning regions in Virginia, while the second map provides a geographical view of counties and selected cities in the state. Following that, disease-specific maps are presented which depict the incidence rates listed in the previous section. For each disease-specific map, the rates have been divided into four categories using the following process:

Category 1 – Localities reporting zero cases of the disease.

Category 2 – Localities with an incidence rate greater than zero and up to the mean for the state.

Category 3 – Localities with an incidence rate greater than the mean and up to one standard deviation above the mean for the state.

Category 4 – Localities with an incidence rate greater than one standard deviation above the mean for the state.

The Office of Epidemiology hopes that the readers of this report will find it to be a valuable resource for understanding the epidemiology of reportable diseases in Virginia. Any questions or suggestions about this report may be directed to Lala Wilson at the Virginia Department of Health, Office of Epidemiology, P.O. Box 2448, 109 Governor St., 5th Floor, Richmond, Virginia 23218, or by telephone at 804-864-8141.

Table 1. Reportable Diseases in Virginia, 2012

Acquired immunodeficiency syndrome (AIDS)	Monkeypox
Amebiasis	Mumps
Anthrax	Mycobacterial Diseases (including AFB)
Arboviral infection (e.g., dengue, EEE, LAC, SLE, WNV)	Ophthalmia neonatorum
Botulism	Outbreaks, all (including foodborne, healthcare-associated, occupational, toxic substance-related, and waterborne)
Brucellosis	
Campylobacteriosis	Pertussis
Chancroid	Plague
Chickenpox (Varicella)	Poliovirus infection, including poliomyelitis
<i>Chlamydia trachomatis</i> infection	Psittacosis
Cholera	Q fever
Creutzfeldt-Jakob disease if <55 years of age	Rabies, human and animal
Cryptosporidiosis	Rabies treatment, post-exposure
Cyclosporiasis	Rubella, including congenital rubella syndrome
Diphtheria	Salmonellosis
Disease caused by an agent that may have been used as a weapon	Severe acute respiratory syndrome (SARS)
Ehrlichiosis/Anaplasmosis	Shigellosis
<i>Escherichia coli</i> infection, Shiga toxin-producing	Smallpox (variola)
Giardiasis	Spotted fever rickettsiosis, including RMSF
Gonorrhea	<i>Staphylococcus aureus</i> infection, invasive, methicillin-resistant (MRSA) and vancomycin-intermediate or vancomycin-resistant
Granuloma inguinale	
<i>Haemophilus influenzae</i> infection, invasive	Streptococcal disease, Group A, invasive or toxic shock
Hantavirus pulmonary syndrome	<i>Streptococcus pneumoniae</i> infection, invasive, in children <5 years of age
Hemolytic uremic syndrome (HUS)	Syphilis
Hepatitis A	Tetanus
Hepatitis B (acute and chronic)	Toxic substance-related illness
Hepatitis C (acute and chronic)	Trichinosis (Trichinellosis)
Hepatitis, other acute viral	Tuberculosis (TB), active disease
Human immunodeficiency virus (HIV) infection	Tuberculosis infection in children <4 years of age
Legionellosis	Tularemia
Leprosy (Hansen disease)	Typhoid/paratyphoid fever
Listeriosis	Unusual occurrence of disease of public health concern
Lyme disease	Vaccinia, disease or adverse event
Lymphogranuloma venereum	<i>Vibrio</i> infection
Malaria	Viral hemorrhagic fever
Measles (Rubeola)	Yellow fever
Meningococcal disease	Yersiniosis