

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF HEALTH

DIVISION OF RADIOLOGICAL HEALTH
109 Governor Street, Room 730 Richmond, Virginia 23218-2448
Office (804) 864-8150 Fax (804) 864-8165

2010

ENVIRONMENTAL
RADIATION
PROGRAM

ANNUAL REPORT

ACKNOWLEDGEMENTS

We would like to acknowledge the following organizations and agencies that contributed to the environmental surveillance program:

- Babcock & Wilcox
- Department of Agriculture and Consumer Services
Dairy and Food Division
- Department of Conservation and Recreation
Division of State Parks
- Department of Emergency Management
Preparedness and Mitigation Division
- Department of General Services
Division of Consolidated Laboratory Services
- Department of Health
Division of Shellfish Sanitation
- Newport News Shipbuilding
- Norfolk Naval Shipyard
- Dominion Virginia Power

PREFACE

The Division of Radiological Health conducts an extensive environmental monitoring program of radiological conditions around certain fixed nuclear facilities in the Commonwealth of Virginia to provide an independent assessment of each facility's compliance with applicable federal and state regulations. Each of these fixed nuclear facilities has its own routine surveillance program. The objectives of a routine surveillance program include:

- a) Providing information useful in assessing the adequacy of protection of the public;
- b) Meeting requirements of regulatory agencies;
- c) Verifying radionuclide containment and plant waste management practices;
- d) Meeting legal liability obligations; and
- e) Providing public assurance and acceptance (NCRP, 1976).

In addition to these stated objectives, the DRH has identified other objectives such as:

- a) Maintenance of a database of background radionuclide levels and trends to assist with the assessment of other environmental data;
- b) Identification of radiological releases not associated with the licensed facility; and
- c) Maintenance of equipment and proficiency of capabilities used in emergency preparedness and response activities.

Part of this work is funded by the Virginia Department of Emergency Management.

This report is distributed to the licensee, as well as state and local agencies, which have a direct interest in the results. Single copies of this report are available by contacting:

Virginia Department of Health
Division of Radiological Health
109 Governor Street, Room 730
Richmond, Virginia 23219
(804) 864-8150

You are invited to submit any comments or questions regarding this report to the
Division of Radiological Health.

Leslie P. Foldesi, M.S., CHP
Director
Division of Radiological Health

NCRP (2006) National Council on Radiation Protection and Measurements,
Environmental *Radiation Measurements*, NCRP Report No. 50, National
Council on Radiation Protection and Measurements, Washington.

VIRGINIA DEPARTMENT OF HEALTH
ENVIRONMENTAL RADIATION SURVEILLANCE DATA
ANNUAL REPORT 2010

TABLE OF CONTENTS

FOREWORD	-i-
SAMPLING PROGRAM	1
SOURCES OF RADIOACTIVITY IN THE ENVIRONMENT	4
DATA TABLES:	
<u>NORTH ANNA and SURRY NUCLEAR POWER STATIONS & Selected Other Locations</u>	
Air Particulate	7
Ambient Gamma Exposure (Thermoluminescent Dosimeters)	10
Fish	13
Milk	14
Radiogas	15
Shellfish	16
Silt	17
Surface Water	20
Vegetation	23
<u>BABCOCK & WILCOX NUCLEAR OPERATIONS GROUP (formerly BWXT)</u>	
Air Particulate	25
Soil	26
Surface Water	27
Vegetation	28
APPENDIX I: LOWER LIMITS OF DETECTION □LLD□	29
APPENDIX II: SAMPLING LOCATIONS	41
APPENDIX III: EMERGENCY PREPAREDNESS	46

FOREWORD

The Division of Radiological Health conducts an extensive environmental radiological monitoring program around nuclear facilities in the Commonwealth of Virginia to determine compliance with applicable federal and state regulations and guidelines.

Sampling locations are primarily located around the two nuclear power stations in the Commonwealth of Virginia.

- (1) North Anna power Station, Louisa County, Virginia
- (2) Surry power Station, Surry County, Virginia

Sampling locations are also present at:

- (3) Babcock & Wilcox, Lynchburg, Virginia
- (4) Newport News Shipbuilding (Formerly Newport News Shipbuilding & Drydock Company)
- (5) Norfolk Naval Shipyard, Portsmouth, Virginia

Samples are also collected at various control locations. This data can be compared to data for samples collected at plant environs. This provides a comparison between naturally occurring radiation and any radiological deposition resulting from nuclear power plant operation or radioactive fallout.

All State samples (with two exceptions) are analyzed by Consolidated Laboratories of the Commonwealth of Virginia.

All the data, with the exception of higher than normal tritium levels in the Surry Power Plant discharge canal during July, are within normal expected levels.

This report represents a compilation of all samples collected between January 1, 2010 and December 31, 2010.

Tritium, air particulate and radiogas analysis are performed by The Radiological Health Mobile Laboratory. Thermoluminescent dosimeter readings (ambient gamma exposure) are now calculated by Radiation Detection Company.

SAMPLING PROGRAM

The Division of Radiological Health maintains an environmental surveillance program with primary focus on the environs of the nuclear power facilities in Virginia. The objectives of this radiological monitoring program are:

- (1) To detect and measure radioactive releases during routine nuclear power plant operation.
- (2) To detect and measure radioactive releases during abnormal events occurring at nuclear facilities.
- (3) To measure concentration of radioactive effluents in the environment particularly in human exposure pathways.
- (4) To provide an independent means of verification of utility release reports.

These objectives are achieved through continuous sampling of air and ambient radiation, as well as, periodic sampling of water, milk, vegetation, fish, shellfish, etc. Details on sample locations and frequencies are outlined in Appendix III of this report.

A brief description of each sampling medium follows:

AIR PARTICULATE AND RADIOGAS

Stationary air samplers are utilized at the Surry Power Station, the North Anna Power Station, and one control location at Pocahontas State Park. Pumps run approximately 168 hours per week at an average flow rate of 40 cubic feet per hour. All samplers are continuously equipped with a charcoal filter. Air particulate filters are used at every sampling location to measure any radioactive particulates. All stations except the control station duplicate utility stations. At BWX Technologies, Inc there is one air sampler located on site. This air pump is equipped with air particulate filters and run approximately 168 hours per week with an average flow rate of 55 cubic feet per hour.

Each quarterly air particulate filter is analyzed for a gross beta activity.

Charcoal filters are analyzed quarterly for gamma activity with special emphasis on I-131 retention.

Samples obtained from Babcock & Wilcox undergo quarterly gross alpha analysis.

FISH

Fish samples are collected annually in Lake Anna near the North Anna Power Station. Each sample consists of approximately one kilogram of flesh from catfish, sunfish, bass or bluegill.

All fish samples are counted for gamma activity with data based on wet weight.

MILK

Raw milk samples are collected quarterly from a dairy near each reactor site. Each sample consists of one gallon of raw milk with no preservatives added. Raw milk is a primary indicator of radioiodine incorporation in the food chain.

All milk samples are counted for gamma activity and analyzed quarterly for Strontium-89 & 90 and are also radiochemically separated for I-131.

SHELLFISH

Shellfish are collected as a part of the environmental surveillance program around Surry Power Station. Samples consisting of one kilogram of flesh are collected annually approximately 0.5 mile off the mouth of the SPS discharge canal in the James River and are indicators of incorporation of radioactivity within the food chain.

All shellfish samples are counted for gamma activity with data based on activity per unit of wet weight.

SILT

Silt is collected annually from each nuclear power station's water discharge canal. Each sample consists of one kilogram of bottom sediment and is an indicator of radioactive deposition in sediment.

Silt is collected quarterly at Norfolk Naval Shipyard (NNSY) on the Elizabeth River to ensure that shipyard operations result in minimal radioactive effluents. Silt is also collected quarterly at Newport News Shipbuilding (NNSB) on the James River to ensure that operations result in minimal radioactive deposition.

Silt samples are counted for gamma activity and gross beta activity with data based on activity per unit of dry weight.

SOIL

Two soil samples are collected at the Babcock & Wilcox facility. One sample site is located at a ballfield on the facility's eastern boundary and the other is a control location at the Department of Agriculture's Lynchburg Regional Animal Health Laboratory (LRAHL), located 5 miles southwest of the plant site, off Route 460. These samples are collected annually. Samples obtained undergo uranium separation followed by alpha analysis.

VEGETATION

Green leafy vegetation is collected from home gardens located near each nuclear power facility. Samples of one kilogram of kale, cabbage or turnip greens are collected annually at harvest. These samples would indicate incorporation of radioactivity in edible vegetation.

Vegetation is counted for gamma activity with data based on activity per unit wet weight.

Two vegetation samples are collected at Babcock & Wilcox. These consist of one kilogram of grass from the ballfield at the eastern site boundary and one control location at the Department of Agriculture's Lynchburg Regional Animal Health Laboratory (LRAHL), located 5 miles southwest of the plant site, off Route 460. These samples are collected annually and undergo uranium separation followed by alpha analysis.

SURFACE WATER

Surface water is collected quarterly at each nuclear power facility. One gallon samples of station discharge water and an upstream control are collected. These samples provide data on radioactive effluents.

Two surface water samples are collected from the James River at Babcock & Wilcox on an annual basis. One is located approximately 3 miles downstream of the Babcock & Wilcox plant near the ballfield at the eastern site boundary and the other is at a control location near Six Mile Bridge, which is approximately 1.5 miles upstream of the plant. Samples undergo uranium separation followed by alpha counting.

Surface water is also collected quarterly on the James River at Newport News Shipbuilding (NNSB) and on the Elizabeth River at the Norfolk Naval Shipyard (NNSY) to ensure that shipyard operations result in minimal radioactive effluents.

AMBIENT GAMMA EXPOSURE (TLD)

Ambient gamma exposure readings are collected using either Calcium fluoride or Lithium fluoride thermoluminescent dosimeters (TLD). There are twelve TLD sample stations surrounding North Anna Power Station and fourteen stations surrounding Surry Power Station. One control TLD station is located at Pocahontas State Park. Several stations at each site duplicate utility sampling stations.

The TLD's are read quarterly for net exposure during their time in the field, resulting in a millirem/quarter reading.

Sources of Radioactivity in the Environment

Radioactivity from natural sources is found everywhere. Naturally occurring radioactivity comes from the decay of primordial terrestrial sources such as uranium and thorium. Other sources are continually produced in our upper atmosphere through interactions of atoms with cosmic rays. These naturally occurring sources produce the background levels of radioactivity.

In the past century, environmental radiation levels have been influenced by human practices using or manufacturing radioactive materials. Such practices include the use of radioactive materials in the healing arts, uranium mining and milling operations, nuclear power generation, nuclear weapons manufacturing and testing, storage and disposal of nuclear weapons.

Background radiation levels were most altered by residual fallout from nuclear weapons testing. The United States ceased atmospheric testing following adoption of the 1963 Nuclear Test Ban Treaty. Only long-lived fallout radionuclides remain.


Doses to the Public

The primary source of natural radiation dose received by the general public is due to radon exposure (See Figure 1 next page). The average individual receives approximately 230 mrem/year from radon and less than 1 mrem/year from nuclear facilities. Another 81 mrem/year are received from other natural sources and approximately 297 mrem/year from medical procedures. The total average whole body dose nationwide is approximately 620 mrem/year.

Inherent in all standards for radiation control is the philosophy of limiting exposure to levels "AS LOW AS REASONABLY ACHIEVABLE" (ALARA). In practice, this philosophy continues to result in the very low average doses to the public from nuclear facilities cited earlier. The monitoring program maintained by the Division of Radiological Health continues to verify compliance to these standards.

FIGURE 1. SOURCES OF RADIATION EXPOSURE

Source: National Council on Radiation Protection & Measurement; Estimated Annual Dose of 620 Millirem for an Average Person in the USA



COMMONWEALTH OF VIRGINIA
DEPARTMENT OF HEALTH

DIVISION OF RADIOLOGICAL HEALTH
109 Governor Street, Room 730 Richmond, Virginia 23218-2448
Office (804) 864-8150 Fax (804) 864-8165

North Anna and Surry
Nuclear Power Stations
&
Other Selected
Locations

Virginia Department of Health

AIR PARTICULATE

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Station	Date		Gross Beta Activity pCi/meter ³
		Start	Stop	
Surry Power Station	A-20	1/12/10	1/19/10	0.03 +/- 0.01
Surry Power Station	A-20	4/8/10	4/15/10	0.09 +/- 0.01
Surry Power Station	A-20	7/7/10	7/14/10	0.09 +/- 0.01
Surry Power Station	A-20	11/5/10	11/16/10	0.07 +/- 0.01

Virginia Department of Health

AIR PARTICULATE

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Station	Date		Gross Beta Activity pCi/meter ³
		Start	Stop	
Pocahontas State Park	A-40	1/12/10	1/19/10	0.03 +/- 0.01
Pocahontas State Park	A-40	4/8/10	4/15/10	0.04 +/- 0.01
Pocahontas State Park	A-40	7/7/09	7/14/09	0.04 +/- 0.01
Pocahontas State Park	A-40	11/16/10	11/23/10	0.11 +/- 0.02

Virginia Department of Health

AIR PARTICULATE

January 01, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Station	Start	Date		Gross Beta Activity		
			Stop		pCi/meter ³		
Louisa County Rt. 700	A-88	1/13/10	-	1/20/10	0.03	+/-	0.02
Louisa County Rt. 700	A-88	4/7/10	-	4/14/10	0.10	+/-	0.01
Louisa County Rt. 700	A-88	7/8/10	-	7/15/10	0.14	+/-	0.02
Louisa County Rt. 700	A-88	11/1/10	-	11/8/10	0.04	+/-	0.01

Virginia Department of Health

AMBIENT GAMMA EXPOSURE (THERMOLUMINESCENT DOSIMETERS)

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Station	Quarter	Net Exposure Rate	
			mR/Std. Qtr	+/- 2 S.D.
Surry Power Station	D-20	1st	22.0	+/- 9.4
Surry Power Station	D-20	2nd	22.0	+/- 9.4
Surry Power Station	D-20	3rd	24.0	+/- 9.8
Surry Power Station	D-20	4th	23.0	+/- 9.6
North Anna Power Station	D-35	1st	31.0	+/- 11.1
North Anna Power Station	D-35	2nd	28.0	+/- 10.6
North Anna Power Station	D-35	3rd	28.0	+/- 10.6
North Anna Power Station	D-35	4th	27.0	+/- 10.4
Pocahontas State Park	D-40	1st	31.0	+/- 11.1
Pocahontas State Park	D-40	2nd	26.0	+/- 10.2
Pocahontas State Park	D-40	3rd	27.0	+/- 10.4
Pocahontas State Park	D-40	4th	29.0	+/- 10.8
Surry-Lebanon Baptist Church	D-41	1st	22.0	+/- 9.4
Surry-Lebanon Baptist Church	D-41	2nd	21.0	+/- 9.2
Surry-Lebanon Baptist Church	D-41	3rd	22.0	+/- 9.4
Surry-Lebanon Baptist Church	D-41	4th	21.0	+/- 9.2
Surry Lawnes Creek	D-42	1st	24.0	+/- 9.8
Surry Lawnes Creek	D-42	2nd	24.0	+/- 9.8
Surry Lawnes Creek	D-42	3rd	27.0	+/- 10.4
Surry Lawnes Creek	D-42	4th	26.0	+/- 10.2
Surry Rt. 628	D-43	1st	21.0	+/- 9.2
Surry Rt. 628	D-43	2nd	21.0	+/- 9.2
Surry Rt. 628	D-43	3rd	22.0	+/- 9.4
Surry Rt. 628	D-43	4th	21.0	+/- 9.2
Jamestown	D-44	1st	26.0	+/- 10.2
Jamestown	D-44	2nd	28.0	+/- 10.6
Jamestown	D-44	3rd	27.0	+/- 10.4
Jamestown	D-44	4th	N/A	+/-
Newport News-Lee Hall	D-45	1st	35.0	+/- 11.8
Newport News-Lee Hall	D-45	2nd	32.0	+/- 11.3
Newport News-Lee Hall	D-45	3rd	34.0	+/- 11.7
Newport News-Lee Hall	D-45	4th	35.0	+/- 11.8
Louisa Co. Mineral	D-50	1st	23.0	+/- 9.6
Louisa Co. Mineral	D-50	2nd	25.0	+/- 10.0
Louisa Co. Mineral	D-50	3rd	24.0	+/- 9.8
Louisa Co. Mineral	D-50	4th	23.0	+/- 9.6
Louisa Co.-Wares Cross	D-51	1st	20.0	+/- 8.9
Louisa Co.-Wares Cross	D-51	2nd	21.0	+/- 9.2
Louisa Co.-Wares Cross	D-51	3rd	22.0	+/- 9.4
Louisa Co.-Wares Cross	D-51	4th	22.0	+/- 9.4
Spotsylvania-GH Church	D-52	1st	28.0	+/- 10.6
Spotsylvania-GH Church	D-52	2nd	25.0	+/- 10.0
Spotsylvania-GH Church	D-52	3rd	27.0	+/- 10.4
Spotsylvania-GH Church	D-52	4th	26.0	+/- 10.2
Spotsylvania Rt. 614	D-53	1st	23.0	+/- 9.6
Spotsylvania Rt. 614	D-53	2nd	22.0	+/- 9.4
Spotsylvania Rt. 614	D-53	3rd	23.0	+/- 9.6
Spotsylvania Rt. 614	D-53	4th	21.0	+/- 9.2

Virginia Department of Health

**AMBIENT GAMMA EXPOSURE
(THERMOLUMINESCENT DOSIMETERS)**

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Station	Quarter	Net Exposure Rate	
			mR/Std. Qtr	+/- 2 S.D.
Louisa Co. Fred Hall	D-54	1st	21.0	+/- 9.2
Louisa Co. Fred Hall	D-54	2nd	19.0	+/- 8.7
Louisa Co. Fred Hall	D-54	3rd	21.0	+/- 9.2
Louisa Co. Fred Hall	D-54	4th	19.0	+/- 8.7
Naval Weapons Station I	D-73	1st	21.0	+/- 9.2
Naval Weapons Station I	D-73	2nd	20.0	+/- 8.9
Naval Weapons Station I	D-73	3rd	20.0	+/- 8.9
Naval Weapons Station I	D-73	4th	20.0	+/- 8.9
Newport News-Fort Eustis	D-76	1st	22.0	+/- 9.4
Newport News-Fort Eustis	D-76	2nd	20.0	+/- 8.9
Newport News-Fort Eustis	D-76	3rd	22.0	+/- 9.4
Newport News-Fort Eustis	D-76	4th	20.0	+/- 8.9
Williamsburg Busch Gardens	D-77	1st	28.0	+/- 10.6
Williamsburg Busch Gardens	D-77	2nd	23.0	+/- 9.6
Williamsburg Busch Gardens	D-77	3rd	26.0	+/- 10.2
Williamsburg Busch Gardens	D-77	4th	22.0	+/- 9.4
Williamsburg Airport	D-78	1st	23.0	+/- 9.6
Williamsburg Airport	D-78	2nd	20.0	+/- 8.9
Williamsburg Airport	D-78	3rd	21.0	+/- 9.2
Williamsburg Airport	D-78	4th	21.0	+/- 9.2
Surry Scotland Wharf	D-79	1st	21.0	+/- 9.2
Surry Scotland Wharf	D-79	2nd	19.0	+/- 8.7
Surry Scotland Wharf	D-79	3rd	20.0	+/- 8.9
Surry Scotland Wharf	D-79	4th	20.0	+/- 8.9
Surry Bacon's Castle	D-80	1st	25.0	+/- 10.0
Surry Bacon's Castle	D-80	2nd	21.0	+/- 9.2
Surry Bacon's Castle	D-80	3rd	22.0	+/- 9.4
Surry Bacon's Castle	D-80	4th	20.0	+/- 8.9
Surry - Alliance	D-81	1st	22.0	+/- 9.4
Surry - Alliance	D-81	2nd	20.0	+/- 8.9
Surry - Alliance	D-81	3rd	21.0	+/- 9.2
Surry - Alliance	D-81	4th	21.0	+/- 9.2
Surry Hog Point	D-82	1st	23.0	+/- 9.6
Surry Hog Point	D-82	2nd	21.0	+/- 9.2
Surry Hog Point	D-82	3rd	21.0	+/- 9.2
Surry Hog Point	D-82	4th	21.0	+/- 9.2
Louisa Co. Rt. 685	D-84	1st	21.0	+/- 9.2
Louisa Co. Rt. 685	D-84	2nd	22.0	+/- 9.4
Louisa Co. Rt. 685	D-84	3rd	23.0	+/- 9.6
Louisa Co. Rt. 685	D-84	4th	22.0	+/- 9.4
Spotsylvania Rt. 713	D-85	1st	18.0	+/- 8.5
Spotsylvania Rt. 713	D-85	2nd	20.0	+/- 8.9
Spotsylvania Rt. 713	D-85	3rd	19.0	+/- 8.7
Spotsylvania Rt. 713	D-85	4th	19.0	+/- 8.7
Louisa Co. Bumpass	D-86	1st	25.0	+/- 10.0
Louisa Co. Bumpass	D-86	2nd	22.0	+/- 9.4
Louisa Co. Bumpass	D-86	3rd	24.0	+/- 9.8
Louisa Co. Bumpass	D-86	4th	22.0	+/- 9.4

Virginia Department of Health

**AMBIENT GAMMA EXPOSURE
(THERMOLUMINESCENT DOSIMETERS)**


January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Station	Quarter	Net Exposure Rate mR/Std. Qtr +/- 2 S.D.
Spotsylvania-Levy	D-87	1st	28.0 +/- 10.6
Spotsylvania-Levy	D-87	2nd	27.0 +/- 10.4
Spotsylvania-Levy	D-87	3rd	27.0 +/- 10.4
Spotsylvania-Levy	D-87	4th	27.0 +/- 10.4
Louisa Co. Rt. 700	D-88	1st	26.0 +/- 10.2
Louisa Co. Rt. 700	D-88	2nd	24.0 +/- 9.8
Louisa Co. Rt. 700	D-88	3rd	27.0 +/- 10.4
Louisa Co. Rt. 700	D-88	4th	26.0 +/- 10.2
Louisa Co. Aspen Hill	D-89	1st	28.0 +/- 10.6
Louisa Co. Aspen Hill	D-89	2nd	29.0 +/- 10.8
Louisa Co. Aspen Hill	D-89	3rd	30.0 +/- 11.0
Louisa Co. Aspen Hill	D-89	4th	34.0 +/- 11.7
Rad Health	Control 1	1st	11.0 +/- 6.6
Rad Health	Control 1	2nd	13.0 +/- 7.2
Rad Health	Control 1	3rd	12.0 +/- 6.9
Rad Health	Control 1	4th	11.0 +/- 6.6
Rad Health	Control 2	1st	11.0 +/- 6.6
Rad Health	Control 2	2nd	12.0 +/- 6.9
Rad Health	Control 2	3rd	11.0 +/- 6.6
Rad Health	Control 2	4th	11.0 +/- 6.6

*N/A = TLD missing at time of collection

xN/A = data not available because this TLD used to substitute for lost D-84



Virginia Department of Health

FISH

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location Name	Date	Isotope	pCi/gram
North Anna Lake Second Cooling Lagoon F-24 (Catfish)	4/21/2010	Ba	<0.01
		Cs-134	<0.01
		Cs-137	0.01 +/- 0.01
		Co-58	<0.01
		Co-60	<0.01
		I-131	<0.02
		Fe-59	<0.01
		Mn-54	<0.01
		Ru-106	<0.05
		Ag-110M	<0.01
		Zn-65	<0.01
		Nb-95	<0.01
		North Anna Lake Second Cooling Lagoon F-24 (Catfish)	10/21/2010
Cs-134	<0.01		
Cs-137	0.01 +/- 0.01		
Co-58	<0.01		
Co-60	<0.01		
I-131	< 0.03		
Fe-59	<0.02		
Mn-54	<0.01		
Ru-106	<0.06		
Ag-110M	<0.01		
Zn-65	<0.01		
Nb-95	<0.01		

Virginia Department of Health

MILK

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location Name	Date	Isotope	Results pCi/Liter	Location Name	Date	Isotope	Results pCi/Liter
Louisa County Lakeside Dairy M-29	1/26/10	Ba	<8.0	Surry County Epps Dairy M-66	N/C	Ba	<5.0
		Cs-134	<5.0			Cs-134	<5.0
		Cs-137	<6.0			Cs-137	<4.0
		K-40*	1.5+/-0.1			K-40*	2.2+/-0.1
		I-131	0.0+/-0.5			I-131	0.0+/-0.2
		Sr-89	<4			Sr-89	<4.0
		Sr-90	0.6+/-0.5			Sr-90	0.7+/-0.5
Louisa County Lakeside Dairy M-29	3/16/10	Ba	<6.0	Surry County Epps Dairy M-66	3/16/10	Ba	<6.0
		Cs-134	<5.0			Cs-134	<5.0
		Cs-137	<6.0			Cs-137	<4.0
		K-40*	1.6+/-0.1			K-40*	1.5+/-0.1
		I-131	0.4+/- 0.3			I-131	0.2+/-0.2
		Sr-89	<4.0			Sr-89	<4.0
		Sr-90	0.4+/-0.5			Sr-90	0.4+/-0.5
Louisa County Lakeside Dairy M-29	6/24/10	Ba	<6.0	Surry County Epps Dairy M-66	6/7/10	Ba	<6.0
		Cs-134	<5.0			Cs-134	<5.0
		Cs-137	<6.0			Cs-137	<6.0
		K-40*	1.6+/-0.1			K-40*	1.4+/-0.1
		I-131	0.0+/-0.1			I-131	0.1+/-0.2
		Sr-89	<4.0			Sr-89	<4.0
		Sr-90	0.2+/-0.5			Sr-90	0.4+/-0.5
Louisa County Lakeside Dairy M-29	9/20/10	Ba	<6.0	Surry County Epps Dairy M-66	9/8/10	Ba	<6.0
		Cs-134	<6.0			Cs-134	<5.0
		Cs-137	<6.0			Cs-137	<6.0
		K-40*	1.7+/-0.1			K-40*	1.6+/-0.1
		I-131	0.1+/-0.2			I-131	0.2+/-0.2
		Sr-89	<4.0			Sr-89	<4.0
		Sr-90	0.6+/-0.4			Sr-90	0.5+/-0.4

* = K-40 data reported in units of grams/liter

N/C = sample not collected

Virginia Department of Health

RADIOGAS

January 1, 2010 through December 31,2010

ANNUAL REPORT 2010

Location	Station	Date		I-131 Activity pCi/meter ³
		Start	Stop	
Surry Power Station	C-20	01/12/10 -	01/19/10	<0.11
Surry Power Station	C-20	04/08/10 -	04/15/10	<0.01
Surry Power Station	C-20	07/07/10 -	07/14/10	<0.12
Surry Power Station	C-20	11/05/10 -	11/16/10	<0.07
Pocahontas State Park	C-40	01/12/10 -	01/19/10	<0.12
Pocahontas State Park	C-40	04/08/10 -	04/15/09	<0.01
Pocahontas State Park	C-40	07/07/09 -	07/14/09	<0.10
Pocahontas State Park	C-40	11/16/10 -	11/23/10	<0.09
Louisa County Rt. 700	C-88	01/13/10 -	01/20/10	<0.11
Louisa County Rt. 700	C-88	04/07/10 -	04/14/10	<0.01
Louisa County Rt. 700	C-88	07/08/10 -	07/15/10	<0.12
Louisa County Rt. 700	C-88	11/01/10 -	11/08/10	<0.10

Virginia Department of Health

SHELLFISH

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Date Collected	Distance & Direction	Activity : pCi/gram (wet wt.)
R-17	9/1/2010	approx. 0.5 mi. from mouth of canal	<3.0
James River Mouth of SPS Discharge Canal			Ba-140
			Cs-134
			Cs-137
			Co-58
			Co-60
			Fe-59
			I-131
			Mn-54
			Rh-106
			Ag-110M
		Zn-65	
		Zr-95	

Virginia Department of Health

SILT

January 1, 2010 through December 31,2010

ANNUAL REPORT 2010

Location	Date Collected	Gross Beta pCi/Gram of Silt
James River	N/A	+/-
Pier 1	5/20/10	36.4 +/- 6.0
Newport News SB	9/14/10	33.1 +/- 5.8
S-15A	11/10/10	29.5 +/- 5.5
James River	N/A	+/-
Shipway 11	5/20/10	31.2 +/- 5.6
Newport News SB	9/14/10	26.6 +/- 5.5
S-16	11/10/10	32.4 +/- 5.7

N/A - sample not collected due to mechanical difficulty

Virginia Department of Health

SILT

January 01, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Date Collected	Cs-134	Gamma Activity pCi/Gram (Wet)			Gross Beta pCi/Gram (dry)	Gross Alpha pCi/Gram (dry)
			Cs-137	Co-58	Co-60		
Elizabeth River	03/31/10	<0.01	<0.01	0.02+/-0.01	<0.01	33.3 +/- 5.9	16.9+/- 7.4
Drydock #8	05/20/10	<0.01	0.03 +/- 0.01	<0.01	<0.01	30.2 +/- 5.5	11.9 +/- 6.0
NNSY	09/14/10	<0.01	0.02 +/- 0.01	<0.01	<0.01	29.8 +/- 5.7	15.7 +/- 7.4
S-18	11/10/10	<0.01	0.02 +/- 0.01	<0.01	<0.01	32.6 +/- 5.7	33.0 +/- 11.6
Elizabeth River	03/31/10	<0.01	0.02 +/- 0.01	<0.01	<0.01	25.5+/- 5.6	14.4 +/- 6.5
Drydock #4	05/20/10	<0.01	0.01 +/- 0.01	<0.01	<0.01	30.0 +/- 5.6	13.0 +/- 5.5
NNSY	09/14/10	<0.01	0.02+/- 0.01	<0.01	<0.01	30.9 +/- 5.7	18.1+/- 8.3
S-19	11/10/10	<0.01	0.03 +/- 0.01	<0.01	<0.01	27.6 +/- 5.4	13.4 +/- 6.3
Elizabeth River	03/31/10	<0.01	0.02 +/- 0.01	<0.01	<0.01	20.1+/- 5.3	12.6 +/- 6.0
Wetslip #1	05/20/10	<0.01	0.02 +/- 0.01	<0.01	<0.01	32.3+/- 5.8	17.2 +/- 6.9
NNSY	09/14/10	<0.01	0.02 +/- 0.01	<0.01	<0.01	30.2 +/- 5.6	19.2 +/- 8.9
S-20	11/10/10	<0.01	0.03 +/- 0.01	<0.01	<0.01	31.9 +/- 5.7	23.2 +/- 9.1

Virginia Department of Health

SILT

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Date Collected	Distance & Direction	Activity pCi/Gram (dry wt.)		
			Cs-134	Cs-137	Co-60
James River SPS Discharge Canal S-17	09/01/10	0.5 Miles NNW	<0.02	0.08 +/- 0.01	<0.03
NAPS Waste Treatment Shoreline Soil S-24	04/19/10	1.1 Miles SSE	<0.01	0.07 +/- 0.01	<0.01
NAPS Waste Treatment Shoreline Soil S-24	10/18/10	1.1 Miles SSE	<0.01	0.01 +/- 0.01	<0.01

Virginia Department of Health

SURFACE WATER

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Station	Date Collected	Gamma Activity pCi/L						GB
			Ba-140	Cs-137	I-131	Mn-54	Zn 65	Zr-95/Nb-95	
James River - Pier 1	W - 15A	N/A							
	W - 15A	05/20/10	<13	<6	<22	<5	<12	<11	192.6+/-51.0
Newport News SB	W - 15A	09/14/10	<8	<4	<11	<5	<11	<10	203.0+/-41.9
	W - 15A	11/10/10	<7	<5	<10	<5	<11	<10	227.7+/-52.5
James River - Shipway 11	W - 16	N/A							
	W - 16	05/20/10	<15	<6	<29	<5	<12	<11	178.9+/-50.3
Newport News SB	W - 16	09/14/10	<6	<6	<8	<5	<11	<10	207.1+/-44.1
	W - 16	11/10/10	<7	<6	<9	<5	<12	<10	213.9+/-51.8

N/A = not collected

GB = GROSS BETA (pCi/L)

Virginia Department of Health

SURFACE WATER

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Station	Date Collected	Gamma Activity pCi/L						GB	GA
			Ba-140	Cs-137	I-131	Mn-54	Zn 65	Zr-95/Nb-95		
Elizabeth River	W - 37	03/31/10	<8	<6	<11	<6	<13	<10	184.0+/-41.0	140.1+/-90.3
Dry Dock 4	W - 37	05/20/10	<12	<6	<21	<5	<12	<11	153.9+/-49.1	0.0+/-39.1
NNSY	W - 37	09/14/10	<11	<6	<18	<5	<12	<10	247.2+/-44.3	56.6+/-65.5
	W - 37	11/10/10	<8	<6	<13	<5	<11	<10	197.6+/-51.1	0.0+/-55.2
Elizabeth River	W - 38	03/31/10	<8	<6	<10	<5	<12	<10	194.0+/-41.4	100.4+/-73.6
Wet Slip 1	W - 38	05/20/10	<7	<6	<11	<5	<12	<10	220.2+/-52.2	0.0+/-51.6
NNSY	W - 38	09/14/10	<10	<6	<15	<5	<11	<11	225.3+/-43.2	0.0+/-66.5
	W - 38	11/10/10	<8	<6	<12	<5	<11	<10	208.9+/-51.6	37.9+/-82.1
Elizabeth River	W - 39	03/31/10	<6	<6	<7	<5	<12	<10	181.8+/-41.2	33.7+/-58.8
Dry Dock 8	W - 39	05/20/10	<10	<5	<17	<5	<11	<10	187.6+/-50.7	33.0+/-71.4
NNSY	W - 39	09/14/10	<8	<6	<13	<5	<12	<10	261.5+/-45.3	33.3+/-91.8
	W - 39	11/10/10	<8	<6	<11	<3	<11	<10	191.4+/-50.8	12.9+/-75.7

GB = GROSS BETA (pCi/L)

Virginia Department of Health

SURFACE WATER

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location	Station	Date Collected	Gamma Activity pCi/L									H3	Gross Beta	B.S.	S.S.
			Ba140	Cs134	Cs137	Co58	Co60	I131	Mn54	Zn65	Zr/Nb95				
SPS	W-19	Jan-10	<12	<6	<6	<6	<5	<20	<6	<13	<11	NDC	26.2 +/- 9.7		
Discharge	W-19	Apr-10	<7	<5	<6	<5	<5	<12	<5	<11	<10	NDC	5.5+/-1.5		
Canal	W-19	Jul-10	<8	<5	<6	<5	<5	<13	<5	<12	<10	16517*	133.8+/-48.1		
	W-19	Oct-10	<8	<5	<6	<5	<5	<11	<5	<12	<10	450	150.0+/- 43.2		
North Anna River	W-27	Jan-10	<14	<6	<6	<6	<5	<23	<5	<12	<11	NDC	2.0+/-0.2		
	W-27	Apr-10	<8	<5	<6	<6	<5	<11	<5	<12	<9	NDC	1.5+/-0.7		
	W-27	Jul-10	<9	<5	<6	<6	<5	<15	<5	<11	<11	2252	2.7+/-1.0		
	W-27	Oct-10	<8	<5	<6	<5	<5	<10	<5	<11	<10	2778	3.9+/-0.9		
NAPS	W-33	Jan-10	<12	<6	<6	<6	<5	<20	<5	<12	<11	2628	3+/-1		
Discharge	W-33	Apr-10	<7	<5	<6	<5	<5	<9	<5	<12	<9	4054	2.4+/-3.0		
Canal	W-33	Jul-10	<7	<5	<6	<5	<5	<9	<5	<11	<9	3979	3.4+/-4.3		
	W-33	Oct-10	<8	<5	<6	<5	<5	<11	<5	<11	<10	4429	6.6+/-3.6		
James River	W-79	Jan-10	<13	<6	<6	<6	<5	<23	<6	<12	<11	NDC	5.5+/-3.6		
Scotland Wharf	W-79	Apr-10	<7	<5	<5	<5	<5	<10	<5	<11	<9	150	2.9+/-1.3		
Wharf	W-79	Jul-10	<8	<5	<6	<5	<5	<12	<5	<11	<10	NDC	68.8+/-44.7		
	W-79	Oct-10	<9	<5	<4	<5	<5	<12	<5	<11	<10	300	77.7 +/- 33.6		

NDC = No Detectable counts

* = routine release from SPS Radwaste facility in progress at time of sample

Virginia Department of Health

VEGETATION

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location Name	Date	Type	Isotope	State Results pCi/Gram (wet wt.)
Surry County	N/A	Collard	I-131	N/A
Garden		Greens	Cs-134	N/A
V-96B			Cs-137	N/A
Louisa County	N/A	Collard	I-131	N/A
Garden		Greens	Cs-134	N/A
V-98B			Cs-137	N/A

N/A = no garden sample could be found

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF HEALTH

DIVISION OF RADIOLOGICAL HEALTH
109 Governor Street, Room 730 Richmond, Virginia 23218-2448
Office (804) 864-8150 Fax (804) 864-8165

BABCOCK & WILCOX

Virginia Department of Health
Babcock & Wilcox

AIR PARTICULATE COMPOSITE SAMPLES

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location Name	Date Start	Date Stop	Gross Alpha pCi/meter³
Eastern Site	01/13/10	- 01/20/10	0.001 +/- 0.001
Boundary	04/14/10	- 04/21/10	0.001 +/- 0.001
Ballfield	07/07/10	- 07/14/10	0.001 +/- 0.001
A-101	12/08/10	- 12/14/10	0.002 +/- 0.001

Virginia Department of Health
Babcock & Wilcox

SOIL

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location Name	Distance & Direction	Type	Date	Alpha * pCi/Gram		
Eastern Site Boundary-Ballfield S-101	Site Boundary	Soil	6/16/2010	2.0	+/-	0.6
LRAHL Bldg. Off Rt. 460 control S-102	5 Miles SW	Soil	6/16/2010	1.5	+/-	0.5

Alpha * - Uranium Separation Followed by Alpha Counting

LRAHL = Lynchburg Regional Animal Health Laboratory

Virginia Department of Health
Babcock & Wilcox

SURFACE WATER

January 1, 2010 to December 31, 2010

ANNUAL REPORT 2010

Location Name	Distance & Direction	Date	pCi/Liter Alpha *
from James River shoreline near Ballfield at eastern site boundary W-101	approx. 3 mi. downstream from plant	6/16/2010	0.1 +/- 0.2
from James River shoreline near Six Mile Bridge control W-102	approx. 1.5 mi. upstream from plant	6/16/2010	0.1 +/- 0.3

Alpha * - Uranium Separation
Followed by Alpha Counting

Virginia Department of Health
Babcock & Wilcox

VEGETATION

January 1, 2010 through December 31, 2010

ANNUAL REPORT 2010

Location Name	Distance & Direction	Type	Date	Alpha * pCi/Gram
Eastern Site Boundary-Ballfield V-101	Site Boundary	Vegetation	6/19/2010	0.1 +/- 0.3
LRAHL Bldg. Off RT 460 control V-102	5 Miles SW	Vegetation	6/19/2010	0.5 +/- 0.3

Alpha * - Uranium Separation
Followed by Alpha Counting

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF HEALTH

DIVISION OF RADIOLOGICAL HEALTH
109 Governor Street, Room 730 Richmond, Virginia 23218-2448
Office (804) 864-8150 Fax (804) 864-8165

APPENDIX I

LOWER LIMITS
OF
DETECTION
"LLD"

LOWER LIMITS OF DETECTION “LLD”

Definition: **“Lower Limit of Detection”** – The smallest amount or concentration of a radioactive or nonradioactive element that can be reliably detected in a sample.

All radioactive measurements for samples are reported with an uncertainty. The uncertainty arises for a number of reasons including imperfections in the apparatus or procedure, human error and counting uncertainty. The counting uncertainty arises because radioactive decay is a random process. This means that if one counts the radioactive decay of a sample several times, each for a fixed time, one will find that the measured number of decays varies randomly. However, these random answers all cluster near an average value. It is usually assumed that the counting uncertainty is the dominant uncertainty. The uncertainties that are reported are the counting uncertainties only. The interpretation of this is that we are 95% confident that the true concentration in the sample lies somewhere between the measured concentration minus the counting uncertainty and the measured concentration plus the counting uncertainty.

One consequence of the uncertainties in a measurement of radioactivity is that it is not possible to determine a zero concentration of a radioisotope. Rather, when the uncertainty is such that one cannot distinguish between the sample and background counting rates, we report that the sample radioactivity is less than some concentration. This minimum concentration is termed the Lower Limit of Detection (LLD). Practical sample size, counting time, and background radiation all combine to determine the LLD. The LLD for most radioisotopes is at least several orders of magnitude (factors of ten) less than the standards for a level of concern that has been set by the state or federal government.

CONDITIONS

Consolidated Laboratories

LLD values apply to samples analyzed immediately after collection with no decay corrections used in the calculations. Decay corrections normally required during sample processing may result in significant increases in the LLD's for the short-lived isotopes.

Gamma isotopic analysis is performed with a 4" X 4" Sodium Iodide (TI) detector and a high purity Germanium detector.

Gross alpha, beta, Sr-89, and Sr-90 LLD's were based on variable averages normally encountered in sample processing. The LLD may vary from sample to sample depending on self-absorption corrections, counting efficiency, background changes, counting time and recovery yields. Fish values will depend on the wet to ash weight ratio of the collected sample.

The lower limits of detection for all analysis were calculated using the methods found on the following pages:

LOWER LIMITS OF DETECTION (LLD's) FOR GAMMA COUNTING

Consolidated Laboratories

For solids such as Silt, Vegetation, Fish etc., as provided by
HpGe Detector – 1000 minute count time

Required Sample Size: 1 Kilogram

NOMINAL LLD's for selected isotopes are given below. Actual LLD's are determined at the time of analysis, and vary with decay time, background radiation, sample size, etc.

Isotope*	LLD, pCi/Kilogram
Cs-134	5
Cs-137	6
Co-58	5
Co-60	5
I-131	7
Ru/Rh-106	50
Zn-65	12
Zr-95	10
Ba/La-140	8
Ag-110m	10
Mn-54	6
Fe-59	11

Canberra's Spectran-F Software calculates LLD using the following relationships:

$$* \text{LLD} = \frac{\text{LD} * e^{(.693 * \text{Td} / \text{T} \square)}}{\text{T} * \text{Y} * \text{e} * \text{V} * 0.037}$$

where: Td = Decay Time
 T□ = Half-Life
 T = Count Time
 Y = Yield of the gamma ray in question
 e = Detector efficiency at the energy of gamma ray in question
 V = Sample size
 0.037= Conversion factor: gammas/second to picocuries

and: LD = k² = 2*LC

Where: LC is the weakest signal the instrument can detect as a peak.

and: k is a constant which depends on the desired confidence limit for the result.
 (At the 95% confidence level, k= 1.645.)

LOWER LIMITS OF DETECTION (LLD's) FOR GAMMA COUNTING Consolidated Laboratories

For liquids such as Water, Milk, etc, as provided by HPGE detector – 1000 minute count time

Required Sample Size: 3.5 Liters

NOMINAL LLD's for selected isotopes are given below. Actual LLD's are determined at the time of analysis, and vary with decay time, background radiation, sample size, etc.

Isotope*	LLD, pCi/Liter
Cs-134	7.3
Cs-137	7.6
Co-58	7.2
Co-60	12.0
I-131	7.9
Zn-65	21.0
Zr-95	15.0
Ba/La-140	10.0
Mn-54	7.8
Fe-59	19.0

Canberra's GAMMA-M Software calculates LLD using the following relationships:

$$* \text{ LLD} = \text{LD} * \frac{e^{(.693 * \text{Td} / \text{T}\square)}}{\text{T} * \text{Y} * \text{e} * \text{V} * 0.037}$$

where:

- Td = Decay Time
- T□ = Half-Life
- T = Count Time
- Y = Yield of the gamma ray in question
- e = Detector efficiency at the energy of gamma ray in question
- V = Sample size
- 0.037= Conversion factor: gammas/second to picocuries

and: $\text{LD} = k^2 = 2 * \text{LC}$

Where: LC is the weakest signal the instrument can detect as a peak.

and: k is a constant which depends on the desired confidence limit for the result. (At the 95% confidence level, k= 1.645.)

LOWER LIMITS OF DETECTION (LLD's) FOR GAMMA COUNTING

VDH-DRH Mobile Incident Command Vehicle

Charcoal Canister provided by HPGE detector - 100 minute count time

Required Sample Size: 300 m³

Actual LLD is determined at the time of analysis and varies with decay time, background radiation, sample size, etc.

Isotope*	LLD, pCi/m ³
I-131 in Charcoal Canister	0.01

Canberra's Gamma-M Software calculates LLD using the following relationships:

$$LLD = 4.65 * \frac{(R_b/T_s)^{1/2}}{Y * e * V * d * 2.22}$$

where:

- R_b = Background rate (CPM)
- T_s = Sample Count Time
- Y = Chemical Yield (Gamma ray abundance for I-131 @ 364KeV)
- e = Detector efficiency = 23.9%
- V = Sample size
- d = Decay Correction Factor
- 2.22 = Conversion factor: counts/minute to picocuries

LOWER LIMITS OF DETECTION (LLD's) FOR BETA COUNTING Consolidated Laboratories

For: Milk and Water (Radiochemical Analysis).

Matrix*	LLD	Weight or Volume Required
Sr-89	4.00 pCi/Liter	1000 ml
Sr-90	1.00 pCi/Liter	1000 ml
I-131 in Water	0.34 pCi/Liter	1000 ml
I-131 in Milk	0.36 pCi/Liter	1000 ml

$$LLD = 4.65 \frac{\sqrt{p(Rb/Ts)}}{Y * e * V * d * 2.22}$$

where:

- Rb = Background rate (CPM)
- Ts = Sample Count Time
- Y = Chemical Yield
- e = Detector efficiency
- V = Sample size
- d = Decay Correction Factor
- 2.22 = Conversion factor: counts/minute to picocuries
- 4.65 = 95% Confidence Factor

**LOWER LIMITS OF DETECTION (LLD's) FOR GROSS BETA
COUNTING**
**Consolidated Laboratories (DCLS) & VDH-DRH Mobile Incident Command
Laboratory (MICL)**

For: Air Particulate, Surface/Saline Water, Silt/Soil and Fish.

Matrix*	LLD	Weight or Volume Required
Air Particulate (MICL)	0.003 pCi/m ³	300 m ³
Surface Water (DCLS)	34.7 pCi/L	10 ml
Saline Water (DCLS)	40.8 pCi/Liter	10 ml
Silt/Soil (DCLS)	5.7 pCi/gram	100 mg
Fish (DCLS)	0.046 pCi/gram	1000 grams

$$LLD = 4.65 * \frac{\sqrt{R_b / T_s}}{Y * e * V * d * 2.22}$$

- where:
- R_b = Background rate (CPM)
 - T_s = Sample Count Time
 - Y = Chemical Yield
 - e = Detector efficiency
 - V = Sample size
 - d = Decay Correction Factor
 - 2.22 = Conversion factor counts per minute to picocuries
 - 4.65 = 95% Confidence Factor

**LOWER LIMITS OF DETECTION (LLD's) FOR GROSS ALPHA
COUNTING**
**Consolidated Laboratories (DCLS) and VDH-DRH Mobile Incident Command
Laboratory (MICL)**

For: Air Particulate, Surface/Saline Water, Silt/Soil.

Matrix*	LLD	Weight or Volume Required
Air Particulate (MICL)	0.001 pCi/m ³	286 m ³
Surface Water (DCLS)	45.0 pCi/liter	10 ml
Saline Water (DCLS)	45.0 pCi/liter	10 ml
Silt/Soil (DCLS)	11.0 pCi/gram	100 mg

$$LLD = 4.65 * \frac{(2.71/Ts) + (\sqrt{Rb/Ts})}{Y * e * V * d * 2.22}$$

- where:
- Rb = Background rate (CPM)
 - Ts = Sample Count Time
 - Y = Chemical Yield (Gamma ray abundance for I-131 @ 634 KeV)
 - e = Detector efficiency
 - V = Sample size
 - d = Decay Correction Factor
 - 2.22 = Conversion factor: counts/minute to picocuries
 - 4.65 = 95% Confidence Factor
 - 2.71 = Conversion factor used to compensate for low backgrounds encountered in Alpha counting

LOWER LIMITS OF DETECTION (LLD's) FOR ALPHA COUNTING Consolidated Laboratories

For: Water, Vegetation, Silt and Soil (Uranium Radiochemical Analysis).

Matrix*	LLD	Weight or Volume Required
Water	0.20 pCi/Liter	1000 ml
Vegetation	0.02 pCi/gram	1000 grams
Silt	0.02 pCi/gram	1000 grams
Soil	0.02 pCi/gram	1000 grams

$$LLD = 4.65 * \frac{(2.71/Ts) + (\sqrt{Rb/Ts})}{Y * e * V * d * 2.22}$$

- where:
- Rb = Background rate (CPM)
 - Ts = Sample Count Time
 - Y = Chemical Yield (Gamma ray abundance for I-131 @ 634 KeV)
 - e = Detector efficiency
 - V = Sample size
 - d = Decay Correction Factor
 - 2.22 = Conversion factor: counts/minute to picocuries
 - 4.65 = 95% Confidence Factor
 - 2.71 = Conversion factor used to compensate for low backgrounds encountered in Alpha counting

LOWER LIMITS OF DETECTION (LLD's) FOR ALPHA COUNTING

Consolidated Laboratories

For: Air Particulate and Waste Water (Fluorometric Uranium Analysis).

Matrix*	LLD	Weight or Volume Required
Air Particulate	2.00 E-09 ug/ml	1440 m ³
Waste Water	0.04 ug/Liter	1000 ml

$$LLD = 4.65 * \frac{(2.71/Ts) + (\sqrt{Rb/Ts})}{Y * e * V * d * 2.22}$$

where:

- Rb = Background rate (CPM)
- Ts = Sample Count Time
- Y = Chemical Yield (Gamma ray abundance for I-131 @ 634 KeV)
- e = Detector efficiency
- V = Sample size
- d = Decay Correction Factor
- 2.22 = Conversion factor: counts/minute to picocuries
- 4.65 = 95% Confidence Factor
- 2.71 = Conversion factor used to compensate for low backgrounds encountered in Alpha counting

LOWER LIMITS OF DETECTION (LLD) FOR TRITIUM ANALYSIS
VDH-DRH Mobile Incident Command Laboratory (MICL)

For: surface water

Minimum Required Sample Volume: 50 ml
Sample Aliquot = 6 ml

$$* \text{ LLD in pCi/L} = \frac{4.66(R_{\text{Bkg}}/T)^{1/2}}{2.22 (V) (E)}$$

where: R_{Bkg} = Background rate (CPM)
T = Background Counting Time = 60 minutes
E = Counter Efficiency = 65%
V = Sample Volume or Size
4.66 = 95% Confidence Factor

$$\text{LLD} = 225 \text{ pCi/L}$$

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF HEALTH

DIVISION OF RADIOLOGICAL HEALTH
109 Governor Street, Room 730 Richmond, Virginia 23218-2448
Office (804) 864-8150 Fax (804) 864-8165

APPENDIX II

SAMPLING LOCATIONS

SPS Sampling Locations

LOCATION	TYPE	FREQUENCY
<u>Milk</u>		
* M-66 Surry County - W.B. Epps Dairy	Raw	Quarterly
<u>Air</u>		
* A-20 Surry Power Station	Air Particulate	Quarterly
<u>Charcoal Filter</u>		
* C-20 Surry Power Station	Release Gas	Quarterly
<u>Dosimeters</u>		
*D-20 Surry Power Station	Gamma in Air	Quarterly
D-41 Surry Lebanon Baptist Church	Gamma in Air	Quarterly
D-42 Surry County - Lawnes Creek	Gamma in Air	Quarterly
D-43 Surry County - Route 628	Gamma in Air	Quarterly
*D-44 Jamestown	Gamma in Air	Quarterly
D-45 Newport News - Lee Hall	Gamma in Air	Quarterly
D-73 Naval Weapons Station - Enlisted Quarter	Gamma in Air	Quarterly
*D-76 Newport News - Fort Eustis	Gamma in Air	Quarterly
D-77 Williamsburg - Busch Gardens	Gamma in Air	Quarterly
D-78 Williamsburg - Williamsburg Airport	Gamma in Air	Quarterly
D-79 Surry County - Scotland Wharf	Gamma in Air	Quarterly
*D-80 Surry County - Bacon's Castle	Gamma in Air	Quarterly
*D-81 Surry County - Alliance	Gamma in Air	Quarterly
*D-82 Surry County - Hog Point	Gamma in Air	Quarterly
<u>Shellfish</u>		
R-17 James River - 1/2 Mile Off Discharge Cana	Clams	Annually
<u>Silt</u>		
S-17 James River - 1/2 Mile Off Discharge Canal	Silt	Annually
<u>Surface Water</u>		
* W-19 Surry Discharge Canal	Surface Water	Quarterly
* W-79 James River - Scotland Wharf	Surface Water	Quarterly
<u>Vegetation</u>		
* V-96B Surry County	Edible Vegetation	Annually

***Virginia and Virginia Power Duplicate Samples**

NAPS Sampling Locations

LOCATION	TYPE	FREQUENCY
<u>Milk</u>		
* M-29 Louisa County - Lakeside Dairy	Raw	Quarterly
<u>Air</u>		
* A-88 Louisa County Route 700	Air Particulate	Quarterly
<u>Charcoal Filter</u>		
* C-88 Louisa County Route 700	Release Gas	Quarterly
<u>Dosimeters</u>		
* D-35 NAPS	Gamma in Air	Quarterly
* D-50 Louisa County - Mineral	Gamma in Air	Quarterly
* D-51 Louisa County - Wares Crossroads	Gamma in Air	Quarterly
* D-52 Spotsylvania - Good Hope Church	Gamma in Air	Quarterly
D-53 Spotsylvania - Route 614	Gamma in Air	Quarterly
D-54 Louisa County - Frederick's Hall	Gamma in Air	Quarterly
D-84 Louisa County - Route 685	Gamma in Air	Quarterly
D-85 Spotsylvania Co. - Route 713	Gamma in Air	Quarterly
* D-86 Louisa County - Bumpass P.O.	Gamma in Air	Quarterly
* D-87 Spotsylvania Co. - Levy	Gamma in Air	Quarterly
* D-88 Louisa Co. - Rt. 700 (near station)	Gamma in Air	Quarterly
* D-89 Louisa County - Aspen Hill	Gamma in Air	Quarterly
<u>Fish</u>		
* F-24 North Anna Lake - Second Cooling Lagoon	Edible Fish	2/Year
<u>Soil</u>		
S-24 NAPS Waste Treatment shoreline soil	Soil	Annually
<u>Surface Water</u>		
* W-27 North Anna River - Route 522	Surface Water	Quarterly
* W-33 North Anna Discharge Canal	Surface Water	Quarterly
<u>Vegetation</u>		
* V-98C Louisa County	Edible Vegetation	Annually

***Virginia and Virginia Power Duplicate Samples**

Sampling Locations - Babcock & Wilcox

SAMPLE	LOCATION	TYPE	FREQUENCY
<u>AIR</u> A-101	Eastern Site Boundary Ballfield	Air	Quarterly
<u>SURFACE WATER</u>			
W-101	James River 3 mi. downstream of plant at eastern site boundary	Surface Water	Annually
W-102	James River 1.5 mi. upstream of plant at Six Mile Bridge control	Surface Water	Annually
<u>SOIL</u>			
S-101	Eastern Site Boundary Ballfield	Soil	Annually
S-102	LRAHL Bldg. Off Route 460 5 Miles S.W. Control	Soil	Annually
<u>VEGETATION</u>			
V-101	Eastern Site Boundary Ballfield	Grass	Annually
V-102	LRAHL Bldg. Off Route 460 5 Miles S.W. Control	Grass	Annually

Other Sampling Locations in VA

	LOCATION	TYPE	FREQUENCY
	<u>Air</u>		
A-40	Pocahontas State Park	Air Particulate	Quarterly
	<u>Silt</u>		
S-15A	James River - Newport News SB - Pier 1	Silt	Quarterly
S-16	James River - Newport News SB- Shipway 11	Silt	Quarterly
S-18	Elizabeth River - NNSY - Drydock #8	Silt	Quarterly
S-19	Elizabeth River - NNSY - Drydock #4	Silt	Quarterly
S-20	Elizabeth River - NNSY - Wet Slip #1	Silt	Quarterly
	<u>Charcoal Filter</u>		
C-40	Pocahontas State Park	Air Particulate	Quarterly
	<u>Dosimeters</u>		
D-40	Pocahontas State Park	Air Gamma	Changed 4/Year
	<u>Surface Water</u>		
W-15	James River - Newport News SB- Pier 1	Surface Water	Quarterly
W-16	James River - Newport News SB-Shipway 11	Surface Water	Quarterly
W-37	Elizabeth River - NNSY - Drydock #8	Surface Water	Quarterly
W-38	Elizabeth River - NNSY - Drydock #4	Surface Water	Quarterly
W-39	Elizabeth River - NNSY - Wet Slip #1	Surface Water	Quarterly

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF HEALTH

DIVISION OF RADIOLOGICAL HEALTH
109 Governor Street, Room 730 Richmond, Virginia 23218-2448
Office (804) 864-8150 Fax (804) 864-8165

**APPENDIX III
EMERGENCY
PREPAREDNESS**

EMERGENCY PREPAREDNESS

The Division of Radiological Health (DRH) is one of the lead response agencies for emergencies involving the potential or actual release of radioactive materials. Overall state level emergency response is described in the Commonwealth of Virginia Radiological Emergency Response Plan (COVRERP), which is developed and maintained by the Department of Emergency Management (DEM) for the Commonwealth of Virginia. In addition to generic guidelines for responding to any major radiological emergency, the response procedures contain segments addressing response to several types of accidents. There are sections, which provide information needed for response to Licensee and Transportation accidents. Other sections contain background information and response guidance for accidents at fixed nuclear facilities.

Primary tasks of the Virginia Department of Health (VDH) and DRH in response to a radiological emergency, are to locate, identify, and predict the impact of any radioactive materials released to the environment. Based on the predicted or known impact, the VDH then recommends appropriate measures to protect the public. The DRH also supervises cleanup and ensures proper disposal of radioactive waste. A duty officer maintains 24-hour coverage for the DRH to ensure personnel are available at all times for coverage in case of a radiological emergency.

Under the provisions of current Federal Emergency Management Agency regulations, the DRH conducts or participates in periodic drills that are designed to provide needed team training and to test our emergency plan and procedures. The scope of these drills ranges from receiving and acknowledging simulated emergency communications to full-scale team deployment. In the latter case, the DRH personnel are presented with problems similar to those that might be encountered during an actual emergency.

Federal regulations for commercial nuclear power generating facilities stipulate that a full-scale exercise involving appropriate local government participation and testing all significant response elements must be conducted and evaluated every other year. Because there are two such facilities, Surry and North Anna Nuclear Power Stations, Commonwealth of Virginia agencies will perform exercise activities on a yearly basis, alternating between the sites each year. The VDH, DRH, and DEM have elected to participate in each exercise as fully as resources and local response organizations participation permit.