APPENDIX I:
SURGICAL CODES
REGIONAL LYMPH NODES BY SITE

Page left blank intentionally

Alphabetical Index by Primary Site for Surgical Codes

Primary Site	*ICD-O* Code(s)	*Appendix I* Page #
Accessory sinuses	C31.0-C31.9	88
Adnexa of eye	C69.0-C69.9	88
Adrenal gland	C74.0-C74.9	88
Anal canal and anus	C21.0-C21.8	34
Anus and anal canal	C21.0-C21.8	34
Articular cartilage, bones, & joints of limbs & other & unspecified sites	C40.0-C41.9	46
Autonomic nervous system and peripheral nerves	C47.0-C47.9	46
Biliary tract, other, and unspecified parts of	C24.0-C24.9	88
Bladder	C67.0-C67.9	78
Blood	C42.0	44
Bone marrow	C42.1	44
Bones, joints, and articular cartilage of limbs and other and unspecified sites	C40.0-C41.9	46
Brain	C71.0-C71.9	82
Breast	C50.0-C50.9	56
Bronchus and lung	C34.0-C34.9 3	42
Cervix uteri	C53.0-C53.9	53
Central Nervous System (CNS) parts, other, spinal cord, and cranial nerves	C72.0-C72.9	82
Colon	C18.0-C18.9	24
Connective, subcutaneous, and other soft tissues	C49.0-C49.9	46
Corpus uteri	C54.0-C55.9	64
Cranial nerves, spinal cord, and other CNS parts	C72.0-C72.9	82
Digestive organs, other, and ill-defined digestive organs	C26.0-C26.9	88
Ear, middle	C30.1	88
Endocrine glands, other, and related structures	C75.0-C75.9	88
Esophagus	C15.0-C15.9	18
Eye and adnexa of eye	C69.0-C69.9	88
Gallbladder	C23.9	88
Gastrointestinal tract, NOS	C26.9	88
Genital organs, female, other, and unspecified organs	C57.0-C57.9	88
Genital organs, male, other, and unspecified organs	C63.0-C63.9	88
Gum	C03.0-C03.9	6
Heart	C38.0	88
Heart, mediastinum, and pleura, overlapping lesion of	C38.8	88
Hematopoietic Diseases	C42.0-C42.4	44
Hypopharynx	C13.0-C13.9	14
Ill-defined primary	C76.0-C76.8	85
Immunoproliferative Diseases	C42.0-C42.4	44
Intestinal tract, NOS	C26.0	88
Intrahepatic bile ducts	C22.1	36
Intrathoracic organs and respiratory system, other, and ill-defined sites	C39.0-C39.9	88
Joints, bones, & articular cartilage of limbs & other & unspecified sites	C40.0-C41.9	46
Kidney	C64.9	76

Primary Site	***ICD-O* Code(s)**	***Appendix I* Page #**
Larynx	C32.0-C32.9	40
Lip	C00.0-C00.9	6
Oral cavity, and pharynx, other, and ill-defined sites in	C14.2-C14.8	88
Liver	C22.0	36
Lung and bronchus	C34.0-C34.9	42
Lymph nodes	C77.0-C77.9	86
Mediastinum	C38.1-C38.3	88
Mediastinum, heart, and pleura, overlapping lesion of	C38.8	88
Meninges	C70.0-C70.9	82
Mouth, floor of	C04.0-C04.9	6
Mouth, other, and unspecified parts of	C06.0-C06.9	6
Myeloproliferative Disorders	C42.1	44
Nasal cavity	C30.0	88
Nasopharynx	C11.0-C11.9	14
Oral cavity	C00.0-C06.9	6
Oral cavity and pharynx, other and ill-defined sites of	C14.2-C14.8	88
Oropharynx	C10.0-C10.9	14
Ovary	C56.9	68
Palate	C05.0-C05.9	6
Pancreas	C25.0-C25.9	38
Parotid gland	C07.9	12
Penis	C60.0-C60.9	88
Peripheral nerves and autonomic nervous system	C47.0-C47.9	46
Peritoneum	C48.1-C48.2	88
Peritoneum and retroperitoneum, overlapping lesion of	C48.8	88
Pharynx, oral cavity, other and ill-defined sites of	C14.2-C14.8	88
Pharynx, NOS	C14.0	14
Placenta	C58.9	88
Pleura, heart, mediastinum, overlapping lesion of	C38.8	88
Pleura, NOS	C38.4	88
Prostate gland	C61.9	72
Pyriform sinus	C12.9	14
Rectosigmoid junction	C19.9	28
Rectum	C20.9 2	6
Renal pelvis	C65.9	66
Respiratory system and intrathoracic organs, other, and ill-defined sites within	C39.0-C39.9	88
Reticuloendothelial System	C42.3	44
Retroperitoneum	C48.0	88
Retroperitoneum and peritoneum, overlapping lesion of	C48.8	88
Salivary glands, major; other, and unspecified glands	C08.0-C08.9	12
Skin	C44.0-C44.9	52
Small intestine	C17.0-C17.9	88
Soft tissues, other, and connective and subcutaneous tissues	C49.0-C49.9	46
Spinal cord, cranial nerves, and other CNS parts	C72.0-C72.9	82
Spleen	C42.2	50

Primary Site	***ICD-O* Code(s)**	***Appendix I* Page #**
Stomach	C16.0-C16.9	20
Subcutaneous, connective, and other soft tissues	C49.0-C49.9	46
Testis	C62.0-C62.9	74
Thymus	C37.9	88
Thyroid gland	C73.9	84
Tongue, base of	C01.9	6
Tongue, other, and unspecified parts of	C02.0-C02.9	6
Tonsil	C09.0-C09.9	14
Trachea	C33.9	88
Unknown primary site	C80.9	96
Ureter	C66.9	76
Urinary bladder	C67.0-C67.9	68
Urinary organs, other and unspecified organs	C68.0-C68.9	88
Uterus, NOS	C55.9	56
Vagina	C52.9	88
Vulva	C51.0-C51.9	88

ORAL CAVITY
Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate C05.0-C05.9, Other Parts of Mouth C06.0-C06.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser

No specimen sent to pathology from surgical events 10–14.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

Specimen sent to pathology from surgical events 20–27.

30 Wide excision, NOS

Code 30 includes:
- Hemiglossectomy
- Partial glossectomy

40 Radical excision of tumor, NOS
- 41 Radical excision of tumor ONLY
- 42 Combination of 41 WITH resection in continuity with mandible (marginal, segmental, hemi-, or total resection)
- 43 Combination of 41 WITH resection in continuity with maxilla (partial, subtotal, or total resection)

Codes 40–43 include:
- Total glossectomy
- Radical glossectomy

Specimen sent to pathology from surgical events 20–43.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

ORAL CAVITY
Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate C05.0-C05.9, Other Parts of Mouth C06.0-C06.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Cheek (Buccal) Mucosa, Vestibule

- Cervical, NOS
- Facial: Buccinator (buccal)
  - Nasolabial
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
    - Middle
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Parotid, NOS:
  - Infra-auricular
  - Preauricular

Floor of Mouth

- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
      - Middle
      - Upper, NOS:
        - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Sublingual

ORAL CAVITY
Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate C05.0-C05.9, Other Parts of Mouth C06.0-C06.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES (continued)

Gum
- Cervical, NOS
- Facial, NOS:
  - Buccinator (buccal)
  - Nasolabial
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
    - Middle
    - Upper, NOS: Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Retropharyngeal **for upper gum**

Hard Palate
- Buccinator
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
    - Middle
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Retropharyngeal

Lip
- Cervical, NOS
- Facial, NOS
  - Buccinator (buccal) **for upper lip**
  - Nasolabial **for upper lip**
- Internal jugular, NOS
- Deep cervical, NOS
  - Lower, NOS
    - Jugulo-omohyoid (supraomohyoid)
  - Middle
  - Upper, NOS

ORAL CAVITY
Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate C05.0-C05.9, Other Parts of Mouth C06.0-C06.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES (continued)

Lip, *continued*
- Jugulodigastric (subdigastric)
- Mandibular **for lower lip:**
  - Submandibular (submaxillary)
  - Submental
- Parotid:
  - Infra-auricular **for upper lip**
  - Preauricular **for upper lip**

Other parts of mouth
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
    - Middle
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Posterior triangle/supraclavicular

Soft Palate, Uvula
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
    - Middle
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Retropharyngeal

ORAL CAVITY
Lip C00.0-C00.9, Base of Tongue C01.9, Other Parts of Tongue C02.0-C02.9, Gum C03.0-C03.9, Floor of Mouth C04.0-C04.9, Palate C05.0-C05.9, Other Parts of Mouth C06.0-C06.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES (continued)

Tongue
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
    - Middle
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Sublingual

Page left blank intentionally

PAROTID AND OTHER UNSPECIFIED GLANDS
Parotid Gland C07.9, Major Salivary Glands C08.0-C08.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser

No specimen sent to pathology from surgical events 10–14.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

Specimen sent to pathology from surgical events 20–27.

30 Less than total parotidectomy, NOS; less than total removal of major salivary gland, NOS
- 31 Facial nerve spared
- 32 Facial nerve sacrificed
- 33 Superficial lobe ONLY
  - 34 Facial nerve spared
  - 35 Facial nerve sacrificed
- 36 Deep lobe (Total)
  - 37 Facial nerve spared
  - 38 Facial nerve sacrificed

40 Total parotidectomy, NOS; total removal of major salivary gland, NOS
- 41 Facial nerve spared
- 42 Facial nerve sacrificed

50 Radical parotidectomy, NOS; radical removal of major salivary gland, NOS
- 51 WITHOUT removal of temporal bone
- 52 WITH removal of temporal bone
- 53 WITH removal of overlying skin (requires graft or flap coverage)

80 Parotidectomy, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

PAROTID AND OTHER UNSPECIFIED GLANDS
Parotid Gland C07.9, Major Salivary Glands C08.0-C08.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

All sites
- Cervical, NOS for **parotid gland and other major salivary glands**
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Retropharyngeal

Parotid gland
- Parotid node(s):
  - Infra-auricular
  - Intraparotid
  - Preauricular

Submandibular
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Middle
    - Upper, NOS:
      - Jugulodigastric (subdigastric)

PHARYNX
Tonsil C09.0-C09.9, Oropharynx C10.0-C10.9, Nasopharynx C11.0-C11.9, Pyriform Sinus C12.9, Hypopharynx C13.0-C13.9, Pharynx C14.0
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser
- 15 Stripping

No specimen sent to pathology from surgical events 10–15.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

25 Laser excision
28 Stripping
Specimens sent to pathology from surgical events 20–28.

30 Pharyngectomy, NOS
- 31 Limited/partial pharyngectomy; tonsillectomy, bilateral tonsillectomy
- 32 Total pharyngectomy

40 Pharyngectomy WITH laryngectomy OR removal of contiguous bone tissue, NOS (does NOT include total mandibular resection)
- 41 WITH Laryngectomy (laryngopharyngectomy)
- 42 WITH bone
- 43 WITH both 41 and 42

50 Radical pharyngectomy (includes total mandibular resection), NOS
- 51 WITHOUT laryngectomy
- 52 WITH laryngectomy

Specimen sent to pathology from surgical events 20–52.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

PHARYNX
Tonsil C09.0-C09.9, Oropharynx C10.0-C10.9, Nasopharynx C11.0-C11.9, Pyriform Sinus C12.9, Hypopharynx C13.0-C13.9, Pharynx C14.0

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Nasopharynx
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Retropharyngeal
- Spinal accessory (posterior cervical)

Pyriform Sinus, Hypopharynx, Laryngopharynx
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
    - Middle
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Parapharyngeal
- Paratracheal
  - Recurrent pharyngeal nerve chain
- Prelaryngeal
  - Delphian node
- Retropharyngeal

Pharynx, NOS
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
    - Middle
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Parapharyngeal

PHARYNX
Tonsil C09.0-C09.9, Oropharynx C10.0-C10.9, Nasopharynx C11.0-C11.9, Pyriform Sinus C12.9, Hypopharynx C13.0-C13.9, Pharynx C14.0

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES (Continued)

Pharynx, NOS (continued)
- Paratracheal
  - Recurrent pharyngeal nerve chain
- Prelaryngeal
  - Delphian node
- Retropharyngeal

Tonsil, Oropharynx
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Middle
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Retropharyngeal

Page left blank intentionally

ESOPHAGUS
C15.0-C15.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser

No specimen sent to pathology from surgical events 10–14.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

Specimen sent to pathology from surgical events 20–27.

30 Partial esophagectomy

40 Total esophagectomy, NOS

50 Esophagectomy, NOS WITH laryngectomy and/or gastrectomy, NOS
- 51 WITH laryngectomy
- 52 WITH gastrectomy, NOS
- 53 Partial gastrectomy
- 54 Total gastrectomy
- 55 Combination of 51 WITH any of 52–54

80 Esophagectomy, NOS

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

ESOPHAGUS
C15.0-C15.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Cervical Esophagus

- Cervical, NOS:
  - Anterior deep cervical (laterotracheal) (recurrent laryngeal)
  - Internal jugular, NOS:
    - Deep cervical, NOS:
      - Upper, NOS:
        - Jugulodigastric (subdigastric)
      - Lower, NOS
- Peri-/paraesophageal (upper and lower)
- Scalene (inferior deep cervical)
- Supraclavicular (transverse cervical) Peri-/paraesophageal

Intrathoracic, lower (abdominal) Esophagus

- Left gastric (superior gastric):
  - Cardiac (cardial)
  - Lesser curvature
  - Perigastric, NOS
- Peri-/paraesophageal
- Posterior mediastinal (tracheoesophageal)
- Subcarinal

Intrathoracic, upper thoracic or middle, Esophagus:

- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
    - Middle
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Intrabronchial:
  - Carinal (tracheobronchial) (tracheal bifurcation)
  - Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)
  - Peritracheal
- Left gastric (superior gastric):
  - Cardiac (cardial)
  - Lesser curvature
  - Perigastric, NOS
- Mediastinal Posterior (tracheoesophageal) and superior
- Peri-/paraesophageal (upper and lower)
- Subcarinal

STOMACH
C16.0-C16.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser

No specimen sent to pathology from surgical events 10–14.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

Specimen sent to pathology from surgical events 20–27.

30 Gastrectomy, NOS (partial, subtotal, hemi-)
- 31 Antrectomy, lower (distal-less than 40% of stomach)***
- 32 Lower (distal) gastrectomy (partial, subtotal, hemi-)
- 33 Upper (proximal) gastrectomy (partial, subtotal, hemi-)

Code 30 includes:

Partial gastrectomy, including a sleeve resection of the stomach
Billroth I: anastomosis to duodenum (duodenostomy)
Billroth II: anastomosis to jejunum (jejunostomy)

40 Near-total or total gastrectomy, NOS
- 41 Near-total gastrectomy
- 42 Total gastrectomy

A total gastrectomy may follow a previous partial resection of the stomach.

50 Gastrectomy, NOS WITH removal of a portion of esophagus
- 51 Partial or subtotal gastrectomy
- 52 Near total or total gastrectomy

Codes 50–52 are used for gastrectomy resection when only portions of esophagus are included in procedure.

*** Incidental splenectomy NOT included

STOMACH
C16.0-C16.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE (continued)

Codes

60 Gastrectomy with a resection in continuity with the resection of other organs, NOS***
  61 Partial or subtotal gastrectomy, in continuity with the resection of other organs***
  62 Near total or total gastrectomy, in continuity with the resection of other organs***
  63 Radical gastrectomy, in continuity with the resection of other organs***
  Codes 60–63 are used for gastrectomy resections with organs other than esophagus. Portions of esophagus may or may not be included in the resection.

80 Gastrectomy, NOS

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

STOMACH
C16.0-C16.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Gastroesophageal Junction
- Celiac
- Diaphragmatic
- Left gastric
- Lower esophageal
- Pericardial

Stomach
- Celiac
- Hepatic
- Left gastric (superior gastric), NOS:
  - Cardial
  - Cardioesophageal
  - Gastric, left
  - Gastropancreatic, left
  - Lesser curvature
  - Lesser omentum
  - Paracardial
- Pancreaticosplenic (pancreaticolienal)
- Perigastric, NOS
- Peripancreatic
- Right gastric (inferior gastric), NOS:
  - Gastrocolic
  - Gastroduodenal
  - Gastroepiploic (gastro-omental), right or NOS
  - Gastrohepatic
  - Greater curvature
  - Greater omental
  - Infrapyloric
  - Pancreaticoduodenal
  - Pyloric, NOS:
    - Infrapyloric (subpyloric)
    - Suprapyloric
- Splenic (lienal), NOS:
  - Gastroepiploic (gastro-omental), left
  - Splenic Hilar

Page left blank intentionally

COLON
C18.0-C18.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Code removal/surgical ablation of single or multiple liver metastases under the data item *Surgical Procedure/Other Site.*

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser

No specimen sent to pathology from surgical events 10–14.

20 Local tumor excision, NOS
- 27 Excisional biopsy
- 26 Polypectomy, NOS
- 28 Polypectomy-endoscopic
- 29 Polypectomy-surgical excision

Any combination of 20 or 26–29 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

Specimen sent to pathology from surgical events 20–29.

30 Partial colectomy, segmental resection
- 32 Plus resection of contiguous organ; example: small bowel, bladder

40 Subtotal colectomy/hemicolectomy (total right or left colon and a portion of transverse colon)
- 41 Plus resection of contiguous organ; example: small bowel, bladder

50 Total colectomy (removal of colon from cecum to the rectosigmoid junction; may include a portion of the rectum)
- 51 Plus resection of contiguous organ; example: small bowel, bladder

60 Total proctocolectomy (removal of colon from cecum to the rectosigmoid junction, including the entire rectum)
- 61 Plus resection of contiguous organ; example: small bowel, bladder

COLON
C18.0-C18.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE (continued)

Codes

70 Colectomy or coloproctotectomy with resection of contiguous organ(s), NOS (where there is not enough information to code 32, 41, 51, or 61)

Code 70 includes: Any colectomy (partial, hemicolectomy, or total) WITH a resection of any other organs in continuity with the primary site. Other organs may be partially or totally removed. Other organs may include, but are not limited to, oophorectomy, partial proctectomy, rectal mucosectomy, or pelvic exenteration.

80 Colectomy, NOS

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

COLON
C18.0-C18.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

All colon subsites:
- Colic, NOS
- Epicolic (adjacent to bowel wall)
- Mesenteric, NOS
- Paracolic/pericolic
- Nodule(s) in pericolic fat

Ascending colon:
- Ileocolic
- Middle colic
- Right colic

Cecum and Appendix:
- Cecal, NOS
  - Anterior (prececal)
  - Posterior (retrocecal)
- Ileocolic
- Right colic

Descending colon:
- Inferior mesenteric
- Left colic
- Sigmoid

Sigmoid:
- Inferior mesenteric
- Sigmoidal (sigmoid mesenteric)
- Superior hemorrhoidal
- Superior rectal

Transverse colon and flexures:
- Inferior mesenteric **for splenic flexure only**
- Left colic **for splenic flexure only**
- Middle colic
- Right colic **for hepatic flexure only**

Page left blank intentionally

RECTOSIGMOID
C19.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Code removal/surgical ablation of single or multiple liver metastases under the data item *Surgical Procedure/Other Site*.

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser ablation

No specimen sent to pathology from surgical events 10–14.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

Specimen sent to pathology from surgical events 20–27.

30 Wedge or segmental resection; partial proctosigmoidectomy, NOS
- 31 Plus resection of contiguous organs; example: small bowel, bladder

Procedures coded 30 include, but are not limited to:
- Anterior resection
- Hartmann operation
- Low anterior resection (LAR)
- Partial colectomy, NOS
- Rectosigmoidectomy, NOS
- Sigmoidectomy

40 Pull through WITH sphincter preservation (colo-anal anastomosis)

50 Total proctectomy

51 Total colectomy

55 Total colectomy WITH ileostomy, NOS
- 56 Ileorectal reconstruction
- 57 Total colectomy WITH other pouch; example: Koch pouch

RECTOSIGMOID
C19.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE (continued)

Codes

60 Total proctocolectomy, NOS
  65 Total proctocolectomy WITH ileostomy, NOS
  66 Total proctocolectomy WITH ileostomy and pouch
  Removal of the colon from cecum to the rectosigmoid or a portion of the rectum.

70 Colectomy or proctocolectomy resection in continuity with other organs; pelvic exenteration

80 Colectomy, NOS; Proctectomy, NOS

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

RECTOSIGMOID
C19.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Colic, NOS
    Left colic
Hemorrhoidal, superior or middle
Inferior mesenteric
Mesenteric, NOS
Paracolic/pericolic
Paravertebral
Perirectal
Rectal
Sigmoidal (sigmoid mesenteric)
Superior rectal

Page left blank intentionally

RECTUM
C20.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Code removal/surgical ablation of single or multiple liver metastases under the data item *Surgical Procedure/Other Site.*

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser

No specimen sent to pathology from surgical events 10-14.

20 Local tumor excision, NOS
- 27 Excisional biopsy
- 26 Polypectomy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision
- 28 Curette and fulguration

Specimen sent to pathology from surgical events 20–28.

30 Wedge or segmental resection; partial proctectomy, NOS

Procedures coded 30 include, but are not limited to:
- Anterior resection
- Hartmann's operation
- Low anterior resection (LAR)
- Transsacral Rectosigmoidectomy

40 Pull through WITH sphincter preservation (coloanal anastomosis)

50 Total proctectomy

Procedure coded 50 includes, but is not limited to:
- Abdominoperineal resection (Miles Procedure) (APR)

60 Total proctocolectomy, NOS

70 Proctectomy or proctocolectomy with resection in continuity with other organs; pelvic exenteration

80 Proctectomy, NOS

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

RECTUM
C20.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Hemorrhoidal, superior, middle or inferior
Inferior mesenteric
Internal iliac (hypogastric), NOS:
    Obturator
Mesenteric, NOS
Perirectal
Rectal
Sacral, NOS:
    Lateral (laterosacral)
    Middle sacral (promontorial) (Gerota's node)
    Presacral
Sigmoidal (sigmoid mesenteric)

ANUS
C21.0-C21.8

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser
- 15 Thermal Ablation

No specimen sent to pathology from surgical events 10–15.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

Specimen sent to pathology from surgical events 20–27.

60 Abdominal perineal resection, NOS (APR; Miles procedure)
- 61 APR and sentinel node excision
- 62 APR and unilateral inguinal lymph node dissection
- 63 APR and bilateral inguinal lymph node dissection

The lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery*.

Specimen sent to pathology from surgical events 20–63.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

ANUS
C21.0-C21.8

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Anorectal
    Inferior hemorrhoidal
Internal iliac (hypogastric), NOS: **for anus and anal canal:**
    Obturator **for anus and anal canal**
Lateral sacral (laterosacral)
Paravertebral
Perirectal
Superficial inguinal (femoral) **for anus and anal canal**

LIVER AND INTRAHEPATIC BILE DUCTS
C22.0-C22.1

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser
- 15 Alcohol (Percutaneous Ethanol Injection-PEI)
- 16 Heat-Radio-frequency ablation (RFA)
- 17 Other (ultrasound, acetic acid)

No specimen sent to pathology from surgical events 10–17.

20 Wedge or segmental resection, NOS
- 21 Wedge resection
- 22 Segmental resection, NOS
  - 23 One
  - 24 Two
  - 25 Three
  - 26 Segmental resection AND local tumor destruction

Specimen sent to pathology from surgical events 20–26.

30 Lobectomy, NOS
- 36 Right lobectomy
- 37 Left lobectomy
- 38 Lobectomy AND local tumor destruction

50 Extended lobectomy, NOS (extended: resection of a single lobe plus a segment of another lobe)
- 51 Right lobectomy
- 52 Left lobectomy
- 59 Extended lobectomy AND local tumor destruction

60 Hepatectomy, NOS
- 61 Total hepatectomy and transplant

65 Excision of a bile duct (for an intra-hepatic bile duct primary only)
- 66 Excision of a bile duct PLUS partial hepatectomy

75 Bile duct and hepatectomy WITH transplant

Specimen sent to pathology from surgical events 20–75.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

LIVER AND INTRAHEPATIC BILE DUCTS
C22.0-C22.1

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Caval
Hepatic, NOS:
    Hepatic artery
    Hepatic pedicle
    Inferior vena cava
    Porta hepatis (portal) (hilar) [in hilus of liver]
Hepatoduodenal ligament
Periportal

PANCREAS
C25.0-C25.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

25 Local excision of tumor, NOS

30 Partial pancreatectomy, NOS; example: distal

35 Local or partial pancreatectomy and duodenectomy
- 36 WITHOUT distal/partial gastrectomy
- 37 WITH partial gastrectomy (Whipple)

40 Total pancreatectomy

60 Total pancreatectomy and subtotal gastrectomy or duodenectomy

70 Extended pancreatoduodenectomy

80 Pancreatectomy, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

PANCREAS
C25.0-C25.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Celiac
Hepatic
Infrapyloric (subpyloric)
Lateral aortic (lumbar)
Pancreaticosplenic (pancreaticolienal)
Peripancreatic, NOS:
- Anterior, NOS:
  - Anterior pancreaticoduodenal
  - Anterior proximal mesenteric
  - Pyloric
- Inferior to the head and body of pancreas
- Posterior, NOS:
  - Pericholedochal (common bile duct)
  - Posterior pancreaticoduodenal
  - Posterior proximal mesentery
- Superior to the head and body of pancreas

Pyloric
Retroperitoneal
Splenic (lienal):
- Gastroepiploic (gastro-omental), left
- Splenic hilum
- Suprapancreatic

Superior mesenteric

LARYNX
C32.0-C32.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser
- 15 Stripping

No specimen sent to pathology from surgical events 10–15.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

- 25 Laser excision
- 28 Stripping

Specimen sent to pathology from surgical events 20–28.

30 Partial excision of primary site, NOS; subtotal/partial laryngectomy NOS; hemilaryngectomy, NOS
- 31 Vertical laryngectomy
- 32 Anterior commissure laryngectomy
- 33 Supraglottic laryngectomy

40 Total or radical laryngectomy, NOS
- 41 Total laryngectomy ONLY
- 42 Radical laryngectomy ONLY

50 Pharyngolaryngectomy

80 Laryngectomy, NOS

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

LARYNX
C32.0-C32.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Anterior deep cervical (laterotracheal) (recurrent laryngeal):
- Paralaryngeal
- Paratracheal
- Prelaryngeal:
  - Delphian node
- Pretracheal

Cervical, NOS
Internal jugular, NOS:
- Deep cervical, NOS:
  - Lower, NOS:
    - Jugulo-omohyoid (supraomohyoid)
  - Middle
  - Upper, NOS:
    - Jugulodigastric (subdigastric)

Mandibular, NOS:
- Submandibular (submaxillary)
- Submental

Retropharyngeal

LUNG
C34.0-C34.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction or excision, NOS
Unknown whether a specimen was sent to pathology for surgical events coded 19 (principally for cases diagnosed prior to January 1, 2003).

15 Local tumor destruction, NOS
12 Laser ablation or cryosurgery
13 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
No specimen sent to pathology from surgical events 12–13 and 15.

20 Excision or resection of less than one lobe, NOS
23 Excision, NOS
24 Laser excision
25 Bronchial sleeve resection ONLY
21 Wedge resection
22 Segmental resection, including lingulectomy
Specimen sent to pathology from surgical events 20–25.

30 Resection of lobe or bilobectomy, but less than the whole lung (partial pneumonectomy, NOS)
33 Lobectomy WITH mediastinal lymph node dissection
The lymph node dissection should be coded under *Scope of Regional Lymph Node Surgery*.

45 Lobe or bilobectomy extended, NOS
46 WITH chest wall
47 WITH pericardium
48 WITH diaphragm

55 Pneumonectomy, NOS
56 WITH mediastinal lymph node dissection (radical pneumonectomy)
The mediastinal lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery*.

65 Extended pneumonectomy
66 Extended pneumonectomy plus pleura or diaphragm

70 Extended radical pneumonectomy
The mediastinal lymph node dissection should also be coded under *Scope of Regional Lymph Node Surgery*.

80 Resection of lung, NOS

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

LUNG
C34.0-C34.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Aortic [above diaphragm], NOS:
- Peri-/para-aortic, NOS:
  - Ascending aorta (phrenic)
- Subaortic (aortico-pulmonary window)

Bronchial
Carinal (tracheobronchial) (tracheal bifurcation)
Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)
Intrapulmonary, NOS:
- Interlobar
- Lobar
- Segmental
- Subsegmental

Intrathoracic
Mediastinal, NOS:
- Anterior
- Posterior (tracheoesophageal)

Pericardial
Peri-/parabronchial
Peri-/paraesophageal
Peri-/paratracheal, NOS:
- Azygos (lower peritracheal)

Pre- and retrotracheal, NOS:
- Precarinal

Pulmonary ligament
Scalene
Subcarinal
Supraclavicular

HEMATOPOIETIC/RETICULOENDOTHELIAL/IMMUNOPROLIFERATIVE/ MYELOPROLIFERATIVE DISEASE
C42.0, C42.1, C42.3, C42.4 with any histology or M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992 with any site

SURGERY OF PRIMARY SITE

Code

98 All hematopoietic/reticuloendothelial/immunoproliferative/myeloproliferative disease sites and/or histologies, WITH or WITHOUT surgical treatment.

Surgical procedures for hematopoietic/reticuloendothelial/immunoproliferative/myeloproliferative primaries are to be recorded using the data item *Surgical Procedure/Other Site.*

HEMATOPOIETIC/RETICULOENDOTHELIAL/IMMUNOPROLIFERATIVE/ MYELOPROLIFERATIVE DISEASE
C42.0, C42.1, C42.3, C42.4 with any histology or
M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992 with any site

REGIONAL LYMPH NODES

Not applicable. Code 9 for Scope Regional Lymph Node Surgery.

BONES, JOINTS, AND ARTICULAR CARTILAGE C40.0-C41.9
PERIPHERAL NERVES & AUTONOMIC NERVOUS SYSTEM C47.0-C47.9
CONNECTIVE, SUBCUTANEOUS, & OTHER SOFT TISSUES C49.0-C49.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction or excision, NOS
Unknown whether a specimen was sent to pathology for surgical events coded 19 (principally for cases diagnosed prior to January 1, 2003).

15 Local tumor destruction
No specimen sent to pathology from surgical event 15.

25 Local excision

26 Partial resection
Specimen sent to pathology from surgical events 25–26.

30 Radical excision or resection of lesion WITH limb salvage

40 Amputation of limb
- 41 Partial amputation of limb
- 42 Total amputation of limb

50 Major amputation, NOS
- 51 Forequarter, including scapula
- 52 Hindquarter, including ileum/hip bone
- 53 Hemipelvectomy, NOS
- 54 Internal hemipelvectomy

Specimen sent to pathology from surgical events 25 – 54.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

BONES, JOINTS, AND ARTICULAR CARTILAGE C40.0-C41.9
PERIPHERAL NERVES & AUTONOMIC NERVOUS SYSTEM C47.0-C47.9
CONNECTIVE, SUBCUTANEOUS, & OTHER SOFT TISSUES C49.0-C49.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Regional lymph node metastasis from bone tumors is extremely rare.

Abdomen:
- Celiac
- Iliac
- Para-aortic

Arm/shoulder:
- Axillary
- Epitrochlear **for hand/forearm**
- Spinal accessory (posterior cervical) **for shoulder**

Head and neck:
- All head and neck subsites:
  - Cervical, NOS
- Eyelid/canthus:
  - Facial, NOS:
    - Buccinator (buccal)
    - Nasolabial
  - Mandibular, NOS:
    - Submandibular (submaxillary)
    - Submental
  - Parotid, NOS:
    - Infra-auricular
- External ear/auditory canal:
  - Mastoid (post-/retro-auricular)
  - Preauricular
- Face, Other (cheek, chin, forehead, jaw, nose and temple):
  - Facial, NOS:
    - Buccinator (buccal)
    - Nasolabial
  - Mandibular, NOS:
    - Submandibular (submaxillary)
    - Submental
  - Parotid, NOS:
    - Infra-auricular
    - Preauricular

BONES, JOINTS, AND ARTICULAR CARTILAGE C40.0-C41.9
PERIPHERAL NERVES & AUTONOMIC NERVOUS SYSTEM C47.0-C47.9
CONNECTIVE, SUBCUTANEOUS, & OTHER SOFT TISSUES C49.0-C49.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES (continued)

Head and neck (continued):
- Lip:
  - Facial, NOS:
    - Buccinator (buccal)
    - Nasolabial
  - Mandibular, NOS:
    - Submandibular (submaxillary)
    - Submental
  - Parotid, NOS:
  - Infra-auricular
  - Preauricular
- Neck:
  - Axillary
  - Mandibular, NOS:
    - Submental
  - Mastoid (post-/retro-auricular)
  - Parotid, NOS:
    - Infra-auricular
    - Preauricular
  - Spinal accessory (posterior cervical)
    - Supraclavicular (transverse cervical)
- Scalp:
  - Mastoid (post-/retro-auricular)
  - Parotid, NOS:
    - Infra-auricular
    - Preauricular
  - Spinal accessory (posterior cervical)

Leg/hip:
- Popliteal **for heel and calf**
- Superficial inguinal (femoral)

Pelvis:
- Deep inguinal, NOS:
  - Node of Cloquet or Rosenmuller (highest deep inguinal)
- Superficial inguinal (femoral)

Thorax:
- Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)
- Mediastinal

BONES, JOINTS, AND ARTICULAR CARTILAGE C40.0-C41.9
PERIPHERAL NERVES & AUTONOMIC NERVOUS SYSTEM C47.0-C47.9
CONNECTIVE, SUBCUTANEOUS, & OTHER SOFT TISSUES C49.0-C49.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES (continued)

Trunk, lower:
Superficial inguinal (femoral)

Trunk, upper:
Axillary
Cervical
Internal mammary
Supraclavicular (transverse cervical)

SPLEEN
C42.2

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction or excision, NOS
Unknown whether a specimen was sent to pathology for surgical events coded 19 (principally for cases diagnosed prior to January 1, 2003).

21 Partial splenectomy

22 Total splenectomy

80 Splenectomy, NOS

Specimen sent to pathology from surgical events 21–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

SPLEEN
C42.2

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Not applicable.

Code 9 for Scope Regional Lymph Node Surgery.

SKIN
C44.0-C44.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser ablation

No specimen sent to pathology from surgical events 10–14.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

Specimen sent to pathology from surgical events 20–27.

30 Biopsy of primary tumor followed by a gross excision of the lesion (does not have to be done under the same anesthesia)
- 31 Shave biopsy followed by a gross excision of the lesion
- 32 Punch biopsy followed by a gross excision of the lesion
- 33 Incisional biopsy followed by a gross excision of the lesion
- 34 Mohs surgery, NOS
- 35 Mohs with 1-cm margin or less
- 36 Mohs with more than 1-cm margin

45 Wide excision or re-excision of lesion or minor (local) amputation with margins more than 1 cm, NOS.
Margins MUST be microscopically negative.
- 46 WITH margins more than 1 cm and less than or equal to 2 cm
- 47 WITH margins greater than 2 cm

If the excision does not have microscopically negative margins greater than 1 cm, use the appropriate code, 20-36.

60 Major amputation

Specimen sent to pathology from surgical events 20–60.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

SKIN
C44.0-C44.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Arm/shoulder:
- Axillary
- Epitrochlear **for hand/forearm**
- Spinal accessory (posterior cervical) **for shoulder**

Head and neck:
- All head and neck subsites:
  - Cervical, NOS
- External ear/auditory canal:
  - Mastoid (post-/retro-auricular)
  - Preauricular
- Face, Other (cheek, chin, forehead, jaw, nose and temple):
  - Facial, NOS:
    - Buccinator (buccal)
    - Nasolabial
  - Mandibular, NOS:
    - Submandibular (submaxillary)
    - Submental
  - Parotid, NOS:
    - Infra-auricular
    - Preauricular
- Lip:
  - Facial, NOS:
    - Buccinator (buccal)
    - Nasolabial
  - Mandibular, NOS:
    - Submandibular (submaxillary)
    - Submental
  - Parotid, NOS:
    - Infra-auricular
    - Preauricular
- Neck:
  - Axillary
  - Mandibular, NOS:
    - Submental
  - Mastoid (post-/retro-auricular)
  - Parotid, NOS:
  - Infra-auricular
  - Preauricular
- Spinal accessory (posterior cervical)
  - Supraclavicular (transverse cervical)

SKIN
C44.0-C44.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES (continued)

Head and neck (continued):
- Scalp:
  - Mastoid (post-/retro-auricular)
  - Parotid, NOS:
    - Infra-auricular
    - Preauricular
  - Spinal accessory (posterior cervical)

Leg/hip:
- Popliteal **for heel and calf**
- Superficial inguinal (femoral)

Lower trunk:
- Superficial inguinal (femoral)

Upper trunk:
- Axillary
- Cervical
- Internal mammary
- Supraclavicular (transverse cervical)

Page left blank intentionally

BREAST
C50.0-C50.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction, NOS
No specimen was sent to pathology for surgical events coded 19 (principally for cases diagnosed prior to January 1, 2003).

20 Partial mastectomy, NOS; less than total mastectomy, NOS
- 21 Partial mastectomy WITH nipple resection
- 22 Lumpectomy or excisional biopsy
- 23 Re-excision of the biopsy site for gross or microscopic residual disease
- 24 Segmental mastectomy (including wedge resection, quadrantectomy, tylectomy)

Procedures coded 20–24 remove the gross primary tumor and some of the breast tissue (breast-conserving or preserving). There may be microscopic residual tumor.

30 Subcutaneous mastectomy
A subcutaneous mastectomy, also called a nipple sparing mastectomy, is the removal of breast tissue without the nipple and areolar complex or overlying skin. It is performed to facilitate immediate breast reconstruction. Cases coded 30 may be considered to have undergone breast reconstruction.

40 Total (simple) mastectomy
- 41 WITHOUT removal of uninvolved contralateral breast
- 43 Reconstruction NOS
  - 44 Tissue
  - 45 Implant
  - 46 Combined (Tissue and Implant)
- 42 WITH removal of uninvolved contralateral breast

47 Reconstruction NOS
- 48 Tissue
- 49 Implant
- 75 Combined (Tissue and Implant)

A total (simple) mastectomy removes all breast tissue, the nipple, and areolar complex. An axillary dissection is not done.

For single primaries only, code removal of involved contralateral breast under the data item *Surgical Procedure/Other Site.*

If contralateral breast reveals a second primary, each breast is abstracted separately. The surgical procedure is coded 41 for the first primary. The surgical code for the contralateral breast is coded to the procedure performed on that site.

BREAST
C50.0-C50.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE (continued)

Codes

50 Modified radical mastectomy
- 51 WITHOUT removal of uninvolved contralateral breast
  - 53 Reconstruction, NOS
    - 54 Tissue
    - 55 Implant
    - 56 Combined (Tissue and Implant)
- 52 WITH removal of uninvolved contralateral breast
  - 57 Reconstruction, NOS
    - 58 Tissue
    - 59 Implant
    - 63 Combined (Tissue and Implant)

Removal of all breast tissue, nipple, areolar complex, and variable amounts of breast skin in continuity with the axilla. Specimen may or may not include portion of pectoralis major muscle.

If contralateral breast reveals a second primary, it is abstracted separately. *The surgical procedure is coded 51 for the first primary*. The surgical code for the contralateral breast is coded to the procedure performed on that site.

For single primaries only, code removal of involved contralateral breast under the data item *Surgical Procedure/Other Site.*

60 Radical mastectomy, NOS
- 61 WITHOUT removal of uninvolved contralateral breast
  - 64 Reconstruction, NOS
    - 65 Tissue
    - 66 Implant
    - 67 Combined (Tissue and Implant)
- 62 WITH removal of uninvolved contralateral breast
  - 68 Reconstruction, NOS
    - 69 Tissue
    - 73 Implant
    - 74 Combined (Tissue and Implant)

70 Extended radical mastectomy
- 71 WITHOUT removal of uninvolved contralateral breast
- 72 WITH removal of uninvolved contralateral breast

80 Mastectomy, NOS

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

BREAST
C50.0-C50.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Axillary, NOS:
- Level I (low) (superficial), NOS [adjacent to tail of breast]:
  - Anterior (pectoral)
  - Lateral (brachial)
  - Posterior (subscapular)
- Level II (mid-level) (central), NOS:
  - Interpectoral (Rotter's)
- Level III (high) (deep), NOS:
  - Apical (subclavian)
  - Axillary vein

Infraclavicular (ipsilateral) (subclavicular)
Internal mammary (parasternal)
Intramammary
Subclavicular
Supraclavicular- lymph nodes in the supraclavicular fossa, a triangle defined by the omohyoid muscle and tendon (lateral and superior border), the internal jugular vein (medial border), and the clavicle and subclavian vein (lower border). Adjacent lymph nodes outside this triangle are considered to lower cervical and therefore are distant nodes.
Transpectoral

Page left blank intentionally

CERVIX UTERI
C53.0-C53.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

For invasive cancers, dilation & curettage is coded as an incisional biopsy (02) under the data item *Surgical Diagnostic and Staging Procedure*

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser
- 15 Loop Electrocautery Excision Procedure (LEEP)
- 16 Laser ablation
- 17 Thermal ablation

No specimen sent to pathology from surgical events 10–17.

20 Local tumor excision, NOS
- 26 Excisional biopsy, NOS
- 27 Cone biopsy
- 24 Cone biopsy WITH gross excision of lesion
- 29 Trachelectomy; removal of cervical stump; cervicectomy

Any combination of 20, 24, 26, 27 or 29 WITH
- 21 Electrocautery
- 22 Cryosurgery
- 23 Laser ablation or excision
- 25 Dilatation and curettage; endocervical curettage (for in situ only)
- 28 Loop electrocautery excision procedure (LEEP)

Specimen sent to pathology from surgical events 20–29.

30 Total hysterectomy (simple, pan-) WITHOUT removal of tubes and ovaries
Total hysterectomy removes both the corpus and cervix uteri and may also include a portion of vaginal cuff.

40 Total hysterectomy (simple, pan-) WITH removal of tubes and/or ovary
Total hysterectomy removes both the corpus and cervix uteri and may also include a portion of vaginal cuff.

50 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy
- 51 Modified radical hysterectomy
- 52 Extended hysterectomy
- 53 Radical hysterectomy; Wertheim procedure
- 54 Extended radical hysterectomy

CERVIX UTERI
C53.0-C53.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE (continued)

Codes

60 Hysterectomy, NOS, WITH or WITHOUT removal of tubes and ovaries
  61 WITHOUT removal of tubes and ovaries
  62 WITH removal of tubes and ovaries

70 Pelvic exenteration
  71 Anterior exenteration
  Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes.

72 Posterior exenteration
  Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.

73 Total exenteration
  Includes removal of all pelvic contents and pelvic lymph nodes.

74 Extended exenteration
  Includes pelvic blood vessels or bony pelvis.

Specimen sent to pathology from surgical events 20–74.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

CERVIX UTERI
C53.0-C53.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Iliac, NOS:
- Common
- External
- Internal (hypogastric), NOS:
  - Obturator

Paracervical
Parametrial
Pelvic, NOS
Sacral, NOS:
- Lateral (laterosacral)
- Middle (promontorial) (Gerota's node)
- Presacral

Uterosacral

Page left blank intentionally

CORPUS UTERI
C54.0-C55.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

For invasive cancers, dilation & curettage is coded as an incisional biopsy (02) under the data item *Surgical Diagnositc and Staging Procedure*

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction or excision, NOS
Unknown whether a specimen was sent to pathology for surgical events coded 19

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser
- 15 Loop Electrocautery Excision Procedure (LEEP)
- 16 Thermal ablation

No specimen sent to pathology from surgical events 10–16.

20 Local tumor excision, NOS; simple excision, NOS
- 24 Excisional biopsy
- 25 Polypectomy
- 26 Myomectomy

Any combination of 20 or 24–26 WITH
- 21 Electrocautery
- 22 Cryosurgery
- 23 Laser ablation or excision

Specimen sent to pathology from surgical events 20–26.

30 Subtotal hysterectomy/supracervical hysterectomy/fundectomy WITH or WITHOUT removal of tube(s) and ovary(ies).
- 31 WITHOUT tube(s) and ovary(ies)
- 32 WITH tube(s) and ovary(ies)

40 Total hysterectomy (simple, pan-) WITHOUT removal of tube(s) and ovary(ies)
Removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.

50 Total hysterectomy (simple, pan-) WITH removal of tube(s) and/or ovary(ies)
Removes both the corpus and cervix uteri. It may also include a portion of the vaginal cuff.

60 Modified radical or extended hysterectomy; radical hysterectomy; extended radical hysterectomy
- 61 Modified radical hysterectomy
- 62 Extended hysterectomy
- 63 Radical hysterectomy; Wertheim procedure
- 64 Extended radical hysterectomy

CORPUS UTERI
C54.0-C55.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE (continued)

Codes

65 Hysterectomy, NOS, WITH or WITHOUT removal of tube(s) and ovary(ies)
- 66 WITHOUT removal of tube(s) and ovary(ies)
- 67 WITH removal of tube(s) and ovary(ies)

75 Pelvic exenteration
- 76 Anterior exenteration
  Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes.
- 77 Posterior exenteration
  Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.
- 78 Total exenteration
  Includes removal of all pelvic contents and pelvic lymph nodes.
- 79 Extended exenteration
  Includes pelvic blood vessels or bony pelvis.

Specimen sent to pathology from surgical events 20–79.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

CORPUS UTERI
C54.0-C55.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Aortic, NOS:
- Lateral (lumbar)
- Para-aortic
- Periaortic

Iliac:
- Common
- External
- Internal (hypogastric), NOS:
  - Obturator

Paracervical
Parametrial
Pelvic, NOS
Sacral, NOS:
- Lateral (laterosacral)
- Middle (promontorial) (Gerota's node)
- Presacral

Uterosacral

Page left blank intentionally

OVARY
C56.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

17 Local tumor destruction, NOS
No specimen sent to pathology from surgical event 17.

25 Total removal of tumor or (single) ovary, NOS
- 26 Resection of ovary (wedge, subtotal, or partial) ONLY, NOS; unknown if hysterectomy done
- 27 WITHOUT hysterectomy
- 28 WITH hysterectomy

35 Unilateral (salpingo-) oophorectomy; unknown if hysterectomy done
- 36 WITHOUT hysterectomy
- 37 WITH hysterectomy

50 Bilateral (salpingo-)oophorectomy; unknown if hysterectomy done
- 51 WITHOUT hysterectomy
- 52 WITH hysterectomy

55 Unilateral or bilateral (salpingo-)oophorectomy WITH OMENTECTOMY, NOS; partial or total; unknown if hysterectomy done
- 56 WITHOUT hysterectomy
- 57 WITH hysterectomy

60 Debulking; cytoreductive surgery, NOS
- 61 WITH colon (including appendix) and/or small intestine resection (not incidental)
- 62 WITH partial resection of urinary tract (not incidental)
- 63 Combination of 61 and 62
  Debulking is a partial or total removal of the tumor mass and can involve the removal of multiple organ sites. It may include removal of ovaries and/or the uterus (a hysterectomy). The pathology report may or may not identify ovarian tissue. A debulking is usually followed by another treatment modality such as chemotherapy.

70 Pelvic exenteration, NOS
- 71 Anterior exenteration
  Includes bladder, distal ureters, and genital organs WITH their ligamentous attachments and pelvic lymph nodes.
- 72 Posterior exenteration
  Includes rectum and rectosigmoid WITH ligamentous attachments and pelvic lymph nodes.
- 73 Total exenteration
  Includes removal of all pelvic contents and pelvic lymph nodes.
- 74 Extended exenteration
  Includes pelvic blood vessels or bony pelvis

OVARY
C56.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE (continued)

Codes

80 (Salpingo-)oophorectomy, NOS

Specimen sent to pathology from surgical events 25–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

OVARY
C56.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Aortic, NOS:
- Lateral (lumbar)
- Para-aortic
- Periaortic

Iliac, NOS:
- Common
- External
- Internal (hypogastric), NOS:
  - Obturator

Inguinal
Lateral sacral (laterosacral)
Pelvic, NOS
Retroperitoneal, NOS
Sacral

Page left blank intentionally

PROSTATE
C61.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Do not code an orchiectomy in this field. For prostate primaries, orchiectomies are coded in the data item *Hematologic Transplant and Endocrine Procedures.*

Codes

00 None; no surgery of primary site; autopsy ONLY

18 Local tumor destruction or excision, NOS

19 Transurethral resection (TURP), NOS
Unknown whether a specimen was sent to pathology for surgical events coded 18 or 19 (principally for cases diagnosed prior to January 1, 2003.)

10 Local tumor destruction, NOS
- 14 Cryoprostatectomy
- 15 Laser ablation
- 16 Hyperthermia
- 17 Other method of local tumor destruction

No specimen sent to pathology from surgical events 10–17.

20 Local tumor excision, NOS
- 21 Transurethral resection (TURP), NOS
- 22 TURP—cancer is incidental finding during surgery for benign disease
- 23 TURP—patient has suspected/known cancer

Any combination of 20–23 WITH
- 24 Cryosurgery
- 25 Laser
- 26 Hyperthermia

Specimen sent to pathology from surgical events 20–26.

30 Subtotal, segmental, or simple prostatectomy, which may leave all or part of the capsule intact

50 Radical prostatectomy, NOS; total prostatectomy, NOS
Excised prostate, prostatic capsule, ejaculatory ducts, seminal vesicle(s) and may include a narrow cuff of bladder neck.

70 Prostatectomy WITH resection in continuity with other organs; pelvic exenteration
Surgeries coded 70 are any prostatectomy WITH resection in continuity with any other organs. The other organs may be partially or totally removed. Procedures may include, but are not limited to, cystoprostatectomy, radical cystectomy, and prostatectomy.

80 Prostatectomy, NOS

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

PROSTATE
C61.9
(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Iliac, NOS:
- External
- Internal (hypogastric), NOS:
  - Obturator

Pelvic, NOS
Periprostatic
- Sacral, NOS:
- Lateral (laterosacral)

Middle (promontorial) (Gerota's node)
Presacral

TESTIS
C62.0-C62.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

12 Local tumor destruction, NOS
No specimen sent to pathology from surgical event 12.

20 Local or partial excision of testicle

30 Excision of testicle WITHOUT cord

40 Excision of testicle WITH cord/or cord not mentioned (radical orchiectomy)

80 Orchiectomy, NOS (unspecified whether partial or total testicle removed)

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

TESTIS
C62.0-C62.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Aortic, NOS
- Lateral (lumbar)
- Para-aortic
- Periaortic
- Preaortic
- Retroaortic

Pericaval, NOS
- Interaortocaval
- Paracaval
- Precaval

Retrocaval
Pelvic, NOS
Retroperitoneal, NOS
Spermatic vein

KIDNEY, RENAL PELVIS, AND URETER
Kidney C64.9, Renal Pelvis C65.9, Ureter C66.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser
- 15 Thermal ablation

No specimen sent to pathology from this surgical event 10–15.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation

25 Laser excision

Specimen sent to pathology from surgical events 20–27.

30 Partial or subtotal nephrectomy (kidney or renal pelvis) or partial ureterectomy (ureter)

Procedures coded 30 include, but are not limited to:
Segmental resection; Wedge resection

40 Complete/total/simple nephrectomy—for kidney parenchyma
Nephroureterectomy
Includes bladder cuff for renal pelvis or ureter.

50 Radical nephrectomy
May include removal of a portion of vena cava, adrenal gland(s), Gerota's fascia, perinephric fat, or partial/total ureter.

70 Any nephrectomy (simple, subtotal, complete, partial, simple, total, radical) in continuity with the resection of other organ(s) (colon, bladder)
The other organs, such as colon or bladder, may be partially or totally removed.

80 Nephrectomy, NOS; Ureterectomy, NOS

Specimen sent to pathology from surgical events 20–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

KIDNEY, RENAL PELVIS, AND URETER
Kidney C64.9, Renal Pelvis C65.9, Ureter C66.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Kidney

- Aortic, NOS:
  - Lateral (lumbar)
  - Para-aortic
  - Periaortic
- Paracaval
- Renal hilar
- Retroperitoneal, NOS

Renal Pelvis

- Aortic, NOS:
  - Lateral (lumbar)
  - Para-aortic
  - Periaortic
- Paracaval
- Renal hilar
- Retroperitoneal, NOS

Ureter

- Iliac, NOS:
- Common
- External
- Internal (hypogastric), NOS:
  - Obturator
- Lateral aortic (lumbar)
- Paracaval
- Pelvic, NOS
- Periureteral
- Renal hilar
- Retroperitoneal, NOS

BLADDER
C67.0-C67.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser
- 15 Intravesical therapy
- 16 Bacillus Calmette-Guerin (BCG) or other immunotherapy

No specimen sent to pathology from surgical events 10–16.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

Specimen sent to pathology from surgical events 20–27.

30 Partial cystectomy

50 Simple/total/complete cystectomy

60 Complete cystectomy with reconstruction
- 61 Radical cystectomy PLUS ileal conduit
- 62 Radical cystectomy PLUS continent reservoir or pouch, NOS
- 63 Radical cystectomy PLUS abdominal pouch (cutaneous)
- 64 Radical cystectomy PLUS in situ pouch (orthotopic)

When the procedure is described as a pelvic exenteration for males, but the prostate is not removed, the surgery should be coded as a cystectomy (code 60-64).

BLADDER
C67.0-C67.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE (continued)

Codes

70 Pelvic exenteration, NOS

71 Radical cystectomy including anterior exenteration
For females, includes removal of bladder, uterus, ovaries, entire vaginal wall, and entire urethra. For males, includes removal of the prostate. When a procedure is described as a pelvic exenteration for males, but the prostate is NOT removed, the surgery should be coded as a cystectomy (code 60 – 64).

72 Posterior exenteration
For females, also includes removal of vagina, rectum and anus. For males, also includes prostate, rectum and anus.

73 Total exenteration
Includes all tissue and organs removed for an anterior and posterior exenteration.

74 Extended exenteration
Includes pelvic blood vessels or bony pelvis.

Specimen sent to pathology from surgical events 20–80.

80 Cystectomy, NOS

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

BLADDER
C67.0-C67.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Hypogastric
Obturator
Iliac, NOS:
- Common
- External
- Internal
- Pelvic, NOS

Perivesical Pelvic, NOS
Sacral, NOS
- Lateral (laterosacral)
- Middle (promontorial) (Gerota's node)
- Presacral

Page left blank intentionally

BRAIN
Meninges C70.0-C70.9, Brain C71.0-C71.9, Spinal Cord, Cranial Nerves and Other Parts of Central Nervous System C72.0-C72.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Do not code laminectomies for spinal cord primaries.

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Tumor destruction, NOS
No specimen sent to pathology from surgical event 10.

Do not record stereotactic radiosurgery (SRS), Gamma knife, Cyber knife, or Linac radiosurgery as surgical tumor destruction. All these modalities are recorded in the radiation treatment fields.

20 Local excision (biopsy) of lesion or mass
Specimen sent to pathology from surgical event 20.

40 Partial resection

55 Gross total resection
Codes 30 – 55 are not applicable for spinal cord or spinal nerve primary sites.

Specimen sent to pathology from surgical events 20 – 55.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

BRAIN
Meninges C70.0-C70.9, Brain C71.0-C71.9, Spinal Cord, Cranial Nerves and Other Parts of Central Nervous System C72.0-C72.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

REGIONAL LYMPH NODES

Not applicable.

Code 9 for Scope of Regional Lymph Node Surgery.

THYROID
C73.9

(Except for M-9727, 9733, 9741-9742, 9764–9809, 9832, 9840–9931, 9945–9946, 9950-9967, 9975–9992)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

13 Local tumor destruction, NOS
No specimen sent to pathology from surgical event 13.

25 Removal of less than a lobe, NOS
- 26 Local surgical excision
- 27 Removal of a partial lobe ONLY

20 Lobectomy and/or isthmectomy
- 21 Lobectomy ONLY
- 22 Isthmectomy ONLY
- 23 Lobectomy WITH isthmus

30 Removal of a lobe and partial removal of the contralateral lobe

40 Subtotal or near total thyroidectomy

50 Total thyroidectomy

80 Thyroidectomy, NOS

Specimen sent to pathology from surgical events 25–80.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

THYROID
C73.9
(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

REGIONAL LYMPH NODES

Anterior deep cervical (laterotracheal) (recurrent laryngeal):
- Paralaryngeal
- Paratracheal
- Prelaryngeal:
  - Delphian node
- Pretracheal

Cervical, NOS
Internal jugular, NOS:
- Deep cervical, NOS:
  - Lower, NOS:
    - Jugulo-omohyoid (supraomohyoid)
  - Middle

Mediastinal, NOS
- Posterior mediastinal (tracheoesophageal)
- Upper anterior mediastinal

Retropharyngeal
Spinal accessory (posterior cervical)
Submandibular
Submental
Supraclavicular (transverse cervical)

LYMPH NODES
C77.0-C77.9

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

19 Local tumor destruction or excision, NOS
Unknown whether a specimen was sent to pathology for surgical events coded to 19 (principally for cases diagnosed prior to January 1, 2003).

15 Local tumor destruction, NOS
No specimen sent to pathology from surgical event 15.

25 Local tumor excision, NOS
Less than a full chain, includes an excisional biopsy of a single lymph node.

30 Lymph node dissection, NOS
31 One chain
32 Two or more chains

40 Lymph node dissection, NOS PLUS splenectomy
41 One chain
42 Two or more chains

50 Lymph node dissection, NOS and partial/total removal of adjacent organ(s)
51 One chain
52 Two or more chains

60 Lymph node dissection, NOS and partial/total removal of adjacent organ(s) PLUS splenectomy. (Includes staging laparotomy for lymphoma.)
61 One chain
62 Two or more chains

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

LYMPH NODES
C77.0-C77.9

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

REGIONAL LYMPH NODES

Not applicable.

Code 9 for Scope of Regional Lymph Node Surgery.

ALL OTHER SITES

C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

SURGERY OF PRIMARY SITE

Codes

00 None; no surgery of primary site; autopsy ONLY

10 Local tumor destruction, NOS
- 11 Photodynamic therapy (PDT)
- 12 Electrocautery; fulguration (includes use of hot forceps for tumor destruction)
- 13 Cryosurgery
- 14 Laser

No specimen sent to pathology from surgical events 10–14.

20 Local tumor excision, NOS
- 26 Polypectomy
- 27 Excisional biopsy

Any combination of 20 or 26–27 WITH
- 21 Photodynamic therapy (PDT)
- 22 Electrocautery
- 23 Cryosurgery
- 24 Laser ablation
- 25 Laser excision

Specimen sent to pathology from surgical events 20–27.

30 Simple/partial surgical removal of primary site

40 Total surgical removal of primary site; enucleation
- 41 Total enucleation (for eye surgery only)

50 Surgery stated to be “debulking”

60 Radical surgery

Partial or total removal of the primary site WITH a resection in continuity (partial or total removal) with other organs.

90 Surgery, NOS

99 Unknown if surgery performed; death certificate ONLY

ALL OTHER SITES

C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

REGIONAL LYMPH NODES

Accessory Sinuses (maxillary sinus, ethmoid sinus, frontal sinus, sphenoid sinus)
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Retropharyngeal

Adrenal gland
- Retroperitoneal

Ampulla of Vater
- Celiac
- Hepatic
- Infrapyloric (subpyloric)
- Lateral aortic (lumbar)
- Node of the foramen of Winslow (epiploic) (omental)
- Pancreaticoduodenal
- Peripancreatic
- Periportal
- Proximal mesenteric
- Pyloric
- Retroperitoneal
- Superior mesenteric

- Lymph Nodes:
  - Anterior to ampulla of Vater
  - Inferior to ampulla of Vater
  - Posterior to ampulla of Vater
  - Superior to ampulla of Vater

Endocrine Glands, other and related structures (parathyroid gland, pituitary gland, craniopharyngeal duct, pineal gland, carotid body, aortic body, endocrine gland, NOS)
- Cervical **for carotid body and parathyroid only**
- Mediastinal **for aortic body and thymus only**

- Not applicable, for the following sites:
  - Craniopharyngeal duct (C75.2); Pituitary gland (C75.1); Pineal gland (C75.3)

ALL OTHER SITES
C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9
(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

REGIONAL LYMPH NODES (continued)

Epididymis, Spermatic cord, Scrotum, NOS, Other specified parts of male genital organs, overlapping lesion of male genital organs, Male genital organs, NOS
- Iliac, NOS:
  - External
  - Internal (hypogastric), NOS: Obturator
- Inguinal, NOS:
  - Deep, NOS
    - Node of Cloquet or Rosenmuller (highest deep inguinal)
  - Superficial inguinal (femoral)
- Pelvic, NOS

Extrahepatic bile duct
- Cystic duct (Calot's node)
- Node of the foramen of Winslow (epiploic) (omental)
- Pancreaticoduodenal
- Pericholedochal (common bile duct)
- Periduodenal
- Peripancreatic (near head of pancreas only)
- Periportal
- Porta hepatis (portal) (hilar) [in hilus of liver]

Eye and Adnexa
- Cervical
- Mandibular, NOS:
  - Submandibular (submaxillary)
- Parotid, NOS:
  - Infra-auricular; Preauricular

Female Genital Organs (fallopian tube, broad ligament, round ligament, parametrium, uterine adnexa)
- Aortic, NOS
  - Lateral (lumbar); Para-aortic; Periaortic
- Iliac, NOS:
  - Common
  - External
  - Internal (hypogastric), NOS: Obturator
- Inguinal
- Lateral sacral (laterosacral)
- Pelvic, NOS
- Presacral
- Retroperitoneal, NOS

ALL OTHER SITES
C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9
(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

REGIONAL LYMPH NODES (continued)

Gallbladder, Overlapping lesion of biliary tract and biliary tract, NOS
- Celiac
- Cystic duct (Calot's node)
- Node of the foramen of Winslow (epiploic) (omental)
- Pancreaticoduodenal
- Pericholedochal (common bile duct)
- Periduodenal
- Peripancreatic (near head of pancreas only)
- Periportal
- Porta hepatis (portal) (hilar) [in hilus of liver]
- Superior mesenteric

Heart and Mediastinum
- Aortic [above diaphragm], NOS:
  - Peri/para-aortic, NOS:
    - Ascending aorta (phrenic)
  - Subaortic (aortico-pulmonary window)
- Carinal (tracheobronchial) (tracheal bifurcation)
- Mediastinal, NOS: Anterior; Posterior (tracheoesophageal)
- Pericardial
- Peri/paraesophageal
- Peri/paratracheal, NOS:
  - Azygos (lower peritracheal)
- Pre- and retrotracheal, NOS: Precarinal
- Pulmonary ligament
- Subcarinal

Intestinal Tract, NOS, Overlapping lesion of digestive system, Gastrointestinal tract, NOS
- Intra-abdominal
- Paracaval
- Pelvic
- Subdiaphragmatic

Male Genital Organs (prepuce, glans penis, body of penis, penis, NOS)
- Iliac, NOS
  - External
  - Internal (hypogastric), NOS: Obturator
- Inguinal:
  - Deep, NOS: Node of Cloquet or Rosenmuller (highest deep inguinal)
  - Superficial (femoral)
- Pelvic, NOS

ALL OTHER SITES
C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9
(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

REGIONAL LYMPH NODES (continued)

Nasal Cavity and Middle Ear
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Upper, NOS: Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Mastoid (post-/retro-auricular) **for middle ear**
- Retropharyngeal

Placenta
- Aortic, NOS:
  - Lateral (lumbar)
  - Para-aortic
  - Peri-aortic
- Iliac, NOS:
  - Common
  - External
  - Internal (hypogastric), NOS: Obturator
- Parametrial
- Pelvic, NOS
- Sacral:
  - Lateral (laterosacral)
  - Middle (promontorial) (Gerota's node)
  - Presacral
  - Uterosacral

Pleura
Aortic [above diaphragm], NOS: Peri/para-aortic, NOS: Ascending aorta (phrenic)
Subaortic (aortico-pulmonary window)
Carinal (tracheobronchial) (tracheal bifurcation)
Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)
Internal Mammary
Intrapulmonary, NOS: Interlobar, Lobar, Segmental, Subsegmental
Intrathoracic
Mediastinal, NOS: Anterior and Posterior (tracheoesophageal)
Pericardial
Peri/parabronchial
Peri/paraesophageal
Peri/paratracheal, NOS: Azygos (lower peritracheal)
Pre- and retrotracheal, NOS: Precarinal
Pulmonary ligament
Scalene
Subcarinal
Supraclavicular

ALL OTHER SITES

C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

REGIONAL LYMPH NODES (continued)

Respiratory System and Intrathoracic Organs, Other and Ill-defined Sites

- Aortic [above diaphragm], NOS:
  - Peri/para-aortic, NOS:
    - Ascending aorta (phrenic)
  - Subaortic (aortico-pulmonary window)
- Carinal (tracheobronchial) (tracheal bifurcation)
- Hilar (bronchopulmonary) (proximal lobar) (pulmonary root)
- Intrapulmonary, NOS:
  - Interlobar
  - Lobar
  - Segmental
  - Subsegmental
- Mediastinal, NOS:
  - Anterior & Posterior (tracheoesophageal)
- Pericardial
- Peri/parabronchial
- Peri/paraesophageal
- Peri/paratracheal, NOS:
  - Azygos (lower peritracheal)
- Pre-and retrotracheal, NOS:
  - Precarinal
- Pulmonary ligament
- Subcarinal

Retroperitoneum and Peritoneum

- Intra-abdominal
- Paracaval
- Pelvic
- Subdiaphragmatic

Small Intestine

- Pericholedochal (common bile duct)
- Superior mesenteric

Duodenum:

- Duodenal
- Gastroduodenal
- Hepatic
- Infrapyloric (subpyloric)
- Pancreaticoduodenal
- Pericholedochal
- Pyloric
- Superior mesenteric

ALL OTHER SITES
C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9
(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

REGIONAL LYMPH NODES (continued)

Small Intestine (continued)
- **Jejunum and Ileum**:
  - Ileocolic **for terminal ileum only**
  - Mesenteric, NOS
  - Posterior cecal (retrocecal) **for terminal ileum only**
  - Superior mesenteric

Thymus
- Mediastinal

Trachea
- Mediastinal, NOS
  - Posterior (tracheoesophageal)
- Paratracheal
- Pretracheal
- Tracheal, NOS

Urinary organs, other and unspecified (urethra, paraurethral gland)
- Iliac, NOS
  - Common
  - External
  - Internal (hypogastric), NOS: Obturator
- Inguinal:
  - Deep, NOS:
    - Node of Cloquet or Rosenmuller (highest deep inguinal)
  - Superficial (femoral)
- Pelvic, NOS
- Presacral
- Sacral, NOS

Vagina
- **All parts of vagina**:
  - Pelvic lymph nodes:
    - Iliac, NOS:
      - Common
      - External
      - Internal (hypogastric), NOS: Obturator
    - Inguinal
    - Middle sacral (promontorial) (Gerota's node)
    - Pelvic, NOS

- **Lower third of vagina**:
  - Ipsilateral or bilateral:
    - Inguinal, NOS: Superficial (femoral)

ALL OTHER SITES

C14.2–C14.8, C17.0–C17.9, C23.9, C24.0–C24.9, C26.0–C26.9, C30.0–C 30.1, C31.0–C31.9, C33.9, C37.9, C38.0–C38.8, C39.0–C39.9, C48.0–C48.8, C51.0–C51.9, C52.9, C57.0–C57.9, C58.9, C60.0–C60.9, C63.0–C63.9, C68.0–C68.9, C69.0–C69.9, C74.0–C74.9, C75.0–C75.9

(Except for unknown and ill-defined sites and M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

REGIONAL LYMPH NODES (continued)

Vagina (continued)
- **Upper two-thirds of vagina**:
  - Iliac, NOS:
    - External
    - Internal (hypogastric)
      - Obturator
  - Pelvic, NOS

Vulva
- Inguinal, NOS:
  - Deep, NOS:
    - Node of Cloquet or Rosenmuller (highest deep inguinal)
- Superficial (femoral)

Waldeyer ring and Overlapping lesion of lip, oral cavity and pharynx
- Cervical, NOS
- Internal jugular, NOS:
  - Deep cervical, NOS:
    - Lower, NOS:
      - Jugulo-omohyoid (supraomohyoid)
    - Middle
    - Upper, NOS:
      - Jugulodigastric (subdigastric)
- Mandibular, NOS:
  - Submandibular (submaxillary)
  - Submental
- Parapharyngeal
- Paratracheal
  - Recurrent pharyngeal nerve chain
- Prelaryngeal
  - Delphian node
- Retropharyngeal

UNKNOWN AND ILL-DEFINED PRIMARY SITES
C76.0-C76.8, C80.9

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

SURGERY OF PRIMARY SITE

Code

98 All unknown and ill-defined disease sites, WITH or WITHOUT surgical treatment.

Surgical procedures for unknown and ill-defined primaries are to be recorded using the data item *Surgical Procedure/Other Site.*

UNKNOWN AND ILL-DEFINED PRIMARY SITES C76.0-C76.8, C80.9

(Except for M-9750, 9760-9764, 9800-9820, 9826, 9831-9920, 9931-9964, 9980-9989)

REGIONAL LYMPH NODES

Other and ill-defined sites

Not applicable.

Code 9 for Scope Regional Lymph Node Surgery.

Unknown Primary Site

Not applicable.

Code 9 for Scope Regional Lymph Node Surgery.