



Virginia Department of Health
DIVISION OF ENVIRONMENTAL EPIDEMIOLOGY



109 Governor Street, Madison Building 4th Floor
Richmond, Virginia 23219 (804) 864-8182

Frequently asked Questions about Drywall Imported from China

Does Chinese drywall pose health risks?

Preliminary data indicates that some Chinese drywall emits gases that contain sulfur and other chemicals. The gases that are emitted can smell like “rotten eggs” and may irritate some individuals. Individuals that feel they may be affected should consult with their family physician. Current data does not suggest any immediate or chronic health problems associated with Chinese drywall. The Virginia Department of Health (VDH) continues to work with other federal, state, and local agencies and to assess data as it is made available.

Some of the gases emitted from Chinese drywall can corrode metals, in particular, copper. Corroded metals such as brass fittings, copper coils, and electrical wires may pose an immediate health risk. Leaking gas pipes and air conditioning units may expose you to Freon and natural gas. Corroded electrical wires may affect the normal functioning of smoke and carbon monoxide detectors.

If a natural gas leak is suspected you should contact your local gas company immediately.

How do I know if I have Chinese drywall?

Most drywall from China will be labeled on the back of the drywall with “made in China,” however, it is possible that drywall from China may not have any markings. It is also possible that a home could contain both drywall made in the U.S. and drywall made in China. Homes considered to potentially be affected by Chinese drywall would have been built after 2003 and meet two or more of the following:

- 1) The presence of sulfur-like or other unusual odors
- 2) Drywall labeled “made in China”
- 3) Observed copper corrosion, indicated by black, sooty coating of un-insulated copper pipe leading to the air conditioning unit
- 4) Documented failure of air conditioner evaporator coil (located inside the air conditioning unit)

5) Confirmation by an outside expert or professional of the presence of premature copper corrosion on un-insulated copper wires and/or air conditioner evaporator coils (inside the air conditioning unit)

Who can I contact to inspect my home?

If you think that your home has been affected by Chinese drywall you should contact a licensed professional. Plumbers, electricians, building contractors, home inspectors, environmental contractors, heating and air conditioning contractors, and other licensed professionals may be able to assist with evaluating damage to your home.

Will the Health Department sample and test my home?

At this time the Virginia Department of Health can not collect air or material samples for analysis. Several homes in Virginia have been inspected by federal agencies.

Where can I find the results to testing performed by state and federal agencies?

Click [here](#) to view the drywall sample report from the Environmental Protection Agency.

The Consumer Product Safety Commission has released three studies which can be found by clicking [here](#).

How can I treat my home if it is affected by Chinese Drywall?

VDH is not aware of any effective treatment method other than complete removal and replacement of the drywall and affected metal. Painting the drywall, or the use of ozone generators have not been proven effective.

If I have a problem, who should I contact for help?

You should first start by contacting the builder and then filing a complaint with the [Consumers Product Safety Commission](#) (toll-free consumer hotline: 800-638-2772).

VDH continues to monitor the evolving Chinese drywall issue and any potential impacts on public health. We encourage you to visit [Consumer Product Safety Commission](#) for more information and to check back often for updates and any new developments.

If you need further information regarding the health effects of Chinese drywall, please contact the Virginia Department of Health, Division of Environmental Epidemiology, 109 Governor Street, 4th Floor, Richmond, VA 23219, or call (804)-864-8182.

Health Care providers FAQ provided by the Agency for Toxic Substances and Disease Registry can be found by clicking [here](#).

Prepared by: Dwight D. Flammia, Ph.D.

Public Health Toxicologist
April 1, 2009

Revised: October 29, 2009