

COMMONWEALTH OF VIRGINIA

DEPARTMENT OF HEALTH



DIVISION OF DISEASE PREVENTION SURVEILLANCE QUARTERLY

December 31, 2005

FOURTH QUARTER, 2005

Volume 14, Number 1

DIVISION OF DISEASE PREVENTION SURVEILLANCE QUARTERLY

Virginia Cases Reported Through December 31, 2005

Fourth Quarter, 2005

Volume 14, Number 1

Citation: Division of Disease Prevention, Virginia Department of Health. *Division of Disease Prevention Surveillance Quarterly*, December 31, 2005.

To minimize printing and mailing costs, recipients requiring multiple copies may reproduce the entire document.

Contents

Tables:

1.	HIV and AIDS Cumulative Case Summary.....	1
2.	HIV Infection (HIV and AIDS Unduplicated) Summary.....	2
3.	HIV Infection (HIV and AIDS Unduplicated) Living Case Summary	3
4.	Living HIV/AIDS.....	4
5.	HIV Infection (HIV and AIDS Unduplicated) by Transmission Risk	6
6.	HIV Infection (HIV and AIDS Unduplicated) by Year of Report	7
7.	HIV Infection (HIV and AIDS Unduplicated) by Year of Report – 5 Year Average.....	9
8.	United States: Cases and Rates of HIV Infection (not AIDS), by Persons' Area Of Residence and Age Category	11
9.	United States: AIDS Cases and Rates by Area of Residence	11
10.	Total Early Syphilis Cases by Year of Report	12
11.	Primary & Secondary Syphilis Cases by Health District – Five Year Average	15
12.	Total Early Syphilis Cases by Health District – Five Year Average	16
13.	United States: Primary & Secondary Syphilis Cases & Rates - Top Ten U.S. Cities - 2004...	18
14.	United States: Primary & Secondary Syphilis Cases & Rates – Top Ten States - 2004	18
15.	Gonorrhea Cases by Year of Report.....	19
16.	Gonorrhea Cases by Health District – Five Year Average.....	20
17.	United States: Gonorrhea Cases & Rates – Top Ten U.S. Cities - 2004	24

18.	United States: Gonorrhea Cases & Rates – Top Ten States – 2004	24
19.	Chlamydia Cases by Year of Report	25
20.	Chlamydia Cases by Health District – Five Year Average	26
21.	United States: Chlamydia Cases & Rates – Top Ten U.S. Cities - 2004	30
22.	United States: Chlamydia Cases & Rates – Top Ten States - 2004	30
23.	State Funded HIV Testing	31
24.	State Funded HIV Testing and Counseling	32
25.	State Funded HIV Testing by Clinic & Specimen Type	32
26.	State Funded HIV Testing – Patients Being Tested for the First Time	32
27.	State Funded HIV Testing by Health District	33
28.	State Funded HIV Testing & Counseling by Clinic Type	34
29.	Chlamydia Screening Program by Clinic Type & Demographic Group	35
30.	Chlamydia Screening Program by Clinic Type & Health District	36
31.	Chlamydia Screening in Family Planning Clinics among Females	37
32.	Chlamydia Screening in STD Clinics among Females	38

Maps and Figures:

A.	HIV Infection (HIV and AIDS Unduplicated) by Gender	7
B.	HIV Infection (HIV and AIDS Unduplicated) by Race/Ethnicity	7
C.	HIV Infection (HIV and AIDS Unduplicated) by Age Group	8
D.	HIV Infection (HIV and AIDS Unduplicated) by Health Region	8
E.	Map: HIV Infection (HIV and AIDS Unduplicated) by Health District	10
F.	Total Early Syphilis by Gender	13
G.	Total Early Syphilis by Race/Ethnicity	13
H.	Total Early Syphilis by Age Group	14
I.	Total Early Syphilis by Health Region	14
J.	Map: Total Early Syphilis by Health District	17
K.	Gonorrhea by Gender	21
L.	Gonorrhea by Race	21
M.	Gonorrhea by Age Group	22
N.	Gonorrhea by Health District	22
O.	Map: Gonorrhea by Health District	23

P.	Chlamydia by Gender	27
Q.	Chlamydia by Race.....	27
R.	Chlamydia by Age Group	28
S.	Chlamydia by Health District	28
T.	Map: Chlamydia by Health District.....	29
U.	HIV Testing by Clinic & Specimen Type	32
V.	HIV Testing Positivity by Clinic Type.....	34
W.	Chlamydia Screening in FP Clinics – Females by Race	37
X.	Chlamydia Screening in FP Clinics – Females by Age Group	37
Y.	Chlamydia Screening in STD Clinics – Females by Race	38
Z.	Chlamydia Screening in STD Clinics – Females by Age Group.....	38
Technical Notes		39
Directory of HIV/STD Programs.....		40
HIV/STD Literature Request Form		

Division of Disease Prevention web site: <http://www.vdh.virginia.gov/std>

Table 1. HIV and AIDS Cumulative Case Summary¹

Gender	HIV		AIDS	
	Cases	Percent	Cases	Percent
Male	12,299	72.3	12,912	80.2
Female	4,717	27.7	3,182	19.8
Total	17,016	100.0	16,094	100.0
Race/Ethnicity				
White	4,947	29.1	6,352	39.5
Black	11,112	65.3	8,915	55.4
Hispanic	718	4.2	675	4.2
Asian/Pacific Islander	122	0.7	123	0.8
American Indian/Alaskan Native	13	0.1	13	0.1
Other/Not Reported	104	0.6	16	0.1
Total	17,016	100.0	16,094	100.0
Age at Diagnosis²				
0 - 12	155	0.9	173	1.1
13 - 19	589	3.5	90	0.6
20 - 29	5,476	32.2	2,683	16.7
30 - 39	6,519	38.3	6,945	43.2
40 - 49	3,178	18.7	4,391	27.3
50+	1,094	6.4	1,812	11.3
Not Reported	5	0.0	0	0.0
Total	17,016	100.0	16,094	100.0
Transmission Risk				
Men Having Sex with Men (MSM) ³	6,176	36.3	7,628	47.4
Injecting Drug Use (IDU)	2,856	16.8	2,685	16.7
MSM & IDU	877	5.2	831	5.2
Hemophilia	73	0.4	106	0.7
Heterosexual Contact ⁴	3,307	19.4	2,500	15.5
Transfusion Blood/Products ⁵	125	0.7	275	1.7
Other:				
No Identified Risk (NIR)	1,161	6.8	656	4.1
Multiple Heterosexual Contacts ⁶	648	3.8	313	1.9
Undetermined/Not Reported ⁷	1,638	9.6	905	5.6
Adult/Adolescent Sub-Total	16,861	99.1	15,899	98.8
Pediatric ⁸	155	0.9	195	1.2
Total	17,016	100.0	16,094	100.0
Health Region				
Northwest	924	5.4	1,160	7.2
Northern	3,999	23.5	4,908	30.5
Southwest	1,364	8.0	1,408	8.7
Central	4,371	25.7	3,710	23.1
Eastern	6,358	37.4	4,908	30.5
Total	17,016	100.0	16,094	100.0

Table 2. HIV Infection Summary (HIV and AIDS Unduplicated*)

Gender	Unduplicated Count	
	Cases	Percent
Male	20,720	76.7
Female	6,281	23.3
Total	27,001	100.0
Race/Ethnicity		
White	9,514	35.2
Black	15,951	59.1
Hispanic	1,195	4.4
Asian/Pacific Islander	204	0.8
American Indian/Alaskan Native	24	0.1
Other/Not Reported	113	0.4
Total	27,001	100.0
Age at Diagnosis ²		
0 - 12	274	1.0
13 - 19	651	2.4
20 - 29	7,111	26.3
30 - 39	10,802	40.0
40 - 49	5,855	21.7
50+	2,303	8.5
Not Reported	5	0.0
Total	27,001	100.0
Transmission Risk		
Men Having Sex with Men (MSM) ³	11,439	42.4
Injecting Drug Use (IDU)	4,206	15.6
MSM & IDU	1,294	4.8
Hemophilia	134	0.5
Heterosexual Contact ⁴	4,496	16.7
Transfusion Blood/Products ⁵	342	1.3
Other:		
No Identified Risk (NIR)	1,612	6.0
Multiple Heterosexual Contacts ⁶	821	3.0
Undetermined/Not Reported ⁷	2,373	8.8
Adult/Adolescent Sub-Total	26,717	98.9
Pediatric ⁸	284	1.1
Total	27,001	100.0
Health Region		
Northwest	1,746	6.5
Northern	7,668	28.4
Southwest	2,211	8.2
Central	6,457	23.9
Eastern	8,919	33.0
Total	27,001	100.0

* Virginia regulations require reporting of HIV and AIDS separately; therefore, an individual may be reported once as an HIV case and once as an AIDS case. This table presents the total number of people who have either HIV or AIDS. People reported as both an HIV case and an AIDS case are counted only once.

Table 3. HIV Infection Living Case Summary (HIV and AIDS Unduplicated)

Gender	HIV		AIDS		Total	
	Cases	Percent	Cases	Percent	Cases	Percent
Male	6,880	70.8	5,955	76.0	12,835	73.1
Female	2,840	29.2	1,881	24.0	4,721	26.9
Total	9,720	100	7,836	100	17,556	100
Race/Ethnicity						
White	2,798	28.8	2,677	34.2	5,475	31.2
Black	6,272	64.5	4,624	59.0	10,896	62.1
Hispanic	481	4.9	438	5.6	919	5.2
Asian/Pacific Islander	75	0.8	79	1.0	154	0.9
American Indian/Alaskan Native	8	0.1	5	0.1	13	0.1
Other/Not Reported	86	0.9	13	0.2	99	0.6
Total	9,720	100	7,836	100	17,556	100
Current Age*						
0 - 12	41	0.4	30	0.4	71	0.4
13 - 19	78	0.8	63	0.8	141	0.8
20 - 29	1,060	10.9	320	4.1	1,380	7.9
30 - 39	2,784	28.6	1,717	21.9	4,501	25.6
40 - 49	3,757	38.7	3,361	42.9	7,118	40.5
50+	1,999	20.6	2,345	29.9	4,344	24.7
Not Reported	1	0.0	-	0.0	1	0.0
Total	9,720	100.0	7,836	100.0	17,556	100.0
Transmission Risk						
Men Having Sex with Men (MSM) ³	3,418	35.4	3,255	41.5	6,673	38.0
Injecting Drug Use (IDU)	1,205	18.0	1,185	15.1	2,390	13.6
MSM & IDU	355	4.6	344	4.4	699	4.0
Hemophilia	21	0.5	39	0.5	60	0.3
Heterosexual Contact ⁴	1,883	19.3	1,522	19.4	3,405	19.4
Transfusion Blood/Products ⁵	48	0.8	60	0.8	108	0.6
Other:				0.0		0.0
No Identified Risk (NIR)	911	5.8	525	6.7	1,436	8.2
Multiple Heterosexual Contacts ⁶	470	4.8	233	3.0	703	4.0
Undetermined/Not Reported ⁷	1,325	9.9	569	7.3	1,894	10.8
Adult/Adolescent Sub-Total	9,636	99.1	7,732	98.7	17,368	98.9
Pediatric ⁸	84	0.9	104	1.3	188	1.1
Total	9,720	100.0	7,836	100.0	17,556	100.0
Health Region[^]						
Northwest	567	5.4	614	7.0	1,181	7.0
Northern	2,510	22.6	2,489	29.8	4,999	29.8
Southwest	733	8.1	645	8.8	1,378	8.8
Central	2,478	25.7	1,735	22.9	4,213	22.9
Eastern	3,432	38.1	2,353	31.6	5,785	31.6
Total	9,720	100.0	7,836	100.0	17,556	100.0

*Age is current age as of September 30, 2005

[^]Region represents the region of latest diagnosis

Virginia Department of Health
 Division of Disease Prevention
 Quarterly Surveillance Report
 Data Reported through December 31, 2005

Table 4. Living HIV/AIDS

Gender	Northwest		Northern		Southwest		Central		Eastern		Virginia	
Male	863	73.1	3,752	75.1	966	70.1	3,117	74.0	4,137	71.5	12,835	73.1
Female	318	26.9	1,247	24.9	412	29.9	1,096	26.0	1,648	28.5	4,721	26.9
Total	1,181		4,999		1,378		4,213		5,785		17,556	
Race/Ethnicity												
White	567	48.0	1,906	38.1	632	45.9	954	22.6	1,416	24.5	5,475	31.2
Black	549	46.5	2,434	48.7	706	51.2	3,102	73.6	4,105	71.0	10,896	62.1
Hispanic	58	4.9	528	10.6	30	2.2	113	2.7	190	3.3	919	5.2
Other/Not Reported ⁹	7	0.6	131	2.6	10	0.7	44	1.0	74	1.3	266	1.5
Total	1,181		4,999		1,378		4,213		5,785		17,556	
Current Age*												
0 - 12	6	0.5	10	0.2	11	0.8	21	0.5	23	0.4	71	0.4
13 - 19	10	0.8	24	0.5	15	1.1	33	0.8	59	1.0	141	0.8
20 - 29	88	7.5	305	6.1	100	7.3	293	7.0	594	10.3	1,380	7.9
30 - 39	300	25.4	1,285	25.7	375	27.2	1,009	23.9	1,532	26.5	4,501	25.6
40 - 49	478	40.5	2,061	41.2	565	41.0	1,754	41.6	2,260	39.1	7,118	40.5
50+	299	25.3	1,314	26.3	311	22.6	1,103	26.2	1,317	22.8	4,344	24.7
Not Reported	0	0.0	0	0.0	1	0.1	0	0.0	0	0.0	1	0.0
Total	1,181		4,999		1,378		4,213		5,785		17,556	
Transmission Risk												
MSM ³	467	41.9	2,259	55.1	490	37.2	1,436	41.7	2,021	45.7	6,673	45.7
IDU	183	20.4	594	17.3	161	13.9	714	24.2	738	18.9	2,390	18.9
MSM/IDU	55	6.5	164	4.5	68	5.6	216	7.4	196	5.2	699	5.2
Heterosexual Contact ⁴	221	21.9	865	20.1	323	22.2	808	24.0	1188	27.7	3,405	27.7
Other Risks	188	4.5	667	2.9	219	3.3	467	2.7	952	2.6	2,493	2.6
Total with a Reported Risk	1,114	94.3	4,549	91.0	1,261	91.5	3,641	86.4	5,095	88.1	15,660	89.2
Undetermined/Not Reported ⁷	67	5.7	450	9.0	117	8.5	572	13.6	690	11.9	1,896	10.8
Total	1,181		4,999		1,378		4,213		5,785		17,556	

*Age is current age as of December 31, 2005

Virginia Department of Health
 Division of Disease Prevention
 Quarterly Surveillance Report
 Data Reported through December 31, 2005

Table 5. HIV Infection (HIV and AIDS Unduplicated) by Transmission Risk

Adult/Adolescent

Male Risk	2001		2002		2003		2004		Jan. - Dec. 2005	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
MSM ³	497	66.4	507	69.0	440	72.2	454	74.5	413	78.7
IDU	115	15.4	90	12.2	51	8.4	65	10.7	40	7.6
MSM/IDU	29	3.9	27	3.7	19	3.1	26	4.3	19	3.6
Heterosexual Contact ⁴	101	13.5	107	14.6	96	15.8	59	9.7	49	9.3
Other Risks ¹⁰	7	0.9	4	0.5	3	0.5	5	0.8	4	0.8
Total with a										
Reported Risk	749	74.8	735	71.7	609	73.1	609	68.2	525	61.7
Undetermined/Not Reported ⁷	252	25.2	290	28.3	224	26.9	284	31.8	326	38.3
Total Male	1,001		1,025		833		893		851	
Female										
Risk	2001		2002		2003		2004		Jan. - Dec. 2005	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
IDU	47	19.3	39	17.0	29	16.1	26	16.7	22	19.6
Heterosexual Contact ⁴	191	78.6	186	80.9	151	83.9	128	82.1	89	79.5
Other	5	2.1	5	2.2	0	0.0	2	1.3	1	0.9
Total with a										
Reported Risk	243	63.9	230	55.3	180	51.0	156	41.3	112	36.0
Undetermined/Not Reported ⁷	137	36.1	186	44.7	173	49.0	222	58.7	199	64.0
Total Female	380		416		353		378		311	
Total Adult/ Adolescent	1,381	99.4	1,441	99.7	1,186	99.7	1,271	99.2	1,162	99.7
Pediatric ⁸	8	0.6	4	0.3	3	0.3	10	0.8	3	0.3
Total	1,389		1,445		1,189		1,281		1,165	

Virginia Department of Health
 Division of Disease Prevention
 Quarterly Surveillance Report
 December 31, 2005

Table 6. HIV Infection (HIV and AIDS Unduplicated) by Year of Report

	Pre 2000		2000		2001		2002		2003		2004		Jan.-Dec. 2005		Total	
	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Gender																
Male	15,216	78.9	888	71.6	1,005	72.4	1,027	71.1	835	70.2	897	70.0	852	73.1	20,720	76.7
Female	4075	21.1	353	28.4	384	27.6	418	28.9	354	29.8	384	30.0	313	26.9	6,281	23.3
Total	19,291		1,241		1,389		1,445		1,189		1,281		1,165		27,001	
Race																
White	7,307	37.9	349	28.1	407	29.3	436	30.2	318	26.7	371	29.0	326	28.0	9,514	35.2
Black	11,182	58.0	794	64.0	873	62.9	871	60.3	746	62.7	786	61.4	699	60.0	15,951	59.1
Hispanic	618	3.2	70	5.6	83	6.0	106	7.3	98	8.2	97	7.6	123	10.6	1,195	4.4
Asian/Pacific Islander	113	0.6	20	1.6	14	1.0	16	1.1	13	1.1	15	1.2	13	1.1	204	0.8
American Indian/Alaskan Native	15	0.1	0	0.0	1	0.1	3	0.2	1	0.1	4	0.3	0	0.0	24	0.1
Other/Not Reported	56	0.3	8	0.6	11	0.8	13	0.9	13	1.1	8	0.6	4	0.3	113	0.4
Total	19,291		1,241		1,389		1,445		1,189		1,281		1,165		27,001	
Age at Diagnosis ²																
0 - 12	240	1.2	8	0.6	7	0.5	4	0.3	3	0.3	10	0.8	2	0.2	274	1.0
13 - 19	424	2.2	32	2.6	44	3.2	39	2.7	38	3.2	40	3.1	34	2.9	651	2.4
20 - 29	5334	27.7	291	23.4	303	21.8	329	22.8	266	22.4	299	23.3	289	24.8	7,111	26.3
30 - 39	8,026	41.6	504	40.6	507	36.5	527	36.5	444	37.3	439	34.3	355	30.5	10,802	40.0
40 - 49	3890	20.2	283	22.8	361	26.0	380	26.3	312	26.2	321	25.1	308	26.4	5,855	21.7
50 +	1376	7.1	123	9.9	166	12.0	166	11.5	126	10.6	171	13.3	175	15.0	2,303	8.5
Not Reported	1	0.0	0	0.0	1	0.1	0	0.0	0	0.0	1	0.1	2	0.2	5	0.0
Total	19,291		1,241		1,389		1,445		1,189		1,281		1,165		27,001	
Transmission Risk																
MSM ³	8,681	45.0	447	36.0	497	35.8	507	35.1	440	37.0	454	35.4	413	35.5	11,439	42.4
IDU	3559	18.4	123	9.9	162	11.7	129	8.9	80	6.7	91	7.1	62	5.3	4,206	15.6
MSM/IDU	1140	5.9	34	2.7	29	2.1	27	1.9	19	1.6	26	2.0	19	1.6	1,294	4.8
Hemophilia	123	0.6	3	0.2	3	0.2	2	0.1	2	0.2	1	0.1	0	0.0	134	0.5
Heterosexual Contact ⁴	3069	15.9	270	21.8	292	21.0	293	20.3	247	20.8	187	14.6	138	11.8	4,496	16.7
Transfusion ⁵	305	1.6	9	0.7	9	0.6	7	0.5	1	0.1	6	0.5	5	0.4	342	1.3
Multiple Heterosexual Contacts ⁶	609	3.2	44	3.5	48	3.5	22	1.5	22	1.9	35	2.7	41	3.5	821	3.0
Undetermined/Not Reported ⁷	1557	8.1	303	24.4	341	24.6	454	31.4	375	31.5	471	36.8	484	41.5	3,985	14.8
Pediatric ⁸	248	1.3	8	0.6	8	0.6	4	0.3	3	0.3	10	0.8	3	0.3	284	1.1
Total	19,291		1,241		1,389		1,445		1,189		1,281		1,165		27,001	
Health Region																
Northwest	1194	6.2	66	5.3	125	9.0	102	7.1	69	5.8	89	6.9	101	8.7	1,746	6.5
Northern	5208	27.0	391	31.5	419	30.2	525	36.3	393	33.1	385	30.1	347	29.8	7,668	28.4
Southwest	1636	8.5	97	7.8	99	7.1	91	6.3	83	7.0	116	9.1	89	7.6	2,211	8.2
Central	4742	24.6	245	19.7	275	19.8	340	23.5	302	25.4	275	21.5	278	23.9	6,457	23.9
Eastern	6511	33.8	442	35.6	471	33.9	387	26.8	342	28.8	416	32.5	350	30.0	8,919	33.0
Total	19,291		1,241		1,389		1,445		1,189		1,281		1,165		27,001	

Figure A. HIV Infection (HIV and AIDS Unduplicated) by Gender and Year of Report




Figure B. HIV Infection (HIV and AIDS Unduplicated) by Race and Year of Report




Figure C. HIV Infection (HIV and AIDS Unduplicated) by Age Group and Year of Report





Figure D. HIV Infection (HIV and AIDS Unduplicated) by Region and Year of Report





Virginia Department of Health
 Division of Disease Prevention
 Quarterly Surveillance Report
 Data Reported through December 31, 2005

Table 7. HIV Infection (HIV and AIDS Unduplicated) by Year of Report - 5 Year Average¹¹

	Jan. - Dec. 2001	Jan. - Dec. 2002	Jan. - Dec. 2003	Jan. - Dec. 2004	Jan. - Dec. 2005	5 Year Average
Northwest Region						
Central Shenandoah	20	13	15	18	24	18.0
Lord Fairfax	20	20	12	9	8	13.8
Rappahannock	16	27	17	30	32	24.4
Rappahannock/Rapidan	25	20	6	8	9	13.6
Thomas Jefferson	44	22	19	24	28	27.4
Total	125	102	69	89	101	97.2
Northern Region						
Alexandria	79	111	94	69	79	86.4
Arlington	111	88	88	90	70	89.4
Fairfax	164	234	141	141	142	164.4
Loudoun	8	25	20	18	15	17.2
Prince William	57	67	50	67	41	56.4
Total	419	525	393	385	347	413.8
Southwest Region						
Alleghany	7	4	11	10	5	7.4
Central Virginia	28	18	21	32	18	23.4
Cumberland Plateau	3	3	2	2	3	2.6
Lenowisco	3	3	3	4	1	2.8
Mount Rogers	10	10	9	5	6	8.0
New River	5	6	5	6	5	5.4
Pittsylvania/Danville	15	15	7	11	19	13.4
Roanoke	23	24	20	37	25	25.8
West Piedmont	5	8	5	9	7	6.8
Total	99	91	83	116	89	95.6
Central Region						
Chesterfield	26	37	40	57	28	37.6
Crater	48	63	55	37	35	47.6
Hanover	16	15	9	7	8	11.0
Henrico	31	32	44	48	56	42.2
Piedmont	16	24	14	14	14	16.4
Richmond	119	146	127	98	118	121.6
Southside	19	23	13	14	19	17.6
Total	275	340	302	275	278	294.0
Eastern Region						
Chesapeake	52	24	24	19	34	30.6
Eastern Shore	8	9	12	7	6	8.4
Hampton	52	34	26	38	39	37.8
Norfolk	136	116	108	134	81	115.0
Peninsula	79	55	58	76	58	65.2
Portsmouth	47	48	42	37	42	43.2
Three Rivers	21	15	12	15	10	14.6
Virginia Beach	59	61	44	62	57	56.6
Western Tidewater	17	25	16	28	23	21.8
Total	471	387	342	416	350	393.2
Virginia Total	1,389	1,445	1,189	1,281	1,165	1293.8


Figure H. HIV Infection (HIV and AIDS Unduplicated*) by Health District Rate per 100,000 Population Reported Jan - Dec 2005

Rate per 100,000



10

Health Regions



- Central (Region 4)
- Eastern (Region 5)
- Northern (Region 2)
- Northwest (Region 1)
- Southwest (Region 3)

* Equal to new HIV case reports plus new AIDS case reports that were not reported as HIV.

UNITED STATES DATA

Table 8. Cases and Incidence Rates (per 100,000 population) of HIV Infection (not AIDS)*, by Persons' Area of Residence and Age Category, Reported through December 2004, from Areas with Confidential Name-Based HIV Infection Reporting

Area of Residence (Date HIV reporting initiated)	2004		Cumulative through 2004		
	Cases	Rate	Adult/ Adolescents	Pediatric	Total
1. Puerto Rico (Jan. 2003)	8,403	43.7	34,194	1,868	36,062
2. New York (June 2000)	6,033	31.3	36,949	1,874	38,823
3. Florida (July 1997)	5,107	28.7	32,712	336	33,048
4. Georgia (Dec. 2003)	2,154	23.7	2,492	98	2,590
5. Louisiana (Feb. 1993)	902	19.9	7,912	137	8,049
6. New Jersey (Jan. 1992)	1,704	19.5	16,300	431	16,731
7. Texas (Jan. 1999)	4,143	18.1	20,430	387	20,817
8. South Carolina (Feb. 1986)	571	13.4	6,897	94	6,991
9. Tennessee (Jan. 1992)	780	13.1	6,816	88	6,904
10. Nevada (Feb. 1992)	313	13.0	3,139	19	3,158
11. North Carolina (Feb. 1990)	1,099	12.7	12,236	132	12,368
12. Mississippi (Oct. 1987)	340	11.6	4,249	55	4,304
13. Virginia (July 1989)	858	11.3	9,121	88	9,209
14. Alabama (Jan. 1998)	488	10.7	5,684	45	5,729
15. Pennsylvania (Oct. 2002)	1,330	10.7	4,459	61	4,520
Total	33,563		224,597	4,814	229,411

Table 9. AIDS Cases and Rates (per 100,000 population), by Area of Residence and Age Category, Reported through December 2004 - United States

STATE	2004		Cumulative through 2004		
	Cases	Rate	Adult/ Adolescents	Pediatric	Total
1. District of Columbia	992	179.2	16,079	180	16,259
2. Puerto Rico	2,049	52.4	2,923	37	2,960
3. New York	7,641	39.7	164,458	2,356	166,814
4. Florida	5,822	33.5	95,208	1,504	96,712
5. Maryland	1,451	26.1	27,236	314	27,550
6. Louisiana	1,010	22.4	15,934	132	16,066
7. New Jersey	1,848	21.2	46,459	765	47,224
8. Delaware	157	18.9	3,277	25	3,302
9. Georgia	1,640	18.6	28,026	222	28,248
10. Connecticut	643	18.4	13,711	179	13,890
11. South Carolina	759	18.1	11,989	100	12,089
12. Mississippi	479	16.5	5,976	56	6,032
13. Texas	3,298	14.7	64,089	390	64,479
14. North Carolina	1,137	13.3	13,958	120	14,078
15. Illinois	1,679	13.2	30,739	281	31,020
:					
23. Virginia**	796	10.7	15,544	179	15,723
Total	43,653	14.9	892,875	9,348	902,223



* Includes only persons with HIV infection that has not progressed to AIDS. Includes data from 37 states and from U.S. dependencies, possessions, and independent nations in free association with the United States

** National statistics reported for Virginia vary slightly from state statistics because report periods differ

Virginia Department of Health
 Division of Disease Prevention
 Quarterly Surveillance Report
 Data Reported through December 31, 2005

Table 10. Total Early Syphilis Cases by Year of Report

	1999		2000		2001		2002		2003		2004		Jan. - Dec. 2005	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Gender														
Male	173	47.5	151	56.8	131	55.7	109	66.1	123	78.8	193	86.5	226	79.6
Female	191	52.5	115	43.2	104	44.3	56	33.9	33	21.2	30	13.5	58	20.4
Total	364		266		235		165		156		223		284	
Race/Ethnicity														
White	36	9.9	31	11.7	33	14.0	35	21.2	50	32.1	78	35.0	86	30.3
Black	310	85.2	217	81.6	183	77.9	114	69.1	98	62.8	130	58.3	175	61.6
Hispanic	12	3.3	13	4.9	10	4.3	11	6.7	7	4.5	11	4.9	19	6.7
Asian/Pacific Islander	5	1.4	2	0.8	0	0.0	2	1.2	0	0.0	0	0.0	2	0.7
American Indian/Alaskan Native	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	2	0.9	1	0.6	0	0.0	2	0.9	0	0.0
Not Reported	1	0.3	3	1.1	7	3.0	2	1.2	1	0.6	2	0.9	2	0.7
Total	364		266		235		165		156		223		284	
Age at Diagnosis²														
0 - 9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
10 - 19	23	6.3	17	6.4	10	4.3	14	8.5	5	3.2	11	4.9	18	6.3
20 - 29	100	27.5	57	21.4	56	23.8	47	28.5	42	26.9	62	27.8	94	33.1
30 - 39	135	37.1	97	36.5	90	38.3	46	27.9	57	36.5	79	35.4	69	24.3
40 - 54	92	25.3	79	29.7	67	28.5	50	30.3	43	27.6	53	23.8	87	30.6
55+	14	3.8	15	5.6	12	5.1	8	4.8	8	5.1	17	7.6	16	5.6
Not Reported	0	0.0	1	0.4	0	0.0	0	0.0	1	0.6	1	0.4	0	0.0
Total	364		266		235		165		156		223		284	
Health Region														
Northwest	6	1.6	3	1.1	7	3.0	7	4.2	6	3.8	10	4.5	19	6.7
Northern	39	10.7	29	10.9	35	14.9	50	30.3	58	37.2	68	30.5	83	29.2
Southwest	129	35.4	95	35.7	38	16.2	13	7.9	9	5.8	12	5.4	9	3.2
Central	76	20.9	40	15.0	53	22.6	28	17.0	38	24.4	30	13.5	38	13.4
Eastern	114	31.3	99	37.2	102	43.4	67	40.6	45	28.8	103	46.2	135	47.5
Total	364		266		235		165		156		223		284	







Table 11. Primary & Secondary Syphilis Cases by Health District - Five Year Average¹¹



	Jan. - Dec. 2001	Jan. - Dec. 2002	Jan. - Dec. 2003	Jan. - Dec. 2004	Jan. - Dec. 2005	Five Year Average
Northwest Region						
Central Shenandoah	1	1	1	1	2	1.2
Lord Fairfax	1	0	1	1	1	0.8
Rappahannock	1	3	1	3	6	2.8
Rappahannock/Rapidan	0	1	1	2	1	1.0
Thomas Jefferson	0	0	1	0	0	0.2
Total	3	5	5	7	10	6.0
Northern Region						
Alexandria	2	9	9	12	13	9.0
Arlington	13	8	9	15	14	11.8
Fairfax	6	7	12	8	19	10.4
Loudoun	1	1	2	1	1	1.2
Prince William	1	0	4	4	5	2.8
Total	23	25	36	40	52	35.2
Southwest Region						
Alleghany	0	0	0	2	1	0.6
Central Virginia	0	0	1	0	1	0.4
Cumberland Plateau	0	0	0	0	0	0.0
Lenowisco	0	0	1	0	0	0.2
Mount Rogers	1	0	0	1	1	0.6
New River	0	0	0	0	1	0.2
Pittsylvania/Danville	9	0	0	1	0	2.0
Roanoke	0	0	2	1	2	1.0
West Piedmont	0	1	1	0	0	0.4
Total	10	1	5	5	6	5.4
Central Region						
Chesterfield	1	2	3	1	0	1.4
Crater	0	0	1	1	0	0.4
Hanover	1	2	0	2	0	1.0
Henrico	0	0	3	0	2	1.0
Piedmont	0	0	1	0	1	0.4
Richmond	9	3	5	7	11	7.0
Southside	1	0	0	0	0	0.2
Total	12	7	13	11	14	11.4
Eastern Region						
Chesapeake	7	3	4	4	4	4.4
Eastern Shore	1	1	0	2	0	0.8
Hampton	1	1	1	7	4	2.8
Norfolk	35	13	8	16	21	18.6
Peninsula	4	0	3	12	7	5.2
Portsmouth	2	3	3	5	6	3.8
Three Rivers	0	0	0	1	0	0.2
Virginia Beach	3	9	3	3	1	3.8
Western Tidewater	1	2	1	3	13	4.0
Total	54	32	23	53	56	43.6
Virginia Total	102	70	82	116	138	101.6

Table 12. Total Early Syphilis Cases by Health District - Five Year Average¹¹

	Jan. - Dec. 2001	Jan. - Dec. 2002	Jan. - Dec. 2003	Jan. - Dec. 2004	Jan. - Dec. 2005	Five Year Average
Northwest Region						
Central Shenandoah	3	1	1	2	3	2.0
Lord Fairfax	1	0	1	2	1	1.0
Rappahannock	1	4	2	3	12	4.4
Rappahannock/Rapidan	0	1	1	2	3	1.4
Thomas Jefferson	2	1	1	1	0	1.0
Total	7	7	6	10	19	9.8
Northern Region						
Alexandria	10	12	13	17	17	13.8
Arlington	15	11	13	21	24	16.8
Fairfax	6	19	20	15	32	18.4
Loudoun	1	3	2	4	4	2.8
Prince William	3	5	10	11	6	7.0
Total	35	50	58	68	83	58.8
Southwest Region						
Alleghany	0	0	0	2	1	0.6
Central Virginia	1	3	1	2	1	1.6
Cumberland Plateau	0	1	0	0	0	0.2
Lenowisco	0	0	1	0	0	0.2
Mount Rogers	1	0	1	1	1	0.8
New River	0	0	0	2	1	0.6
Pittsylvania/Danville	29	8	3	4	2	9.2
Roanoke	1	0	2	1	3	1.4
West Piedmont	6	1	1	0	0	1.6
Total	38	13	9	12	9	16.2
Central Region						
Chesterfield	3	2	3	1	1	2.0
Crater	4	1	3	4	0	2.4
Hanover	2	3	1	4	2	2.4
Henrico	5	5	8	5	9	6.4
Piedmont	0	0	2	0	1	0.6
Richmond	37	14	21	16	24	22.4
Southside	3	3	0	1	1	1.6
Total	54	28	38	31	38	37.8
Eastern Region						
Chesapeake	10	9	7	11	8	9.0
Eastern Shore	2	1	1	6	1	2.2
Hampton	3	1	1	12	13	6.0
Norfolk	59	28	19	29	45	36.0
Peninsula	9	0	4	19	23	11.0
Portsmouth	7	12	6	10	7	8.4
Three Rivers	1	0	0	2	0	0.6
Virginia Beach	8	10	6	8	2	6.8
Western Tidewater	2	7	1	6	36	10.4
Total	101	68	45	103	135	90.4
Virginia Total	235	166	156	224	284	213.0


Figure J. Total Early Syphilis by Health District Rate per 100,000 Population Reported Jan - Dec 2005

Rate per 100,000



17

Health Regions



- Central (Region 4)
- Eastern (Region 5)
- Northern (Region 2)
- Northwest (Region 1)
- Southwest (Region 3)

UNITED STATES DATA

Table 13. Primary & Secondary Syphilis Cases and Incidence Rates (per 100,000 population) - Top Ten U.S. Cities - 2004
 Ranked by Rate Per 100,000 Population

City	Cases	Rate
1. San Francisco, CA	345	45.9
2. Atlanta, GA	283	34.6
3. Baltimore, MD	209	33.2
4. New Orleans, LA	77	16.4
5. St Louis, MO	47	14.1
6. Detroit, MI	126	13.5
7. Washington, DC	69	12.2
8. Dallas, TX	141	11.6
9. Jersey City, NJ	56	10.8
10. Chicago, IL	297	9.7
:		
24. Norfolk, VA	16	6.6
:		
39. Richmond, VA	7	3.6
United States Total	7,980	2.7
Year 2010 Objective		0.2

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2004.*

Table 14. Primary & Secondary Syphilis Cases & Rates - Top Ten States - 2004
 Ranked by Rate Per 100,000 Population

State	Cases	Rate
1. Louisiana	332	7.4
2. Maryland	380	6.9
3. Georgia	549	6.3
4. New Mexico	82	4.4
5. Florida	728	4.3
6. California	1,356	3.8
7. New York	727	3.8
8. Texas	827	3.7
9. Alabama	165	3.7
10. Illinois	386	3.1
:		
26. Virginia	116	1.6
United States Total	7,980	2.7
Year 2010 Objective		0.2

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2004.*

Table 15. Gonorrhea Cases by Year of Report

	2000		2001		2002		2003		2004		Jan. - Dec. 2005	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Gender												
Male	5,306	52.2	5,577	50.3	5,023	48.0	4,254	46.9	3,907	45.6	3,941	47.2
Female	4,855	47.7	5,474	49.4	5,439	52.0	4,808	53.1	4,647	54.3	4,395	52.7
Not Reported	11	0.1	30	0.3	0	0.0	0	0.0	11	0.1	6	0.1
Total	10,172		11,081		10,462		9,062		8,565		8,342	
Race/Ethnicity												
White	961	9.4	1,172	10.6	1,190	11.4	1,122	12.4	1,088	12.7	1,088	13.0
Black	8,265	81.3	8,772	79.2	8,225	78.6	6,896	76.1	6,390	74.6	6,365	76.3
Hispanic	111	1.1	113	1.0	87	0.8	116	1.3	127	1.5	156	1.9
Asian/Pacific Islander	32	0.3	29	0.3	46	0.4	49	0.5	46	0.5	39	0.5
American Indian/Alaskan Native	2	0.0	2	0.0	8	0.1	5	0.1	5	0.1	2	0.0
Other	64	0.6	90	0.8	84	0.8	85	0.9	56	0.7	44	0.5
Not Reported	737	7.2	903	8.1	822	7.9	789	8.7	853	10.0	648	7.8
Total	10,172		11,081		10,462		9,062		8,565		8,342	
Age at Diagnosis²												
0 - 9	11	0.1	13	0.1	5	0.0	8	0.1	8	0.1	5	0.1
10 - 14	151	1.5	166	1.5	156	1.5	131	1.4	102	1.2	99	1.2
15 - 19	2,899	28.5	3,199	28.9	2,971	28.4	2,512	27.7	2,362	27.6	2,291	27.5
20 - 29	4,730	46.5	5,234	47.2	5,100	48.7	4,500	49.7	4,262	49.8	4,258	51.0
30 - 39	1,530	15.0	1,570	14.2	1,464	14.0	1,199	13.2	1,114	13.0	983	11.8
40 - 54	691	6.8	713	6.4	642	6.1	612	6.8	607	7.1	616	7.4
55 +	77	0.8	97	0.9	72	0.7	73	0.8	92	1.1	80	1.0
Not Reported	83	0.8	89	0.8	52	0.5	27	0.3	18	0.2	10	0.1
Total	10,172		11,081		10,462		9,062		8,565		8,342	
Health Region												
Northwest	448	4.4	468	4.2	462	4.4	441	4.9	629	7.3	546	6.5
Northern	735	7.2	697	6.3	674	6.4	589	6.5	667	7.8	663	7.9
Southwest	1,224	12.0	1,343	12.1	1,342	12.8	1,097	12.1	1,006	11.7	1,087	13.0
Central	2,868	28.2	3,485	31.5	2,955	28.2	2,456	27.1	2,283	26.7	2,473	29.6
Eastern	4,897	48.1	5,088	45.9	5,029	48.1	4,480	49.4	3,980	46.5	3,573	42.8
Total	10,172		11,081		10,462		9,063		8,565		8,342	

Table 16. Gonorrhea Cases by Health District - Five Year Average¹¹

	Jan. - Dec. 2001	Jan. - Dec. 2002	Jan. - Dec. 2003	Jan. - Dec. 2004	Jan. - Dec. 2005	Five Year Average
Northwest Region						
Central Shenandoah	106	61	49	56	49	64.2
Lord Fairfax	41	54	47	65	76	56.6
Rappahannock	144	147	152	206	190	167.8
Rappahannock/Rapidan	83	98	54	81	79	79.0
Thomas Jefferson	94	102	139	221	152	141.6
Total	468	462	441	629	546	509.2
Northern Region						
Alexandria	88	102	102	144	105	108.2
Arlington	106	94	94	94	95	96.6
Fairfax	214	234	188	203	230	213.8
Loudoun	50	25	30	32	45	36.4
Prince William	239	219	175	194	188	203.0
Total	697	674	589	667	663	658.0
Southwest Region						
Alleghany	42	40	65	62	77	57.2
Central Virginia	420	426	224	198	213	296.2
Cumberland Plateau	1	4	5	7	8	5.0
Lenowisco	3	10	10	10	11	8.8
Mount Rogers	20	27	39	34	49	33.8
New River	31	47	58	23	40	39.8
Pittsylvania/Danville	329	309	237	179	205	251.8
Roanoke	323	317	371	344	374	345.8
West Piedmont	174	162	88	149	110	136.6
Total	1,343	1,342	1,097	1,006	1,087	1,175.0
Central Region						
Chesterfield	224	257	249	238	228	239.2
Crater	596	429	332	361	355	414.6
Hanover	64	92	67	67	58	69.6
Henrico	297	434	374	344	326	355.0
Piedmont	90	104	91	57	107	89.8
Richmond	2,047	1,505	1,242	1,131	1,330	1451.0
Southside	167	134	101	85	69	111.2
Total	3,485	2,955	2,456	2,283	2,473	2,730.4
Eastern Region						
Chesapeake	367	372	385	330	268	344.4
Eastern Shore	38	42	90	62	73	61.0
Hampton	489	466	500	541	411	481.4
Norfolk	1,447	1,471	1,058	870	853	1139.8
Peninsula	1,059	1,071	977	918	734	951.8
Portsmouth	475	381	310	298	289	350.6
Three Rivers	132	153	138	107	116	129.2
Virginia Beach	595	597	610	478	476	551.2
Western Tidewater	486	476	411	376	353	420.4
Total	5,088	5,029	4,479	3,980	3,573	4,429.8
Virginia Total	11,081	10,462	9,062	8,565	8,342	9,502.4

Figure K. Gonorrhea by Gender and Year of Report





Figure L. Gonorrhea by Race and Year of Report










Figure O. Gonorrhea by Health District
Rate per 100,000 Population
Reported Jan - Dec 2005

Rate per 100,000



Health Regions



- Central (Region 4)
- Eastern (Region 5)
- Northern (Region 2)
- Northwest (Region 1)
- Southwest (Region 3)

UNITED STATES DATA

Table 17. Gonorrhea Cases & Incidence Rates (per 100,000 population)
 Top Ten U.S. Cities - 2004
 Ranked by Rate Per 100,000 Population

	City	Cases	Rate
1.	St. Louis, MO	2,440	734.4
2.	Detroit, MI	6,763	722.3
3.	Rochester, NY	1,578	637.5
4.	Baltimore, MD	3,938	626.4
5.	Kansas City, MO	2,782	611.1
6.	Richmond, VA	1,132	581.3
7.	New Orleans, LA	2,373	505.9
8.	Washington, DC	2,568	455.0
9.	Newark, NJ	1,300	430.7
10	Indianapolis, IN	3,350	388.1
:			
13.	Norfolk, VA	870	359.9
	United States Total	330,132	113.5
	Year 2010 Objective		19.0

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2004.*

Table 18. Gonorrhea Cases & Rates - Top Ten States - 2004
 Ranked by Rate Per 100,000 Population

	State	Cases	Rate
1.	Mississippi	7,163	248.6
2.	Louisiana	10,538	234.4
3.	South Carolina	9,171	221.1
4.	Alabama	8,206	182.3
5.	Georgia	15,783	181.7
6.	North Carolina	15,194	180.7
7.	Ohio	20,467	179.0
8.	Michigan	17,376	172.4
9.	Illinois	20,597	162.8
10.	Missouri	9,218	161.6
:			
16.	Virginia	8,565	116
	United States Total	330,132	113.5
	Year 2010 Objective		19.0

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2004.*

Virginia Department of Health
 Division of Disease Prevention
 Quarterly Surveillance Report
 Data Reported through December 31, 2005

Table 19. Chlamydia Cases by Year of Report

Gender	2000		2001		2002		2003		2004		Jan. - Dec. 2005	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Male	2,366	15.4	3,104	16.9	3,418	18.5	3,882	20.0	5,025	23.2	5,809	25.7
Female	12,990	84.5	15,169	82.8	15,097	81.5	15,554	80.0	16,577	76.6	16,775	74.1
Not Reported	15	0.1	46	0.3	0	0.0	0	0.0	33	0.2	42	0.2
Total	15,371		18,319		18,515		19,436		21,635		22,626	
Race/Ethnicity												
White	3,431	18.7	4,320	23.3	4,560	23.5	4,697	21.7	4,962	22.9	5,238	23.2
Black	9,237	50.4	10,985	59.3	10,765	55.4	11,164	51.6	12,361	57.1	12,975	57.3
Hispanic	552	3.0	784	4.2	736	3.8	825	3.8	1,051	4.9	1,132	5.0
Asian/Pacific Islander	108	0.6	161	0.9	218	1.1	204	0.9	204	0.9	289	1.3
American Indian/Alaskan Native	3	0.0	10	0.1	7	0.0	3	0.0	10	0.0	12	0.1
Other	229	1.3	269	1.5	262	1.3	296	1.4	265	1.2	262	1.2
Not Reported	1,811	9.9	1,790	9.7	1,967	10.1	2,247	10.4	2,782	12.9	2,718	12.0
Total	15,371		18,319		18,515		19,436		21,635		22,626	
Age at Diagnosis²												
0 - 9	15	0.1	27	0.1	21	0.1	15	0.1	10	0.0	26	0.1
10 - 14	331	2.2	387	2.1	339	1.8	294	1.5	317	1.5	316	1.4
15 - 19	6,179	40.2	7,276	39.7	7,078	38.2	7,227	37.2	7,850	36.3	7,874	34.8
20 - 29	7,444	48.4	8,962	48.9	9,327	50.4	10,063	51.8	11,303	52.2	12,194	53.9
30 - 39	1,074	7.0	1,278	7.0	1,321	7.1	1,415	7.3	1,649	7.6	1,725	7.6
40 - 54	216	1.4	282	1.5	304	1.6	310	1.6	400	1.8	408	1.8
55+	25	0.2	24	0.1	30	0.2	32	0.2	32	0.1	26	0.1
Not Reported	87	0.6	83	0.5	95	0.5	80	0.4	74	0.3	57	0.3
Total	15,371		18,319		18,515		19,436		21,635		22,626	
Health Region												
Northwest	1,858	12.1	2,174	11.9	2,069	11.2	2,203	11.3	2,416	11.2	2,576	11.4
Northern	2,069	13.5	2,350	12.8	2,348	12.7	2,394	12.3	2,652	12.3	3,155	13.9
Southwest	2,163	14.1	2,686	14.7	2,706	14.6	2,748	14.1	3,023	14.0	2,825	12.5
Central	4,059	26.4	4,261	23.3	4,706	25.4	4,825	24.8	5,314	24.6	5,046	22.3
Eastern	5,222	34.0	6,848	37.4	6,686	36.1	7,266	37.4	8,230	38.0	9,024	39.9
Total	15,371		18,319		18,515		19,436		21,635		22,626	

Table 20. Chlamydia Cases by Health District - Five Year Average¹¹

	Jan. - Dec. 2001	Jan. - Dec. 2002	Jan. - Dec. 2003	Jan. - Dec. 2004	Jan. - Dec. 2005	Five Year Average
Northwest Region						
Central Shenandoah	452	376	422	391	510	430.2
Lord Fairfax	347	379	414	465	480	417.0
Rappahannock	607	519	564	695	690	615.0
Rappahannock/Rapidan	272	290	320	252	333	293.4
Thomas Jefferson	496	505	483	615	565	532.8
Total	2,174	2,069	2,203	2,418	2,578	2,288.4
Northern Region						
Alexandria	330	294	376	372	373	349.0
Arlington	261	301	278	297	370	301.4
Fairfax	870	832	729	924	1,271	925.2
Loudoun	190	172	214	224	244	208.8
Prince William	699	749	797	833	895	794.6
Total	2,350	2,348	2,394	2,650	3,153	2,579.0
Southwest Region						
Alleghany	117	187	199	231	228	192.4
Central Virginia	645	527	543	602	504	564.2
Cumberland Plateau	42	60	57	62	57	55.6
Lenowisco	55	69	113	124	129	98.0
Mount Rogers	216	230	194	264	228	226.4
New River	173	284	267	268	267	251.8
Pittsylvania/Danville	597	592	579	588	513	573.8
Roanoke	567	457	556	603	571	550.8
West Piedmont	274	300	240	281	328	284.6
Total	2,686	2,706	2,748	3,023	2,825	2,797.6
Central Region						
Chesterfield	396	535	608	609	602	550.0
Crater	799	798	722	736	756	762.2
Hanover	153	176	187	218	173	181.4
Henrico	391	639	758	904	764	691.2
Piedmont	226	252	274	274	291	263.4
Richmond	2,022	2,105	2,046	2,321	2,253	2,149.4
Southside	274	201	230	252	207	232.8
Total	4,261	4,706	4,825	5,314	5,046	4,830.4
Eastern Region						
Chesapeake	618	563	634	660	649	624.8
Eastern Shore	227	179	200	249	227	216.4
Hampton	676	764	1,004	1,076	1,020	908.0
Norfolk	1,489	1,363	1,268	1,629	2,139	1,577.6
Peninsula	1,137	1,212	1,338	1,544	1,555	1,357.2
Portsmouth	525	511	493	653	729	582.2
Three Rivers	385	327	353	359	372	359.2
Virginia Beach	1,094	1,138	1,318	1,311	1,597	1,291.6
Western Tidewater	697	629	658	749	736	693.8
Total	6,848	6,686	7,266	8,230	9,024	7,610.8
Virginia Total	18,319	18,515	19,436	21,635	22,626	20,106.2

Figure P. Chlamydia by Gender and Year of Report




Figure Q. Chlamydia by Race and Year of Report




Figure R. Chlamydia by Age Group and Year of Report




Figure S. Chlamydia by Health Region and Year of Report







Figure T. Chlamydia by Health District
Rate per 100,000 Population
Reported Jan - Dec 2005

Rate per 100,000



29

Health Regions



- Central (Region 4)
- Eastern (Region 5)
- Northern (Region 2)
- Northwest (Region 1)
- Southwest (Region 3)

UNITED STATES DATA

Table 21. Chlamydia Cases & Incidence Rates (per 100,000 population)
 Top Ten U.S. Cities - 2004
 Ranked by Rate Per 100,000 Population

	City	Cases	Rate
1.	Detroit, MI	12,718	1,358.3
2.	St Louis, MO	4,130	1,243.1
3.	Richmond, VA	2,326	1,194.5
4.	Rochester, NY	2,862	1,156.2
5.	Philadelphia, PA	16,723	1,130.4
6.	Kansas City, MO	5,033	1,105.6
7.	Baltimore, MD	6,651	1,057.9
8.	Buffalo, NY	3,152	987.8
9.	Milwaukee, WI	9,131	978.4
10.	New Orleans, LA	4,347	926.8
:			
19.	Norfolk, VA	1,629	673.9
	United States Total	929,462	319.6

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2004.*

Table 22. Chlamydia Cases & Rates - Top Ten States - 2004
 Ranked by Rate Per 100,000 Population

	State	Cases	Rate
1.	Mississippi	18,863	654.7
2.	Alaska	3,954	609.4
3.	Louisiana	21,837	485.7
4.	New Mexico	9,035	482.0
5.	South Carolina	18,423	444.2
6.	Hawaii	5,307	422.0
7.	Michigan	41,246	409.2
8.	Georgia	34,280	394.7
9.	Tennessee	22,515	385.4
10.	Missouri	21,319	373.7
:			
30.	Virginia	21,635	292.9
	United States Total	929,462	319.6

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2004.*

Table 23. State Funded¹⁰ HIV Testing (Jan. - Sep. 2005)[^]

Clinic Type Specimen Type	Confidential						Anonymous			Total		
	Blood			Oral			Tested	Pos.	%	Tested	Pos.	%
Gender	Tested	Pos.	%	Tested	Pos.	%	Tested	Pos.	%	Tested	Pos.	%
Male	17,958	177	1.0	2,165	33	1.5	895	23	2.6	21,018	233	1.1
Female	30,522	60	0.2	1,704	7	0.4	888	13	1.5	33,114	80	0.2
Not Reported	2,232	8	0.4	113	1	0.9	51	0	0.0	2,396	9	0.4
Total	50,712	245	0.5	3,982	41	1.0	1,834	36	2.0	56,528	322	0.6
Race												
White	19,480	46	0.2	1,285	8	0.6	978	12	1.2	21,743	66	0.3
Black	22,559	169	0.7	2,375	32	1.3	559	17	3.0	25,493	218	0.9
Asian/Pacific Islander	975	0	0.0	30	0	0.0	57	1	1.8	1,062	1	0.1
American Indian/Alaskan Native	78	1	1.3	15	0	0.0	29	0	0.0	122	1	0.8
Other/Not Reported	7,620	29	0.4	277	1	0.4	211	6	2.8	8,108	36	0.4
Total	50,712	245	0.5	3,982	41	1.0	1,834	36	2.0	56,528	322	0.6
Ethnicity												
Hispanic	7,611	26	0.3	261	2	0.8	330	5	1.5	8,202	33	0.4
Non-Hispanic	43,101	219	0.5	3,721	39	1.0	1,504	31	2.1	48,326	289	0.6
Total	50,712	245	0.5	3,982	41	1.0	1,834	36	2.0	56,528	322	0.6
Age Group												
0 - 12	121	1	0.8	10	0	0.0	4	0	0.0	135	1	0.7
13 - 19	10,275	11	0.1	527	3	0.6	151	0	0.0	10,953	14	0.1
20 - 29	24,112	89	0.4	1,147	12	1.0	750	13	1.7	26,009	114	0.4
30 - 39	8,675	75	0.9	854	8	0.9	415	7	1.7	9,944	90	0.9
40 - 54	5,463	46	0.8	1,122	15	1.3	349	10	2.9	6,934	71	1.0
55+	847	12	1.4	167	3	1.8	81	2	2.5	1,095	17	1.6
Not Reported	1,219	11	0.9	155	0	0.0	84	4	4.8	1,458	15	1.0
Total	50,712	245	0.5	3,982	41	1.0	1,834	36	2.0	56,528	322	0.6
Transmission Risk*												
Men Having Sex with Men (MSM) ³	1,845	82	4.4	331	14	4.2	288	7	2.4	2,464	103	4.2
Injecting Drug Use (IDU)	888	8	0.9	584	6	1.0	22	2	9.1	1,494	16	1.1
Sex while using Non-Injection Drugs	5,955	31	0.5	1,925	19	1.0	191	1	0.5	8,071	51	0.6
Sex for Drugs and/or Money	938	7	0.7	580	4	0.7	18	0	0.0	1,536	11	0.7
Prior STD Diagnosis	9,915	49	0.5	809	7	0.9	143	3	2.1	10,867	59	0.5
Needle Sharing	534	3	0.6	377	4	1.1	16	1	6.3	927	8	0.9
Hemophilia/Transfusion	544	5	0.9	73	1	1.4	16	0	0.0	633	6	0.9
Child of Woman with HIV/AIDS	14	2	14.3	0	0	0.0	0	0	0.0	14	2	14.3
Victim of Sexual Assault	1,685	11	0.7	288	2	0.7	47	0	0.0	2,020	13	0.6
Healthcare Exposure	836	3	0.4	121	1	0.8	30	0	0.0	987	4	0.4
Multiple Heterosexual Contacts ⁶	21,656	98	0.5	2,157	20	0.9	713	12	1.7	24,526	130	0.5
Heterosexual Relations with:												
Man who had Sex with another Man	1,572	60	3.8	338	14	4.1	211	7	3.3	2,121	81	3.8
Injection Drug User	1,104	6	0.5	713	7	1.0	24	1	4.2	1,841	14	0.8
HIV/AIDS Positive Person	619	41	6.6	124	4	3.2	55	5	9.1	798	50	6.3
Person with Other HIV/AIDS Risk	2,099	26	1.2	656	7	1.1	91	6	6.6	2,846	39	1.4
Multiple Heterosexual Contacts ⁶	17,897	66	0.4	2,177	14	0.6	675	13	1.9	20,749	93	0.4
Unknown	24,679	79	0.3	697	6	0.9	440	4	0.9	25,816	89	0.3
No Acknowledged Risk	3,240	12	0.4	51	0	0.0	100	2	2.0	3,391	14	0.4

*Clients may report more than one risk.

[^]Data does not include clients with a previous positive test for HIV

Table 24. State Funded¹⁰ HIV Testing and Counseling (Jan. - Sep. 2005)[^]

Clinic Type Specimen Type Reason for Testing	Confidential						Anonymous			Total		
	No.	Blood Pos.	% Pos.	No.	Oral Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.
Volunteers	46,004	218	0.5	3,418	33	1.0	1,661	35	2.1	51,083	286	0.6
Referred by												
Partner	206	1	0.5	20	0	0.0	5	0	0.0	231	1	0.4
Provider	1,876	8	0.4	11	0	0.0	30	1	3.3	1,917	9	0.5
Other	2,626	18	0.7	533	8	1.5	138	0	0.0	2,462	19	0.8
Total	50,712	245	0.5	3,982	41	1.0	1,834	36	2.0	56,528	322	0.6
Post-Test Counseling		No.	%		No.	%		No.	%		No.	%
Positive Post-Test Counseled		155	63.3		16	39.0		22	61.1		193	59.9
Negative Post-Test Counseled		23,021	45.6		1,887	47.9		1,238	68.9		26,146	46.5
Total		23,176	45.7		1,903	47.8		1,260	68.7		26,339	46.6

Table 25. State Funded¹⁰ HIV Testing by Clinic & Specimen Type (2002 - Sep. 2005)[^]

	2002			2003			2004			Jan. - Jun. 2005		
	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.
Confidential	76,083	412	0.5	78,122	491	0.6	76,466	331	0.4	54,694	286	0.5
- Blood	72,304	358	0.5	73,436	445	0.6	71,439	300	0.4	50,712	245	0.5
- Oral*	3,779	54	1.4	4,686	46	1.0	5,027	31	0.6	3,982	41	1.0
Anonymous	3,001	41	1.4	2,633	43	1.6	2,501	36	1.4	1,834	36	2.0
Total	79,084	453	0.6	80,755	534	0.7	78,967	367	0.5	56,528	322	0.6

*Oral HIV Testing includes data only for 2002 and 2003.




Table 26. State Funded¹⁰ HIV Testing - Patients Being Tested for the First Time* (Jan. - Sep. 2005)[^]

	Tested			Total		Post-Test Counseling			
	No.	Pos.	% Pos.	No.	%	Positives		Negatives	
						No.	%	No.	%
Confidential	14,918	58	0.4	7,340	49.2	33	56.9	7307	49.2
- Blood	13,657	49	0.4	6,755	49.5	30	61.2	6725	49.4
- Oral	1,261	9	0.7	585	46.4	3	33.3	582	46.5
Anonymous	553	13	2.4	365	66.0	8	61.5	357	66.1
Total	15,471	71	0.5	7,705	49.8	41	57.7	7664	49.8

*Includes only those patients who responded "No" to the question: "Have you previously been tested for HIV?" on the HIV-1 laboratory form.

[^]Data does not include clients with a previous positive test for HIV

Table 27. State Funded¹⁰ HIV Testing by Health District (Jan. - Sep. 2005)[^]


	Tested			Post-Test Counseling					
				Total		Positives		Negatives	
	Number	Positive	% Positive	Number	Percent	Number	Percent	Number	Percent
Central Shenandoah	2,605	4	0.2	1,195	45.9	4	100.0	1,191	45.8
Lord Fairfax	1,319	1	0.1	615	46.6	1	100.0	614	46.6
Rappahannock	1,496	3	0.2	595	39.8	2	66.7	593	39.7
Rappahannock/Rapidan	567	1	0.2	115	20.3	0	0.0	115	20.3
Thomas Jefferson	1,325	4	0.3	734	55.4	4	100.0	730	55.3
Northwest Region Total	7,312	13	0.2	3,254	44.5	11	84.6	3,243	44.4
Alexandria	2,047	27	1.3	798	39.0	14	51.9	784	38.8
Arlington	2,273	15	0.7	1,387	61.0	11	73.3	1,376	60.9
Fairfax	5,031	37	0.7	2,389	47.5	15	40.5	2,374	47.5
Loudoun	689	4	0.6	312	45.3	3	75.0	309	45.1
Prince William	1,730	4	0.2	1,258	72.7	4	100.0	1,254	72.7
Northern Region Total	11,770	87	0.7	6,144	52.2	47	54.0	6,097	52.2
Alleghany	277	2	0.7	105	37.9	2	100.0	103	37.5
Central Virginia	1,211	6	0.5	714	59.0	4	66.7	710	58.9
Cumberland Plateau	488	0	0.0	133	27.3	0		133	27.3
Lenowisco	559	1	0.2	254	45.4	1	100.0	253	45.3
Mount Rogers	1,240	5	0.4	169	13.6	3	60.0	166	13.4
New River	607	1	0.2	430	70.8	1	100.0	429	70.8
Pittsylvania/Danville	720	0	0.0	123	17.1	0		123	17.1
Roanoke	2,470	6	0.2	919	37.2	4	66.7	915	37.1
West Piedmont	489	4	0.8	239	48.9	4	100.0	235	48.5
Southwest Region Total	8,061	25	0.3	3,086	38.3	19	76.0	3,067	38.2
Chesterfield	1,347	3	0.2	546	40.5	2	66.7	544	40.5
Crater	2,452	13	0.5	915	37.3	4	30.8	911	37.4
Hanover	568	1	0.2	187	32.9	1	100.0	186	32.8
Henrico	724	3	0.4	402	55.5	3	100.0	399	55.3
Piedmont	914	2	0.2	513	56.1	0	0.0	513	56.3
Richmond	4,776	53	1.1	1,964	41.1	25	47.2	1,939	41.1
Southside	492	1	0.2	180	36.6	1	100.0	179	36.5
Central Region Total	11,273	76	0.7	4,707	41.8	36	47.4	4,671	41.7
Chesapeake	1,632	8	0.5	706	43.3	8	100.0	698	43.0
Eastern Shore	1,203	1	0.1	329	27.3	1	100.0	328	27.3
Hampton	1,593	8	0.5	738	46.3	5	62.5	733	46.2
Norfolk	4,350	52	1.2	3,824	87.9	36	69.2	3,788	88.1
Peninsula	2,824	13	0.5	831	29.4	7	53.8	824	29.3
Portsmouth	1,569	12	0.8	823	52.5	9	75.0	814	52.3
Three Rivers	1,046	1	0.1	255	24.4	0	0.0	255	24.4
Virginia Beach	1,863	19	1.0	708	38.0	9	47.4	699	37.9
Western Tidewater	1,869	7	0.4	887	47.5	5	71.4	882	47.4
Eastern Region Total	17,949	121	0.7	9,101	50.7	80	66.1	9,021	50.6
Virginia Total*	56,528	322	0.6	26,292	46.5	193	59.9	26,099	46.4

*Virginia Total includes 163 lab slips without district information.

[^]Data does not include clients with a previous positive test for HIV

Table 28. State Funded¹⁰ HIV Testing & Counseling by Clinic Type (Jan. - Sep. 2005)[^]

Clinic Type	Tested			Post-Test Counseling					
	Number	Positive	% Positive	Total Number	Total Percent	Positives Number	Positives Percent	Negatives Number	Negatives Percent
Adolescent Health Clinic (AHC)	432	0	0.0	162	37.5	0		162	37.5
AIDS Service Organization (ASO)	838	14	1.7	671	80.1	10	71.4	661	80.2
Anonymous Test Site (ATS)	1,834	36	2.0	1,260	68.7	22	61.1	1,238	68.9
Community Health Clinic (CHC)	1,091	13	1.2	749	68.7	10	76.9	739	68.6
Dept. of Corrections/Jails (DCJ)	2,087	21	1.0	1,044	50.0	21	100.0	1,023	49.5
Drug Treatment Center (DTC)	1,190	8	0.7	549	46.1	4	50.0	545	46.1
Family Planning Clinic (FP)	1,921	0	0.0	409	21.3	0		409	21.3
Field	341	10	2.9	38	11.1	5	50.0	33	10.0
General Medical Clinic (GMC)	754	6	0.8	348	46.2	4	66.7	344	46.0
GYN Clinic (GYN)	9	0	0.0	1	11.1	0		1	11.1
Homeless Shelter (HMS)	0	0		0		0		0	
Maternal Health Clinic (MHC)	1,949	1	0.1	1,249	64.1	0	0.0	1,249	64.1
Medical Examiner (OME)	0	0		0		0		0	
OB Clinic (OB)	4,443	5	0.1	2,232	50.2	5	100.0	2,227	50.2
STD Clinic (STD)	31,922	150	0.5	14,214	44.5	96	64.0	14,118	44.4
Street Outreach Intervention (SOI)	1,817	20	1.1	1,069	58.8	11	55.0	1,058	58.9
Student Health Clinic (SHC)	173	0	0.0	0	0.0	0		0	0.0
Tuberculosis Clinic (TB)	595	5	0.8	297	49.9	4	80.0	293	49.7
Not Listed	5,132	33	0.6	2,045	39.8	12	36.4	2,033	39.9
Total	56,528	322	0.6	26,337	46.6	204	63.4	26,133	46.5



[^]Data does not include clients with a previous positive test for HIV

Table 29. Chlamydia Screening Program by Clinic Type & Demographic Group (Jan. - Sept. 2005)

Clinic Type	Family Planning Clinics			STD Clinics			All Other Clinics			Total		
	Tested	Positive	% Pos.	Tested	Positive	% Pos.	Tested	Positive	% Pos.	Tested	Positive	% Pos.
Gender												
Male	138	21	15.2	12,225	2,340	19.1	1,288	158	12.3	13,651	2,519	18.5
Female	33,790	1,811	5.4	14,847	1,783	12.0	10,565	573	5.4	59,202	4,167	7.0
Not Reported	5	2	40.0	5	2	40.0	3	0	0.0	13	4	30.8
Total	33,933	1,834	5.4	27,077	4,125	15.2	11,856	731	6.2	72,866	6,690	9.2
Race/Ethnicity												
White	17,519	595	3.4	8,000	785	9.8	3,306	136	4.1	28,825	1,516	5.3
Black	10,662	1,084	10.2	16,714	3,079	18.4	3,634	432	11.9	31,010	4,595	14.8
Hispanic	4,531	111	2.4	1,442	139	9.6	3,378	113	3.3	9,351	363	3.9
Asian/Pacific Islander	294	9	3.1	274	34	12.4	225	11	4.9	793	54	6.8
American Indian/Alaskan Native	12	1	8.3	15	3	20.0	4	1	25.0	31	5	16.1
Other/Not Reported	915	34	3.7	632	85	13.4	1,309	38	2.9	2,856	157	5.5
Total	33,933	1,834	5.4	27,077	4,125	15.2	11,856	731	6.2	72,866	6,690	9.2
Age Group												
0 - 9	4	0		8	0	0.0	5	0	0.0	17	0	0.0
10 - 14	495	44	8.9	142	35	24.6	147	19	12.9	784	98	12.5
15 - 19	9,790	867	8.9	5,316	1,244	23.4	3,342	361	10.8	18,448	2,472	13.4
20 - 24	11,171	628	5.6	9,484	1,739	18.3	3,737	231	6.2	24,392	2,598	10.7
25 - 29	6,847	201	2.9	4,894	631	12.9	2,123	73	3.4	13,864	905	6.5
30 - 34	2,588	58	2.2	2,538	233	9.2	1,144	34	3.0	6,270	325	5.2
35 - 39	1,474	22	1.5	1,740	126	7.2	567	5	0.9	3,781	153	4.0
40 - 44	959	4	0.4	1,314	59	4.5	304	3	1.0	2,577	66	2.6
45 - 49	432	3	0.7	865	31	3.6	157	1	0.6	1,454	35	2.4
50+	102	1	1.0	716	17	2.4	267	0	0.0	1,085	18	1.7
Not Reported	71	6	8.5	60	10	16.7	63	4	6.3	194	20	10.3
Total	33,933	1,834	5.4	27,077	4,125	15.2	11,856	731	6.2	72,866	6,690	9.2
Health Region												
Northwest	6,787	280	4.1	3,489	426	12.2	2,539	105	4.1	12,815	811	6.3
Northern	3,106	88	2.8	2,900	269	9.3	2,940	137	4.7	8,946	494	5.5
Southwest	10,362	440	4.2	3,966	480	12.1	2,029	135	6.7	16,357	1,055	6.4
Central	5,627	341	6.1	5,474	890	16.3	2,608	202	7.7	13,709	1,433	10.5
Eastern	8,051	685	8.5	11,248	2,060	18.3	1,740	152	8.7	21,039	2,897	13.8
Total	33,933	1,834	5.4	27,077	4,125	15.2	11,856	731	6.2	72,866	6,690	9.2

Virginia Department of Health
 Division of Disease Prevention
 Quarterly Surveillance Report
 Data Reported through September 30, 2005

Table 30. Chlamydia Screening Program by Clinic Type & Health District (Jan. - Sept. 2005)

Clinic Type Health District	FP Clinics			STD Clinics			All Other Clinics			Total		
	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.
Central Shenandoah	2,429	91	3.7	640	71	11.1	1,353	39	2.9	4,422	201	4.5
Lord Fairfax	1,677	50	3.0	917	125	13.6	47	5	10.6	2,641	180	6.8
Rappahannock	826	46	5.6	1,102	145	13.2	726	31	4.3	2,654	222	8.4
Rappahannock/Rapidan	1,035	52	5.0	279	46	16.5	274	16	5.8	1,588	114	7.2
Thomas Jefferson	820	41	5.0	551	39	7.1	139	14	10.1	1,510	94	6.2
Northwest Region	6,787	280	4.1	3,489	426	12.2	2,539	105	4.1	12,815	811	6.3
Alexandria	812	21	2.6	604	45	7.5	986	59	6.0	2,402	125	5.2
Arlington	1,059	32	3.0	1,031	81	7.9	635	18	2.8	2,725	131	4.8
Fairfax	109	6	5.5	242	23	9.5	53	7	13.2	404	36	8.9
Loudoun	328	5	1.5	367	25	6.8	251	10	4.0	946	40	4.2
Prince William	798	24	3.0	656	95	14.5	1,015	43	4.2	2,469	162	6.6
Northern Region	3,106	88	2.8	2,900	269	9.3	2,940	137	4.7	8,946	494	5.5
Alleghany	940	30	3.2	339	39	11.5	87	8	9.2	1,366	77	5.6
Central Virginia	1,521	96	6.3	605	54	8.9	625	47	7.5	2,751	197	7.2
Cumberland Plateau	781	19	2.4	143	4	2.8	90	4	4.4	1,014	27	2.7
Lenowisco	905	23	2.5	191	23	12.0	80	1	1.3	1,176	47	4.0
Mount Rogers	2,869	84	2.9	372	28	7.5	164	8	4.9	3,405	120	3.5
New River	873	33	3.8	196	28	14.3	177	6	3.4	1,246	67	5.4
Pittsylvania/Danville	1,150	72	6.3	629	96	15.3	255	13	5.1	2,034	181	8.9
Roanoke	661	36	5.4	1,100	155	14.1	523	47	9.0	2,284	238	10.4
West Piedmont	662	47	7.1	391	53	13.6	28	1	3.6	1,081	101	9.3
Southwest Region	10,362	440	4.2	3,966	480	12.1	2,029	135	6.7	16,357	1,055	6.4
Chesterfield	1,170	60	5.1	659	95	14.4	466	26	5.6	2,295	181	7.9
Crater	1,458	97	6.7	992	173	17.4	255	15	5.9	2,705	285	10.5
Hanover	413	12	2.9	201	22	10.9	133	5	3.8	747	39	5.2
Henrico	486	25	5.1	655	92	14.0	281	18	6.4	1,422	135	9.5
Piedmont	803	65	8.1	352	45	12.8	80	4	5.0	1,235	114	9.2
Richmond	558	47	8.4	2,355	414	17.6	1,359	132	9.7	4,272	593	13.9
Southside	739	35	4.7	260	49	18.8	34	2	5.9	1,033	86	8.3
Central Region	5,627	341	6.1	5,474	890	16.3	2,608	202	7.7	13,709	1,433	10.5
Chesapeake	670	44	6.6	1,055	173	16.4	194	15	7.7	1,919	232	12.1
Eastern Shore	715	42	5.9	216	43	19.9	569	42	7.4	1,500	127	8.5
Hampton	735	71	9.7	1,193	259	21.7	28	6	21.4	1,956	336	17.2
Norfolk	930	114	12.3	2,866	503	17.6	196	23	11.7	3,992	640	16.0
Peninsula	687	61	8.9	2,255	378	16.8	51	4	7.8	2,993	443	14.8
Portsmouth	442	42	9.5	782	164	21.0	15	2	13.3	1,239	208	16.8
Three Rivers	1,255	71	5.7	366	64	17.5	39	4	10.3	1,660	139	8.4
Virginia Beach	902	74	8.2	1,763	312	17.7	228	21	9.2	2,893	407	14.1
Western Tidewater	1,715	166	9.7	752	164	21.8	420	35	8.3	2,887	365	12.6
Eastern Region	8,051	685	8.5	11,248	2,060	18.3	1,740	152	8.7	21,039	2,897	13.8
Virginia Total	33,933	1,834	5.4	27,077	4,125	15.2	11,856	731	6.2	72,866	6,690	9.2

Table 31. Chlamydia Screening in Family Planning Clinics Among Females (Jan. - Sept. 2005)

Age Group	White			Black			Hispanic			Other ¹²			Total		
	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.
0 - 9	3	0	0.0	0	0		0	0		1	0	0.0	4	0	0.0
10 - 14	270	12	4.4	195	28	14.4	12	2	16.7	17	1	5.9	494	43	8.7
15 - 19	5,842	277	4.7	3,089	547	17.7	518	14	2.7	304	21	6.9	9,753	859	8.8
20 - 24	5,877	212	3.6	3,452	351	10.2	1,420	45	3.2	370	12	3.2	11,119	620	5.6
25 - 29	3,041	62	2.0	1,780	104	5.8	1,726	27	1.6	275	5	1.8	6,822	198	2.9
30 - 34	1,116	11	1.0	795	26	3.3	553	17	3.1	115	1	0.9	2,579	55	2.1
35 - 39	640	10	1.6	566	8	1.4	196	3	1.5	64	1	1.6	1,466	22	1.5
40 - 44	413	0	0.0	442	2	0.5	67	2	3.0	33	0	0.0	955	4	0.4
45 - 49	189	1	0.5	212	1	0.5	15	0	0.0	13	1	7.7	429	3	0.7
50+	35	0	0.0	53	1	1.9	4	0	0.0	6	0	0.0	98	1	1.0
Not Reported	37	3	8.1	15	3	20.0	9	0	0.0	10	0	0.0	71	6	8.5
Total	17,463	588	3.4	10,599	1,071	10.1	4,520	110	2.4	1,208	42	3.5	33,790	1,811	5.4







Table 32. Chlamydia Screening in STD Clinics Among Females (Jan. - Sept. 2005)

Age Group	White			Black			Hispanic			Other ¹²			Total		
	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.
0 - 9	2	0	0.0	1	0		1	0		0	0		4	0	
10 - 14	45	7	15.6	49	18	36.7	6	2		9	3	33.3	109	30	27.5
15 - 19	1,226	168	13.7	1,975	469	23.7	122	14	11.5	100	18	18.0	3,423	669	19.5
20 - 24	1,568	170	10.8	3,160	496	15.7	232	25	10.8	154	19	12.3	5,114	710	13.9
25 - 29	718	48	6.7	1,493	175	11.7	214	9	4.2	77	7	9.1	2,502	239	9.6
30 - 34	378	13	3.4	751	53	7.1	133	3	2.3	51	2	3.9	1,313	71	5.4
35 - 39	296	8	2.7	554	24	4.3	62	3	4.8	31	0	0.0	943	35	3.7
40 - 44	253	4	1.6	458	11	2.4	27	0	0.0	9	0	0.0	747	15	2.0
45 - 49	154	3	1.9	232	5	2.2	15	0	0.0	12	0	0.0	413	8	1.9
50+	97	0	0.0	141	1	0.7	8	0	0.0	7	0	0.0	253	1	0.4
Not Reported	14	3	21.4	5	2	40.0	3	0	0.0	4	0	0.0	26	5	19.2
Total	4,751	424	8.9	8,819	1,254	14.2	823	56	6.8	454	49	10.8	14,847	1,783	12.0



TECHNICAL NOTES

The Commonwealth of Virginia has required the reporting of individuals testing positive for antibodies to Human Immunodeficiency Virus (HIV) since July 1989 and of individuals diagnosed with Acquired Immunodeficiency Syndrome (AIDS) since 1983. Syphilis and gonorrhea have been reported since 1941, and chlamydial infections have been reported since 1989.

Each issue of this report includes information received and tabulated through the last day of the quarter. Data are tabulated using date of report by the Virginia Department of Health, Division of HIV, STD, and Pharmacy Services, unless otherwise noted.

1. HIV totals are cumulative from July 1989; AIDS totals are cumulative from 1982.
2. HIV age group tabulations are based on the person's age when the earliest positive HIV test was documented. AIDS age group tabulations are based on the person's age at diagnosis of AIDS. Adolescent/adult cases include persons 13 years of age and older; pediatric cases include children under 13 years of age.
3. "Men Having Sex with Men (MSM)" includes men who report sexual contact with other men and men who report sexual contact with both men and women.
4. "Heterosexual Contact" includes persons who report specific heterosexual contact with an HIV-infected person or with a person at increased risk for HIV infection (e.g., an injecting drug user). Previously, individuals born in "Pattern II" countries were presumed to have acquired HIV infection through heterosexual contact and were included in the "heterosexual contact" mode of transmission. For cases entered after January 1, 1993, being born in a Pattern II country is not considered a sufficiently documented risk for HIV transmission. [The term Pattern II was designated by the World Health Organization (MMWR 1988; 37:286-8, 293-5) to describe areas of sub-Saharan Africa and some Caribbean countries with a distinct transmission pattern in which most reported cases occurred in heterosexuals and the male-to-female ratio is approximately 1:1.]
5. "Transfusion Blood/Products" refers to transmitting of HIV via transfusing blood or blood products or transplanting tissue or organs before to March 1985. Cases reporting these modes of transmission after March, 1985 are recorded with this risk only after confirmatory investigations.
6. As of October 2001, "Multiple Heterosexual Contacts" has been redefined as HIV or AIDS cases having had sexual relations with ten or more lifetime heterosexual partners, or three or more heterosexual partners in the previous twelve months. Prior to October 2001, "Multiple Heterosexual Contacts" indicated HIV or AIDS cases having none of the other identified risk factors, but have had two or more heterosexual partners with undocumented risks.
7. "Undetermined/Not Reported" includes HIV cases not counseled due to medical reasons or who refused counseling. Undetermined/Not Reported also includes AIDS cases lost to surveillance follow-up and for which a risk could not be established.
8. It is possible for an adult/adolescent AIDS case to have a pediatric mode of transmission.
9. Due to small cell sizes, Asian/Pacific Islander and American Indian/Alaskan Native have been combined into "Other/Not Reported". Totals for these racial/ethnic categories may be found in Table 1.
10. Tables 23 - 28 summarize the number of HIV tests processed by the Division of Consolidated Laboratory Services (DCLS), the central state laboratory. Tests conducted by private laboratories are not included.
11. Incidence Rate per 100,000 is calculated by dividing the number of new cases reported by the population size during a defined length of time ($I = \# \text{ of new cases} / (\% \text{ of 1 year} \times \text{population}) \times 100,000$).
12. Due to small cell sizes, Asian/Pacific Islander and American Indian/Alaskan Native have been combined in to "OTHER" to protect confidentiality.
13. In 2002, the Division of HIV, STD, and Pharmacy Services initiated geocoding of HIV and STD morbidity to ensure assignment of morbidity to the correct localities. As a result, disease burdens for Health Districts in 2002 and 2003 may differ from prior years.
14. Rates are based on 2000 US Census Data and adjusted quarterly for comparison.

Virginia Department of Health

Division of Disease Prevention Directory

Casey W. Riley, Director

Disease Reporting

HIV/AIDS case assistance

Regional Consultants	Northern/Northwest	Jonne Warner	(804) 864-7997
	Central/Southwest	Suzanne Willis	(804) 864-7998
	Eastern	Sharon Carter	(804) 864-8025
Incidence and Resistance Surveillance	Statewide	Nene Diallo	(804) 864-8003

**STD Surveillance
Coordinator**

Statewide	Tammie Woodson	(804) 864-7979
-----------	----------------	----------------

Facsimile.....	(804) 864-7983
Chlamydia Prevention Program	(804) 864-8030
Screening, treatment and education	
Community Services.....	(804) 864-7964
Information on prevention funding, education resources, community planning, training and programs	
Health Care Services	(804) 864-7965
Information on AIDS Drug Assistance Program, Ryan White programs and healthcare	
HIV Counseling, Testing and Partner Counseling and Referral Services.....	(804) 864-8030
Information on HIV testing services and publicly funded counseling and testing sites; guidelines for HIV counseling, testing and partner counseling and referral	
HIV/STD and Viral Hepatitis Hotline.....	(800) 533-4148
Brochures, information, literature, posters	
Media and Communications	(804) 864-7963
Public relations campaigns, special events and media inquiries	
Statistical Requests.....	(800) 533-4148
HIV/AIDS/STD statistical data	
Syphilis Elimination Project	(804) 864-8028
Screening, treatment and education	
Viral Hepatitis Prevention and Control Program	(804) 864-7992
Information on education resources, training and referrals	

HIV/STD LITERATURE REQUEST FORM

REVISED MAY 14 2003

DATE: _____ ALL NAMES MUST BE FULLY WRITEN OUT NO ABBREVIATIONS PHONE: _____

NAME: Agency, or Company NAME: _____

STREET ADDRESS: _____

PLEASE NOTE: NO P O BOX STREET ADDRESSES ONLY

IF YOU HAVE QUESTIONS ON PAMPHLETS AND QUANTITY PLEASE CALL 1-800-533-4148

PLEASE SPECIFY QUANTITY

VDH BROCHURES

- | | | |
|--|--|--|
| ____ HD01 How to use a Condom | ____ HD07 Important Precautions for Tattoo & Body Piercing Staff | ____ HD13 Virginia ADAP, <u>Information for Providers</u> |
| ____ HD02 HIV Antibody Test | ____ HD08 Universal Precautions | ____ HD14 It's Your Body, Respect It! Protect It! (Condom Cover) |
| ____ HD03 Sexually Transmitted Diseases | ____ HD09 Dear Marriage License Applicants (For Circuit Courts) | ____ HD15 <u>Information for Patients</u> ADAP |
| ____ HD04 African-Americans: Take Steps To Protect Your Body | ____ HD10 ABC's of Day Care Attendance | ____ HD16 Positive Living Manual and Tracker |
| ____ HD05 HIV FACTS-What are Your Risks? | ____ HD11 Guidelines for School Attendance (ONLY 1 copy) | ____ HD17 Syphilis Cards (Five different cards N. VA ONLY) |
| ____ HD06 Shooting Up and HIV/AIDS | ____ HD12 What About This Disease Called CHLAMYDIA | ____ HD18 Syphilis Cards (Five different cards) |

CHANNING BETE BROCHURES

- | | | | |
|---|--|--|---|
| ____ CB01 You, Your Baby and HIV | ____ CB04 Hepatitis C-What you should know | ____ CB07 Genital Warts and HPVs-What you need to know | ____ CB11 About Pelvic Inflammatory Disease |
| ____ CB02 Abstinence-Saying "No" to Sex | ____ CB05 HIV, Women Get It Too | ____ CB08 About Herpes | ____ CB12 About Vaginal Infections |
| ____ CB03 Anyone Can Get AIDS | ____ CB06 Young People Get HIV | ____ CB09 About Viral Hepatitis | ____ CB13 Stay Free From Hepatitis B |

POSTERS

- | | | |
|--|---|---|
| ____ VP01 Hook Up on the Internet (HIV/Syphilis) | ____ VP05 "So You Think Chlamydia is a Flower?" (Teen, <u>Spanish</u>) | ____ VP09 Deem Consent |
| ____ VP02 "So You Think Chlamydia is a Flower?" (Adult) | ____ VPO6 Safer Sex (Lock & Chain) | ____ VP10 Deem Consent (<u>Spanish</u>) |
| ____ VP03 "Infection Control" (Universal Precautions) | ____ VPO7 "Pssst-Psst" (Pregnancy & HIV test) | |
| ____ VP04 "So You Think Chlamydia is a Flower?" (Adult, <u>Spanish</u>) | ____ VPO8 "So You Think Chlamydia is a Flower?" (Teen) | |

NEW FOREIGN LANGUAGE BROCHURES

LIMITED COPIES AVAILABLE

- ____ AMH1 Amharic HIV Antibody Test
- ____ AMH2 Amharic Sexually Transmitted Disease
- ____ ARA1 Arabic HIV Antibody Test
- ____ ARA2 Arabic Sexually Transmitted Disease
- ____ KOR1 Korean HIV Antibody Test
- ____ KOR2 Korean Sexually Transmitted Disease
- ____ RUS1 Russian HIV Antibody Test
- ____ RUS2 Russian Shooting Up and HIV
- ____ URD1 Urdu HIV Antibody Test
- ____ URD2 Urdu Sexually Transmitted Disease
- ____ VIE1 Vietnamese HIV Antibody Test
- ____ VIE2 Vietnamese Sexually Transmitted Disease

SPANISH BROCHURES

- ____ BS01 You, Your Baby and HIV
- ____ BS02 Abstinence-Saying "NO" to Sex
- ____ BS03 Anyone Can Get AIDS
- ____ BS04 Hepatitis C-What you should know
- ____ BS05 HIV, Women Get It Too
- ____ BS06 Young People Get AIDS
- ____ BS07 Genital Warts and HPVs-What You Need To Know
- ____ BS13 Stay Free From Hepatitis B
- ____ BS14 Sex is Safer with a Condom
- ____ BS15 SEX & STDs, How to Stay Safe

Mail all requests to:

Virginia Department of Health
Division of HIV, STD, and Pharmacy Services, 3rd Floor
P.O. Box 2448
Richmond, VA 23218-2448
FAX: (804) 864-7983

Virginia Department of Health
Division of Disease Prevention
P.O. Box 2448
Richmond, Virginia 23218

