CLASS OR	GENERIC NAME	AVAILABLE	NOTES
TYPE OF		BRAND NAME*	
DRUG		Must use	
		generic when	
		available—	
		Many are no	
		longer	
		available	
Anti-anxiety	alprazolam	Xanax	Seizure, drug withdrawal
	diazepam	Valium	Seizure, drug withdrawal, muscle spasm, pre operation anesthesia
	lorazepam	Ativan	
	triazolam	Halcion	Pre-operation anesthesia (dentist), insomnia, anxiety
	quetiapine	Seroquel	Depression, anxiety, bipolar, and other psychiatric indications
	aripiprazole	Abilify	Depression, anxiety, bipolar, and other psychiatric indications
Anti-	amoxicillin		,
bacterial	amoxicillin/clavulanate potassium	Augmentin	
	cefuroxime	Ceftin	
	cephalexin	Keflex	
	ciprofloxacin	Cipro	
	dicloxacillin	Dycill	
	doxycycline	Vibramycin (monohydrate)	Vibratabs (hyclate) Periostat (hyclate)
	fosfomycin tromethamine	Monurol	r eriostat (riyelate)
	moxifloxacin	Avelox	
	mupirocin	Bactroban	
	nitrofurantoin	Macrobid	
	penicillin G potassium	Pfizerpen	
Anti-	apixaban	Eliquis	
coagulant	rivaroxaban	Xarelto	
	warfarin	Coumadin	Requires regular lab monitoring
Anti-emetic	ondansetron	Zofran	
Anti-fungal	betamethasone/clotrimazol e	Lotrisone	
	clotrimazole	Lotrimin	athlete's foot, ringworm, and tinea

			cruris fungus infection (jock itch)
	clotrimazole troches	Lotrimin	oropharyngeal candidiasis
	fluconazole	Diflucan	Oral candidiasis and systemic therapy
	ketoconazole	Nizoral	
	metronidazole	Flagyl	
	nystatin suspension		
Anti-viral	oseltamivir	Tamiflu	
	valacyclovir	Valtrex	
	zanamivir	Relenza	
Cardiac	amlodipine	Norvasc	
	atenolol	Tenormin	
	carvedilol	Coreg	Often used in patients with refractory hypertension prior to the addition of another agent.
	clonidine hydrochloride	Catapres	and the agent
	diltiazem	Cardizem	
	doxazosin	Cardura	
	enalapril	Vasotec	
	fosinopril		
	irbesartan	Avapro	
	labetolol		
	lisinopril	Zestril	
	losartan	Cozaar	
	metoprolol tartrate or succinate	Lopressor	
	potassium chloride oral caps or tablets	K-dur or K-tab	
	prazosin	Minipress	Night terrors
	propranolol verapamil	Inderal Calan	

Dermatologic	bacitracin/neomycin/ polymyxin B	Neosporin	
	imiquimod	Aldara Cream	
	fluocinonide	Fluocinonide-E	
	triamcinolone	Kenalog	(Eucerin compound)
Anti-diarrhea	diphenoxylate/atropine	Lomotil	

	loperamide	Imodium	
Diuretic	bumetanide	Bumex	
	furosemide	Lasix	
	hydrochlorothiazide	Esidrix	
	spironolactone	Aldactone	
	torsemide	Demadex	
Thyroid	levothyroxine	Synthroid	
Hormone Androgen	testosterone transdermal patch, extended Release	Androgen	Do not use it if you had an allergic reaction to testosterone or if you have breast cancer,
review cardiovascular risk ratios for	testosterone topical cream	AndroGel	prostate cancer or pregnant.
men >65 years old	testosterone axillary topical gel 2%	AndroGel	
	testosterone Topical gel 1%	AndroGel	
	testosterone solution	Axiron	Two forms: a pump actuated metered dose bottle and twist actuated metered dose bottle
Androgen Blocker	spironolactone	Aldactone	
Preparations	finasteride	Proscar	
	dutasteride	Avodart	
Estrogen Preparations	conjugated estrogens oral tablet	Premarin	An increased risk of stroke and deep vein thrombosis (DVT) has been reported with estrogen-alone therapy.
	estradiol oral/sublingual	Depo-Estradiol	increased risks of myocardial infarction, stroke, invasive breast cancer, pulmonary embolism (PE), and DVT
	estradiol transdermal	FemPatch	Max single patch dose available
	estradiol valerate IM	Delestrogen	used to treat hot flashes (hot
	estradiol cypionate IM	Depo-Estradiol	flashes; sudden strong feelings of heat and sweating) and/or

			vaginal dryness, itching, and burning in women who are experiencing menopause (change of life; the end of monthly menstrual periods). May divide dose into weekly injections for cyclical symptoms
Progestogen Preparations	medroxyprogesterone acetate	Provera	
	micronized progesterone	Prometrium	
Opioid Use Disorder Treatment	buprenorphine/naloxon e	Suboxone (sublingual film), Zubsolv (sublingual tablet), Bunavail (buccal film)	
	buprenorphine injection	Sublocade	Higher potential for abuse
	buprenorphine tablets	Sobutex	
	lofexidine	Lucemyra	
	methadone	Dolophine, Methadose	
	naltrexone	Vivitrol (tablet and injection)	
Pain	acetaminophen	Tylenol	
	acetaminophen/codein e	Tylenol with Codeine	
	celecoxib	Celebrex	
	diclofenac topical gabapentin	Voltaren gel Neurontin	Peripheral neuropathy
	hydrocodone	Norco	T cripiteral ficulopatity

	naproxen sodium	Naprosyn, Aleve	
	tramadol	Ultram	
Respiratory	albuterol sulfate	Ventolin, Proventil	
	beclomethasone	QVAR	
	budesonide/formoterol	Symbicort	
	fluticasone/salmeterol	Advair	
	guaifenesin/codeine	Robitussin AC	
	guaifenesin	Mucinex	
	guaifenesin/ dextromethorphan	Coricidin HBP	Chest Congestion & Cough
	salmeterol	Serevent	
	tiotropium	Spiriva	Anticholinergics inhaled steroid therapy for COPD.
	umeclidinium	Incruse	Anticholinergics inhaled steroid therapy for COPD
Anti-seizures	clonazepam	Klonopin	
	gabapentin	Neurontin	seizures/pain management
	levetiracetam	Keppra	Anticonvulsant that is not contraindicated with ART.
	zonisamide	Zonegran	
Sleep	melatonin	N/A	
	temazepam	Restoril	
	zolpidem	Ambien	
Adjuvant Therapy	dronabinol	Marinol	
Wasting	zinc	N/A	Oral capsule, chewable tablet, oral lozenge
	vitamin B1 (Thiamine)	N/A	

ergocalciferol (Vitamin D)	N/A	Vitamin D repletion for people with deficiency and insufficiency, prevention of bone disease
cholecalciferol (Vitamin D)	N/A	Vitamin D maintenance therapy
fish oil omega-3 fatty acids	Lovaza, Omacor, Triklo	

The drugs on this list are to support PLWH with opportunistic diseases and/or co-morbidities that may impact adherence, or otherwise be a barrier to care.

The supportive paperwork to request medication reimbursement requires the listing of prescription information and the prescriber's information on the form.

RWHAP B funds will pay for brand name formulations only if a generic formulation is not available; brand names listed on the formulary are for reference purposes only.

Use of medications must be in service of maximizing eligible clients' health outcomes regarding HIV management; however, clinicians may use their judgement to prescribe for uses other than those indicated or cited. Alternatively, the medication must treat a comorbidity condition or disorder that affects HIV management or an individual's health outcomes, such as HIV viral load suppression. The information provided is only a resource and does not provide clinical advice or information.

As of 2023, aspects of the Drug Addiction and Treatment Act of 2000 (also known as simply as DATA 2000) have been amended, and a special DEA number is no longer required for buprenorphine-containing products to improve access to addiction therapy.

Methadone is prescribed for pain management without certification by SAMHSA; if certification by SAMHSA is required for dispensing, then a prior authorization should be in place for this medication.