MONTHLY COVID REPORT FOR EXTERNAL USE

May 2, 2022

Key Takeaways	2
1.0 COVID-19 SNAP SHOT	4
1.1 Total Tests and Percent Positivity by Modality in Richmond and Henrico	4
1.2 Confirmed & Probable Cases, Hospitalizations & Fatalities by County	4
1.3 Current COVID-19 Richmond Catchment Area Hospitalizations	5
2.0 COVID-19 TESTING ENCOUNTERS AND POSITIVITY	6
2.1 Testing Summary	6
2.2 Number of PCR Tests	6
3.0 COVID-19 CASES	7
3.1 Summary of Cases	7
3.2 Cases by Age Group by County	8
3.3 Cases and Population Proportions by Race and Ethnicity by County	10
4.0 COVID-19 Hospitalizations & Fatalities	11
4.1 Summary of Hospitalizations & Fatalities	11
4.2 COVID-19 Hospitalization, ICU, and Ventilator Utilization (VHASS) The 7-day moving average is a recurrent average of the number of cases for each consecutive 7-day period regardless of data availability. Data are zero-padded to reflect dates with no hospitalizations and/or fatalities.	
4.3 Fatalities by Sex, Race, and Age by County	12
5.0 VACCINATION	13
5.1 Vaccine Summary	13
5.2 Percentage of Vaccination Goals Reached by Population as of May 2, 2022	13
5.3 Vaccinations by Locality as of May 2, 2022	14
5.4 Vaccine by County & Age	15
5.5 Vaccine by County & Race	16
5.6 Census Tract Maps of Vaccine Uptake	17
Vaccination Uptake In Richmond & Henrico, VA May 2nd, 2022	17
Cumulative Cases and Lowest Percent Vax by Census Tract May 2nd, 2022	18
SVI Rank and Lowest Percentage Vaccinated by Census Tract May 2nd, 2022	18
6 O Glossary	19

Key Takeaways

Cases

After recent highs in January, 2022, cases in both districts appear to have followed a downward trend through March Per the CDC Covid Data Tracker. Additionally, in both Richmond and Henrico, the CDC COVID-19 Community Level is Low.

7-day total case rate per 100,00			
District This Week 1 Month Ago			
Henrico	125.75	66.83	
Richmond	117.6	55.92	


Richmond & Henrico				
Demographic	Demographic Cumulative Highest			
Age	20-29	20-29 70+		
Sex	Female	Female		
Race	Black Latino	White Asian or Pacific Islander		

Hospitalizations & Fatalities

Looking at the **11 hospitals** that comprise the Richmond catchment area, COVID-19 associated hospitalizations have **decreased** dramatically from the middle of January through the Spring. ICU hospitalizations and ventilator utilization followed a similar pattern, although less dramatic.

Fatalities appeared to have fallen month over month since peaks in January. So far, no Covid-19 deaths have been reported in April. Data related to deaths is subject to lag.

Cumulative Demographic Trends				
Demographic	Fata	lities		
Measure	Richmond	Henrico		
Median Age (range)	74 (0-100)	78 (18-106)		
Sex	Female			
Race	Black White			



*8 out of 11 hospitals in the Richmond Catchment Area are operating at a 'Conventional' clinical status, while 3 are operating at a 'Contingency' status and 0 are operating at 'Crisis' status

Vaccinations

Richmond and Henrico Health Districts are in Phase 2 of vaccination; anyone 5 or older is eligible to receive a vaccine. Health Department events/providers appear to be administering the largest percentage of vaccines to Richmond and Henrico residents, compared with other providers.

Local Vaccination Stats & Regional Comparison					
Location	Location ≥ 1 Dose Complete Booster				
Richmond & Henrico	70.4%	35.8%			
Region 71.3% 66.7% 35.9%					

Vaccination Demographic Trends				
Demographic Richmond Henrico				
Age Groups	65+			
Sex	Female			
Race	Race Asian/Pacific Islander & Latino			

In both Richmond and Henrico, older age groups have consistently had higher vaccination percentages than younger age groups. Vaccination percentages are still lowest among Black/African American individuals. The Vaccination Section includes an estimated breakdown of vaccination uptake by race and age subgroups.

1.0 COVID-19 SNAP SHOT

1.1 Total Tests and Percent Positivity by Modality in Richmond and Henrico

Total tests by testing modality and the associated 7-day average in percent positivity are summarized in the table below. Data is from the <u>VDH public dashboard</u> on **May 2**, 2022.

	Richmond		Her	rico	Virgiı	nia
	Tests	Positivity	Tests	Positivity	Tests	Positivity
PCR	408,587	11.5%	662,418	11.8%	13,481,983	9.8%

On April 11, 2022 VDH transitioned to PCR testing as the primary indicator over other modalities.

1.2 Confirmed & Probable Cases, Hospitalizations & Fatalities by County

CASE STATUS	RICHMOND CITY	HENRICO COUNTY	VIRGINIA
New cases this month	1,170	1,644	34,227
New cases this week (May 2)	228	446	11,080
All cases	45,486	65,913	1,705,650
Confirmed cases	33,723	43,002	1,223,925
Hospitalizations	1,056	1,379	47,044
Deaths	437	817	16,879
Probable cases	11,763	22,911	481,725
Hospitalizations	37	64	2,998
Deaths	73	115	3,358
Case rate per 100,000	19739.1	19924.2	19983

Population totals are based on 2019 data from the National Center for Health Statistics (NCHS). Please note- this is a change from some previous reports which used aggregated Census data regarding population by age group.

Case rate refers to the number of cases per 100,000 people in the population. Calculation: ((Confirmed Cases + Probable Cases)/Population Estimate)*100,000

1.3 Current COVID-19 Richmond Catchment Area Hospitalizations

The following section utilizes data from the Virginia Healthcare Alerting & Status System (VHASS) COVID-19 Hospital Status Board. This data reflects the following hospitals in the Richmond Catchment Area (Chesterfield County, Hanover County, Henrico, & Richmond): VCU Health System, Retreat Doctors', Bon Secours Community, CWJ Chippenham, CWJ Johnson Willis, VA Medical Center, Bon Secours St. Mary's, Henrico Doctors, and Parham Doctors, Bon Secours St. Francis, and Memorial Regional Medical Center.

	TOTAL IN USE FOR COVID-19	CURRENTLY AVAILABLE
Confirmed Hospitalizations	29	148
Pending Hospitalizations	9	140
Confirmed - ICU	6	51
Pending - ICU	0	21
Confirmed - Ventilators	*	365
Pending - Ventilators	0	303

^{*}Counts Between 1 and 5 are suppressed

Based on the VHASS hospital dashboard on **May 2nd, 2022**, within these 11 hospitals that comprise the Richmond catchment area, there are currently 148 total available hospital beds, 51 available adult ICU beds, and 365 available ventilators.

- 8 Hospitals in the Richmond Catchment area are operating at "Conventional" clinical status.
- 3 Hospitals are operating at "Contingency" clinical status.
- **0** Hospitals are operating at "Crisis" clinical status.
- *A clinical status of "Conventional" indicates that the spaces, staff, and supplies used are consistent with daily practices within the hospital.
- *A clinical status of **"Contingency"** indicates that the spaces, staff, and supplies used are not consistent with daily care but provide care that is functionally equivalent to usual patient care. Healthcare practices utilize limited resources differently than usual with the expectation that such altered practices are developed and performed in accordance with normal standards of care. In contingency conditions, this standard of care is maintained by providing care within the range of functionally equivalent options to care in conventional conditions.
- *A clinical status of **"Crisis"** indicates that Crisis Standards of Care apply. Care is no longer functionally equivalent to usual standards of care. Risk to the patient or provider may exist.

2.0 COVID-19 TESTING ENCOUNTERS AND POSITIVITY

2.1 Testing Summary

Current 7-day PCR percent positivity rate in Richmond has increased to 12.4%, positivity also has increased in Henrico to 12.6%.

The number of PCR tests administered across providers has decreased in both Richmond and Henrico. Unsure what effect at home testing has one these figures.

2.2 Number of PCR Tests

The counts below are based on the total number of testing encounters provided by the Virginia Department of Health for Richmond and Henrico. It is important to note that the number of testing encounters is different from the number of people tested, as some individuals may be tested more than once.

MONTH	TOTAL PCF	R TESTS/MONTH
MONTH	Richmond	Henrico
April 2022	5819	13245
March 2022	6210	14015
February 2022	8660	19815
January 2022	22833	47458
December 2021	19678	37857
November 2021	19427	20875
October 2021	23026	24555
September 2021	24874	28596
August 2021	22384	24945
July 2021	11206	13790
June 2021	9371	12128
May 2021	11890	13960
April 2021	16945	20134

The testing date was not reported for 483 PCR testing encounters in Richmond and not reported for 909 PCR testing encounters in Henrico, inclusive of all PCR tests since January 2020.

3.0 COVID-19 CASES

3.1 Summary of Cases

After recent highs in January, 2022, cases in both districts appear to have followed a downward trend through the spring. Although it appears cases may be slowly increasing in the past few weeks. According to the CDC Covid Data Tracker, in Richmond on May 2nd, the 7-day total case rate was 117.6 new cases per 100,000 population, while in Henrico the 7-day total case rate was 125.75 new cases per 100,000 population.

Additionally, in both Richmond and Henrico, the CDC COVID-19 Community Level is Low.

Female individuals in both Richmond and Henrico comprise a higher proportion of cases compared to male individuals, both in the last month and cumulatively.

In both districts 20-29 year olds have the highest case rate cumulatively. In the last month, case rates were higher among those aged 20-39 in Richmond, and 70+ in Henrico.

Regarding race and ethnicity, the highest proportion of cases is still among Black individuals cumulatively, while in the last month White individuals had the highest proportion of cases and Asian Americans and Pacific Islanders have had a disproportionately high amount of cases.

Time Series for case data at the state and locality level can be found on the VDH website.

3.2 Cases by Age Group by County

Population totals are based on 2019 data from the National Center for Health Statistics (NCHS).


COVID-19 Case Distribution by Age in the Last 4 Weeks

Richmond City, VA (n = 693); April 4, 2022 - April 30, 2022



Cumulative COVID-19 Case Distribution by Age

Richmond City, VA (N = 45,486); January 1, 2020 - April 30, 2022



In Richmond City, individuals aged 20-39 had the highest case rates in **April**, while individuals aged 20-29 have the highest case rate cumulatively.


COVID-19 Case Distribution by Age in the Last 4 Weeks

Henrico County, VA (n = 1,091); April 4, 2022 - May 1, 2022



Cumulative COVID-19 Case Distribution by Age

Henrico County, VA (N = 65,913); January 4, 2020 - May 1, 2022




In Henrico, individuals aged 70 and over had the highest case rates in **April**, while cumulatively, individuals 20-29 have the highest case rate, followed by individuals 30-39 and 10-19.

3.3 Cases and Population Proportions by Race and Ethnicity by County

Population totals are based on 2019 data from the National Center for Health Statistics (NCHS).

COVID-19 Case Distribution by Race/Ethnicity

Richmond City, VA; Cumulatively as of April 30, 2022 and in the Last 4 weeks (April 4, 2022 - April 30, 2022)




* NCHS population estimates are not available for Two or More Races or for Other Race (1,530 total cases)

* Missing or unknown ethnicities were assumed to be non-Hispanic.

■ In Richmond, the case burden for White individuals and Asian or Pacific Islander individuals over the last Month (52.8% and 6.6%, respectively) is high relative to their population percentages (42.8% and 2.5%, respectively), while the case burden for Black individuals and Latino individuals is disproportionately low (35.7% and 4.9%, respectively) relative to their population percentage (47% and 7.3%, respectively). This is a reversal of the cumulative trends for all groups.

COVID-19 Case Distribution by Race/Ethnicity

Henrico County, VA; Cumulatively as of May 1, 2022 and in the Last 4 weeks (April 4, 2022 - May 1, 2022)



* NCHS population estimates are not available for Two or More Races or for Other Race (3,168 total cases)

* Missing or unknown ethnicities were assumed to be non-Hispanic.

In Henrico in the last month, the percent of all cases among White individuals and Asian Or Pacific Islanders (58.6% and 11.5%, respectively) is higher than their proportion of the population (53.2% and 9.4%, respectively). Meanwhile, the percentage of cases amongst Black individuals (25.9%) is low relative to the population percent (31.2%). The percent of cases among Latino individuals in the last four weeks (4%) is relatively close to their percent of population (6%), a change from disproportionately high cumulative case percentage (8.4%).

4.0 COVID-19 Hospitalizations & Fatalities

4.1 Summary of Hospitalizations & Fatalities

Looking at the 11 hospitals that comprise the Richmond catchment area, COVID-19 associated hospitalizations increased dramatically from the middle of December to the middle of January before falling quickly in the second half of January. ICU hospitalizations and ventilator utilization followed a similar pattern, although less dramatic. Currently, 8 Hospitals in the Richmond Catchment area are operating at "Conventional" clinical status, 3 are operating at "Contingency" clinical status, and 0 are operating at "Crisis" clinical status.

Fatalities appeared to rise from December to January, but not as sharply as cases or hospitalizations have risen during the same period. Deaths have slowed month over month since January and as of the 2nd of May, no fatalities have been reported in either district in the month of April. Fatality data is subject to sizable amounts of lag.


Cumulatively, deaths are highest among Female individuals in both districts. The median age of death is around 74 in Richmond and 78 in Henrico.

4.2 COVID-19 Hospitalization, ICU, and Ventilator Utilization (VHASS)

The 7-day moving average is a recurrent average of the number of cases for each consecutive 7-day period regardless of data availability. Data are zero-padded to reflect dates with no hospitalizations and/or fatalities.

Total Daily COVID-19 Hospitalizations, ICU Hospitalizations, and Ventilator Utilizations

Richmond Catchment Area, September 1st, 2021 - May 2nd, 2022



^{*}Sum of Daily Counts displayed above- Hospitalizations: 43696 of 125805 (All Time), ICU Hospitalizations: 9372 of 29429, Ventilator Utilizations: 4761 of 15617

COVID-19 Hospitalizations peaked during January, 2022, but appear to be steadily decreasing
moving into the month of April, 2022. ICU hospitalizations and COVID-19 related ventilator
utilizations followed a similar, albeit dampened trend, but were less dramatic.

4.3 Fatalities by Sex, Race, and Age by County

The minimum age ranges correspond to ages in months, which have been converted to years.

Confirmed and Probable		Fatalities		
		Richmond (n=510)	Henrico (n=932)	
	Male	50% (252)	48% (450)	
Gender	Female	50% (257)	52% (482)	
	Missing/Unknown			
Age	Median (range)	74 (0-100)	78 (10-106)	
	White	29% (148)	58% (538)	
	Black	64% (324)	35% (330)	
	Latino	5% (25)	3% (27)	
Race/Ethnicity	Asian or Pacific Islander	1% (7)	3% (24)	
	Other Race	*	*	
	Two or more races	*	*	
	Not reported	2% (11)	1% (6)	

^{*}counts under 5 suppressed

5.0 VACCINATION

5.1 Vaccine Summary

As of May 2, 71.3% of the region's population has received at least one dose of the vaccine and 66.7% of the region's population has been fully vaccinated and 35.9% of the region's total population has received a booster. Approximately 70.4% of the combined Richmond and Henrico population has received at least one dose and 65.7% of the two districts' combined population has been fully vaccinated and 35.8% of the two districts' combined population has received a booster. Pharmacies and Local Health Departments have delivered the majority of vaccines to individuals in both districts.

The majority of vaccine recipients in both districts have been female. In both Richmond and Henrico, older age groups have consistently been vaccinated at a higher rate than younger age groups. This section includes an estimated breakdown of vaccination uptake by race, sex, and age subgroups.

5.2 Percentage of Vaccination Goals Reached by Population as of May 2, 2022

County	Age Group	POPULATION	PEOPLE WITH AT LEAST ONE DOSE	PEOPLE FULLY VACCINATED	PEOPLE WITH BOOSTER
	5-11	15,198	5,148 (33.9%)	4,211 (27.7%)	11 (0.1%)
5:1	12-17	11,150	7,239 (64.9%)	6,362 (57.1%)	1,707 (15.3%)
Richmond	18+	190,750	132,336 (69.4%)	122,845 (64.4%)	71,722 (37.6%)
	65+	31,809	26,045 (81.9%)	24,571 (77.2%)	19,091 (60%)
	5-11	28,406	13,750 (48.4%)	11,664 (41.1%)	30 (0.1%)
Henrico	12-17	25,954	20,417 (78.7%)	18,759 (72.3%)	5,953 (22.9%)
Tienneo	18+	256,660	216,325 (84.3%)	204,889 (79.8%)	121,636 (47.4%)
	65+	52,720	50,020 (94.9%)	47,872 (90.8%)	38,278 (72.6%)

Population totals are based on 2019 data from the National Center for Health Statistics (NCHS). Please note - this is a change from previous reports which used Census data to estimate population by age group.


5.3 Vaccinations by Locality as of May 2, 2022

HEALTH DISTRICT	LOCALITY	TOTAL POPULATION	PEOPLE WITH AT LEAST ONE DOSE	PEOPLE FULLY VACCINATED	PEOPLE WITH BOOSTERS
Chesterfield	Chesterfield	352,802	257,740	237,682	125,974
	Colonial Heights	17,370	11,219	10,085	4,745
	Powhatan	29,652	18,064	16,838	9,019
Chickahominy	Charles City	6,963	4,760	4,829	2,493
	Goochland	23,753	18,683	18,175	10,924
	Hanover	107,766	79,548	77,442	41,302
	New Kent	23,091	15,034	14,678	7,755
Henrico	Henrico	330,818	250,492	235,312	127,619
Richmond	Richmond City	230,436	144,723	133,418	73,440
Total		1,122,651	800,263	748,459	403,271


Population totals are based on 2019 data from the National Center for Health Statistics (NCHS).

5.4 Vaccine by County & Age

Vaccination Uptake Estimations by Vaccination Status & Age Group




Vaccination Uptake Estimations by Vaccination Status & Age Group




5.5 Vaccine by County & Race

Vaccination Uptake Estimations by Vaccination Status & Racial/Ethnic Group



Vaccination Uptake Estimations by Vaccination Status & Racial/Ethnic Group

Henrico County, VA; April 28, 2022




5.6 Census Tract Maps of Vaccine Uptake


The following 3 maps visualize vaccination uptake (percentage of total population receiving at least one dose within each census tract), case burden (cumulative cases per 100,000 by census tract) and social vulnerability (defined by the CDC's social vulnerability index).

These maps are intended to guide further outreach and vaccination planning only..


Vaccination Uptake In Richmond & Henrico, VA -- May 2nd, 2022



Cumulative Cases and Lowest Percent Vax by Census Tract -- May 2nd, 2022



SVI Rank and Lowest Percentage Vaccinated by Census Tract -- May 2nd, 2022



6.0 Glossary

7-day average number of new daily cases

Recurrent average of the number of cases for each consecutive 7-day period regardless of data availability.

7-day total case rate per 100,000

Calculated by adding the number of new cases in the county (or other administrative level) in the last 7 days divided by the population in the county (or other administrative level) and multiplying by 100,000. **7-day total case rate per 100,000** is considered to have a transmission level of Low (0-9.99), Moderate (10.00-49.99), Substantial (50.00-99.99), or High (greater than or equal to 100.00).

Antigen

Antigens are molecules capable of stimulating an immune response. Antigen tests are commonly used in the diagnosis of respiratory pathogens such as the COVID virus.

Assisted living facilities

A housing facility designed for people with disabilities or adults who cannot/decide not to live independently

At least one dose

This metric includes everyone who has received only one dose [including those who received one dose of the single-shot Johnson and Johnson's Janssen COVID-19 vaccine] and those who received more than one dose.

Case rate

the number of cases per 100,000 people in the population. Calculation: ((Confirmed Cases + Probable Cases)/Population Estimate)*100,000

Community Transmission

Refers to when an individual is infected with the COVID in an area, including some who are not sure how or where they became infected. Community Transmission is low when less than 10 new cases per 100,000 persons in the past 7 days OR <5% of positive NAATs tests during the past 7 days. Nucleic Acid Amplification Test, or NAAT, is a type of viral diagnostic test for SARS-CoV-2, the virus that causes COVID-19

Confirmed Case

A confirmed case is an individual who had a confirmatory viral test performed by way of a throat swab, nose swab or saliva test and that specimen tested positive for SARS-CoV-2, which is the virus that causes COVID-19.

Congregate settings

A setting where a number of people reside, meet or gather in close proximity for a period of time. Examples include homeless shelters, prisons, detention centers, schools and workplaces.

Cumulative

Consisting of accumulated parts created by successive additions - In the context of this report "cumulative" refers to the total number of things (cases, vaccinations, deaths, ect) that have occured during the time frame referenced.

Fully Vaccinated

For the purposes of this report an individual is considered fully vaccinated after receiving two doses of either the Pfizer-BioNTech COVID-19 vaccine (COMIRNATY) or the Moderna COVID-19 vaccine, or after receiving one dose of the Janssen (Johnson & Johnson) COVID-19 vaccine.

High density workplaces

Workplace settings in which individuals are there for long time periods (e.g., for 8-12 hours per shift), and have prolonged close contact (within 6 feet for 15 minutes or more).

Hospitalizations

Number of confirmed & pending COVID-19 patients receiving inpatient hospital care or utilizing an inpatient hospital bed (e.g., observation status) AND being treated for COVID-19 related complications. This metric is not cumulative; only report current counts at the time the user updates VHASS. This metric excludes confirmed inpatients in the hospital for primary reasons other than COVID complications.

ICU hospitalizations

Number of confirmed & pending COVID-19 patients receiving inpatient hospital care and are utilizing an Intensive Care Unit (Adult CC) bed for treatment related to COVID-19 complications. This metric is not cumulative; only report current counts at the time the user updates VHASS. This metric excludes confirmed inpatients in the hospital for primary reasons other than COVID complications.

Independent living facilities

Housing arrangements and communities for older adults that range from apartment-style communities to housing co-ops. It is designed for seniors who can still live independently

Locality

A community in which people live. The Commonwealth of Virginia is divided into 95 counties, along with 38 independent cities that are considered county-equivalents for census purposes. For the purpose of this report, the term "Locality" is used to refer to one of these 133 independent communities. The boundaries of the Richmond City Health Department and Henrico Health Department closely align with the boundaries of the Richmond City and Henrico County localities, but that is not the case with many other health districts across the state.

Long-term care facilities

Housing facilities for people with disabilities or for adults who cannot or who choose not to live independently.

NCHS

The National Center for Health Statistics who releases bridged-race population estimates of the resident population of the United States for use in calculating the Nation's official vital statistics

PCR

PCR stands for polymerase chain reaction. The test isolates genetic material from a patient sample and duplicates it many times, allowing for the presence of Covid-19 genetic material to be detected if present. The PCR test is the strongest and most reliable Covid-19 test currently available.

Percent positivity

For each event is calculated by dividing the number of tests yielding a 'Detected' result by the summed number of 'Detected' and 'Not Detected' results, and then multiplying this number by 100 to get a percent.

Population Estimate

Unless otherwise stated, population totals are based on 2019 data from the National Center for Health Statistics (NCHS). Please note- this is a change from some previous reports which used aggregated Census data regarding population by age group.

Probable Case

A probable case is an individual who has not had a confirmatory test performed but has: a positive antigen test, or clinical criteria of infection and is at high risk for COVID-19 infection (e.g. healthcare worker)

Provider Category

Health Department, Pharmacy, Health System, Community Provider, Safety Net, Other Locality

Race/Ethnicity

Prioritizes Hispanic Ethnicity over Patient stated Race, consolidates into groups: Hispanic, Asian & Pacific Islanders, White, Black, Native American & Unreported

Resident

Person(s) who self indicate, through census enumeration, medical documentation, or registration information that their primary residence is within the locality or health district referenced

Richmond catchment area

Hospital jurisdictions that serve the population of the greater Richmond metropolitan area: these include the hospital jurisdictions of Hanover, Henrico, Chesterfield, and Richmond City.

Sara Alert

Virginia based voluntary contact monitoring platform; individuals can update local health departments on their health status during the period of time they are participating in public health monitoring. The Sara Alert system is secure and always contacts users from the same phone number or email: 844-957-2721 or notifications@saraalert.org.

Social Vulnerability

The potential negative effects on communities caused by external stresses on human health. Such stresses include natural or human-caused disasters, or disease outbreaks. Reducing social vulnerability can decrease both human suffering and economic loss. More information on the CDC's Social Vulnerability Index can be found at https://svi.cdc.gov/

Spread

COVID-19 spreads when an infected person breathes out droplets and very small particles that contain the virus. These droplets and particles can be breathed in by other people or land on their eyes, noses, or mouth. In some circumstances, they may contaminate surfaces they touch. People who are closer than 6 feet from the infected person are most likely to get infected.

Suspect Case

Meets supportive laboratory evidence, with no prior history of being a confirmed or probable case.

For suspect cases, jurisdictions may opt to place them in a registry for other epidemiological analyses or investigate to determine probable or confirmed status.

Tested Count

Represents all individuals who received a 'Detected', 'Not Detected', or 'Inconclusive' result (Records from individuals who registered for an event but who were not tested were removed prior to this analysis).

Testing Encounter

Instance where COVID-19 test is administered to a person in the community via a known provider.

Vaccination Percentage

The number of individuals vaccinated divided by estimated population of a referenced community, locality or health district - Whether "Vaccinated" refers to "Fully vaccinated" or "At least one dose" should be clarified in the specific metric.

VEDSS

Virginia Electronic Disease Surveillance System (VEDSS) is the primary data system used by the Virginia Department of Health (VDH) for disease surveillance. VEDSS is used to track COVID-19 cases and laboratory reports.

Ventilator utilizations

The number of Ventilators currently in use to treat patients diagnosed with Covid-19 amongst hospitals within the Richmond Catchment Area.

VHASS

The Virginia Healthcare Alerting and Status System (VHASS) is the data system used to collect information on hospital status, resources, and critical care capabilities. VHASS helps in the distribution of critical emergency management information needed by Virginia hospitals and healthcare providers.

VIIS

The Virginia Immunization Information System (VIIS) is Virginia's statewide immunization registry that contains immunization data of persons of all ages.

ZCTA

ZIP Code Tabulation Areas (ZCTAs) are generalized areal representations of United States Postal Service (USPS) ZIP Code service areas.