

Virginia
2022 Annual Compliance Report
Public Drinking Water Program



I. Introduction	6
A. About this Report	6
B. Statutory Authority	6
C. Virginia’s Drinking Water Program	7
II. Glossary	10
A. Public Water System or Waterworks	10
❖ Community Waterworks (CWS).....	10
❖ Non-transient Non-community Waterworks (NTNC).....	10
❖ Transient Non-community Waterworks (TNC)	10
B. Sources of Drinking Water Contamination.....	10
C. Drinking Water Standards	11
❖ Maximum Contaminant Levels (MCL).....	12
❖ Maximum Residual Disinfectant Levels (MRDL).....	12
❖ Treatment Techniques (TT)	12
❖ Monitoring and Reporting	12
❖ Monitoring and Reporting Violations	12
❖ Consumer Notification.....	12
❖ Consumer Notification Violations	12
❖ Public Notice	13
❖ Public Notification Violations	13
❖ Variances and Exemptions.....	13
D. Compliance Monitoring.....	13
❖ Enforcement Targeting Tool (ETT)	13
○ Potential Serious Violator.....	13
○ Serious Violator	13
❖ Enforcement Targeting Tool Assistant (ETTA).....	14
❖ Health-Based Violation (HBV).....	14
❖ Returned to Compliance (RTC)	14
E. Enforcement Tools	14
❖ Informal Enforcement.....	14

❖	Notice of Alleged Violation (NOAV).....	14
❖	Formal Enforcement	14
❖	Consent Order.....	15
❖	Special Order	15
❖	Civil Penalties.....	15
❖	Enforcement Response Policy (ERP).....	15
III.	Profile of Waterworks in Virginia.....	16
A.	Inventory of Waterworks.....	16
B.	Sources of Drinking Water	20
C.	Owners of Waterworks.....	22
IV.	Summary of Violations in Virginia	23
A.	Geographical Location of Violations.....	23
B.	Compliance Monitoring.....	27
C.	Enforcement Actions	31
i.	Informal Enforcement Actions	32
ii.	Formal Enforcement Actions	33
iii.	Trends in Compliance and Enforcement.....	34
V.	Enforcement Program Oversight	39
A.	Policy and Procedure Updates	39
B.	Strategic Planning.....	39
VI.	Conclusion.....	41
	Obtaining a Copy of the 2022 Annual Compliance Report.....	43

Table 1. Number, Population, and Percent of Waterworks by Size in Virginia for CY 2022....	16
Figure 1. Percent of Waterworks by Size Classification in Virginia for CY 2022.....	17
Figure 2. Percent Population Served in Virginia by Waterworks of Various Size Classifications for CY 2022.....	17
Table 2. Number and Percent of Waterworks by Type in Virginia for CY 2022.....	18
Figure 3. Waterworks by Type in Virginia for CY 2022.....	18
Figure 4. Number of Waterworks by Size Compared to the Service Populations in Virginia for CY 2022.....	19
Figure 5. The 16 Largest Waterworks in Virginia by Population Served for CY 2022.	19
Figure 6. Percent of Waterworks by Water Source in Virginia for CY 2022.....	20
Figure 7A. Water System Types by Primary Source in Virginia for CY 2022.	21
Figure 7B. Population Served by Waterworks Type and Water Source in Virginia for CY 2022.	21
Figure 8. Number of Waterworks by Ownership Type in Virginia for CY 2022.....	22
Figure 9. Population Served by Owner Type in Virginia for CY 2022.....	22
Figure 10. Number of Violations by Waterworks Size in Virginia for CY 2022.....	23
Figure 11A. Distribution of Violations per Waterworks in Virginia for CY 2022.....	24
Figure 11B. Distribution of Violations by Location in Virginia for CY 2022.	24
Figure 11C. Distribution of Acute Health Based & Health Based Violations in Virginia for CY 2022.....	25
Figure 12. Waterworks Violation Density in Virginia for CY 2022.	25
Figure 13A. Number of Violations by County in Virginia for CY 2022.	26
Figure 13B. Number of Violations at Waterworks by County in Virginia for CY 2022.	26
Figure 14. Number of Waterworks by Type with Violations in Virginia for CY 2022.	27
Figure 15. Number of Violations by Waterworks and Ownership Type in Virginia for CY 2022.	28

Figure 16. Violation Summary by Violation Description Type in Virginia for CY 2022.	29
Figure 17. Number of Violations by Category of Waterworks in Virginia for CY 2022.	30
Figure 18. Number of Violations Returned to Compliance versus the Number of Violations issued in CY2022 shown by Waterworks Type	31
Figure 19. Waterworks with Formal, Informal and Resolved Enforcement Actions in Virginia for CY 2018 - 2022.	32
Figure 20. Waterworks with Formal Enforcement Actions in Virginia for CY 2022.	33
Figure 21. All Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.	35
Figure 22A. Acute Health-Based Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.....	35
Figure 22B. Health-Based Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022..	36
Figure 23. Monitoring and Reporting Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.....	36
Figure 24. Percent of Serious Violator Waterworks in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.....	37
Figure 25. Number of Formal Enforcement Actions in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.....	37
Figure 26. Number of Informal Enforcement Actions in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.....	38

I. Introduction

A. About this Report

The Annual Compliance Report provides a comprehensive review of public drinking water violations in Virginia each calendar year, in accordance with section 1414(c)(3)(A)(i) of the amended Safe Drinking Water Act (SDWA). The Virginia Department of Health (VDH), Office of Drinking Water (ODW) is the primacy agency responsible for administering the federal SDWA and National Primary Drinking Water Regulations (NPDWR) in Virginia. This report fulfills the requirement to submit an annual report to the United States Environmental Protection Agency (EPA) that summarizes the incidents constituting a violation in Virginia for calendar year (CY) 2022.

In this report, ODW presents information about public water systems (also known as “waterworks” in Virginia). The report presents information about the inventory of waterworks and the number of incidences constituting a violation of the NPDWR. For the purpose of this report, violations of the NPDWR include the following:

- Maximum contaminant level (MCL) violations;
- Maximum residual disinfectant level (MRDL) violations;
- Treatment technique (TT) requirement violations;
- Significant monitoring and reporting (M/R) violations;
- Significant monitoring (M) violations;
- Significant reporting (R) violations;
- Variances and exemption violations;
- Recordkeeping violations;
- Significant public notice requirement violations; and
- Significant consumer confidence report (CCR) notification requirement violations.

The data presented in this report is generated from the federal Safe Drinking Water Information System (SDWIS/Fed) database. Each quarter, ODW reports data from the SDWIS/State database to EPA for transfer to the SDWIS/Fed database, which includes inventory data, site visits, violations, and enforcement actions. EPA uses this data to compile the Enforcement Targeting Tool (ETT) list and to supply states with the data to compile the Annual Compliance Report.

B. Statutory Authority

Pursuant to the SDWA, EPA promulgated the NPDWR to carry out the mandates set forth in the SDWA. The 1986 amendments to the SDWA directed EPA to amend the NPDWR to provide drinking water standards and treatment techniques that protect public health by limiting contaminants in drinking water. EPA set national limits on contaminant levels in drinking water, called maximum contaminant levels (MCLs). For some regulations, EPA established treatment techniques in lieu of an MCL to control contaminant levels that cannot be measured reliably.

The NPDWR also require waterworks to monitor drinking water for contamination, report monitoring results to the state, and notify the public when it violates the NPDWR. The 1996 amendments to the SDWA require that public notice clearly explain the nature of the violation,

potential adverse health effects, corrective actions to address the violation, and alternative water supplies for ongoing violations. Generally, the larger the service population, the greater the monitoring and reporting requirements.

In addition to setting drinking water standards and treatment techniques, the SDWA also allows EPA to award states with primary enforcement responsibility (i.e., “primacy”). To be awarded primacy, a state must promulgate regulations no less stringent than the federal requirements. In Virginia, the Public Water Supplies Law (PWSL) provides the State Health Commissioner (Commissioner), acting on behalf of the State Board of Health (Board), with authority to promulgate the Waterworks Regulations (Regulations) consistent with federal requirements. As such, VDH and ODW, in conjunction with the Board, developed drinking water regulations that are no less stringent than the federal requirements.

To maintain primacy, the SDWA requires states to develop mechanisms for enforcing state and federal drinking water requirements.¹ The PWSL and Regulations provide VDH with authority to compel compliance through enforcement. EPA has provided guidance on the enforcement process through its Enforcement Response Policy (ERP), which ODW has incorporated into its guidance documents.

C. Virginia’s Drinking Water Program

ODW’s mission is to protect public health by helping to ensure that all waterworks in Virginia provide a safe and adequate supply of drinking water to the public. ODW accomplishes this mission by advocating for safe drinking water; monitoring drinking water quality; providing technical assistance, training, and financing to waterworks owners and operators; and enforcing drinking water standards. ODW strives for full compliance with drinking water regulations, and, as such, uses compliance assistance as the first step towards resolving potential issues. ODW uses informal enforcement activities to achieve compliance and, as necessary, elevates to formal enforcement as needed to resolve noncompliance and protect public health. Informal and formal enforcement activities are discussed further below.

In cases where insufficient technical, managerial, or financial resources present a barrier to compliance, ODW may provide resources to waterworks in accordance with the EPA-approved Capacity Development Strategy. If ODW is unable to achieve compliance through technical or compliance assistance due to the timeline for corrective action, status of the waterworks on the ETT, or the owner or operator’s lack of resources or unwillingness to cooperate, ODW may proceed with enforcement. ODW encourages a waterworks owner to return to compliance at any time during the enforcement process; however, progressive measures may be necessary to carry out ODW’s mission to protect public health.

The law provides ODW with enforcement tools that enable it to compel compliance and protect public health. Formal enforcement tools include consent orders, which may include a civil penalty and corrective action plan for returning the waterworks to compliance, administrative proceedings that can ultimately result in issuance of a special order that may include civil penalties and permit revocation, and civil and criminal court actions. ODW may escalate its enforcement response based on increased risk of harm to public health until compliance is

¹ See 42 U.S.C. § 300g-2(a)(2) and 40 CFR § 142.10(b).

achieved. Additionally, in striving for full compliance, ODW may pursue more than one of these enforcement methods with respect to any particular waterworks.

ODW consists of a central office in Richmond and six field offices in Abingdon, Culpeper, Danville, Lexington, Norfolk, and Richmond, Virginia. Engineering, surveillance, and technical or compliance assistance take place in the field offices, while the division directors are based in the central office. ODW divisions include Financial and Construction Assistance Programs (FCAP); Training, Capacity Development, and Outreach (TCDO); Technical Services (DTS); Policy and Program; and Compliance and Enforcement². Each division has a division director and one or more staff. Compliance and Enforcement consists of the director and an enforcement coordinator.

The Compliance and Enforcement Division supports ODW's mission "to protect public health and help ensure that all waterworks provide a safe and adequate supply of drinking water" by ensuring waterworks in Virginia comply with the PWSL and Regulations when technical assistance and other means are not effective to return the waterworks to compliance. To carry out its mission, the Compliance and Enforcement Division has established the following goals:

- To assist the regulated community in achieving and maintaining compliance with the PWSL and Regulations, and to promote protection of public health;
- To return noncompliant waterworks to compliance and to stop continuing or repeated violations;
- To take enforcement actions that are timely and appropriate, consistent and certain, and reasonable, fair, and effective;
- To recover civil penalties where appropriate, including amounts sufficient to remove the economic benefit of noncompliance;
- To deter future violations;
- To conduct enforcement actions courteously and professionally; and
- To earn public confidence in the enforcement program.

With the Compliance and Enforcement Division's support, field office staff play key roles in implementing the enforcement program consistent with its mission and goals. Field office staff interact directly with the waterworks owners and operators and the public daily, while the Compliance and Enforcement Division coordinates statewide implementation of the enforcement program to ensure consistency, fairness, and effective implementation of compliance and enforcement strategies. Open communication and mutual support are essential for ensuring a successful, decentralized, and consistent approach to enforcement.

Typically, the district engineer, inspector, or compliance specialist first identify noncompliance during a sanitary survey, or through a complaint, laboratory data, or other compliance monitoring and reporting. Once field office staff identify a potential violation, the field office staff will draft the notice of alleged violation (NOAV), monitor corrective actions, and return the waterworks to compliance. Field office staff consult other divisions, such as FCAP and TCDO, to provide compliance assistance and additional technical, managerial, or financial resources, as needed.

² In 2023, the Policy and Program and Compliance and Enforcement divisions were rebranded under one division director as the Division of Compliance, Enforcement and Policy. As this report addresses calendar year 2022, the references herein discuss the organizational structure as of the end of 2022.

If field office staff cannot resolve an alleged violation within a reasonable time, they will consult with the field office compliance specialist, the enforcement coordinator, and the Compliance and Enforcement Division director for the next steps, including a possible referral for formal enforcement action. This report describes violations of the drinking water standards and the associated enforcement actions taken when a waterworks does not return to compliance in an appropriate and timely manner.

II. Glossary

Terms used in this report are listed below in topical order, i.e., information about public water systems in Virginia, sources of drinking water contamination, drinking water standards, compliance monitoring, and enforcement tools for achieving compliance.

A. Public Water System or Waterworks

Public water systems are known as “waterworks” in Virginia. A waterworks is any system that provides piped water for human consumption to at least 15 service connections or 25 or more individuals for at least 60 days each year. Human consumption means drinking, food preparation, dishwashing, bathing, showering, hand washing, teeth brushing, and maintaining oral hygiene.

The three types of waterworks are community, non-transient non-community, and transient non-community. How a waterworks is classified depends on the population it serves.

❖ Community Waterworks (CWS)

Community waterworks serve at least 15 service connections used by year-round residents, or regularly serve 25 or more year-round residents, and may include municipal systems, authorities, mobile home parks, or residential developments. Community waterworks present a greater risk of harm to public health from increased exposure, so the Regulations are more protective for community waterworks than for waterworks serving non-community populations.

❖ Non-transient Non-community Waterworks (NTNC)

Non-transient non-community waterworks generally serve facilities such as schools, factories, and other businesses. NTNCs are not community waterworks and regularly serve drinking water to at least 25 of the same persons for over six months out of the year.

❖ Transient Non-community Waterworks (TNC)

Transient non-community waterworks are the most common type of water systems and include facilities that serve different people each day, such as restaurants, campgrounds, and rest stops. TNCs serve at least 25 people a day for at least 60 days out of the year, while not meeting the definition of a CWS or NTNC.

B. Sources of Drinking Water Contamination

Contaminants may enter drinking water before, during, or after treatment. Most waterworks treat their water, as necessary, to ensure that the drinking water is safe to consume. Examples of contaminant sources are as follows:

Before Treatment

- Bacteria, viruses, and protozoa from human or animal sources.
- Turbidity in water caused by suspended matter, such as clay, silt, and

- microscopic organisms.
- Inadequately treated wastewater, sanitary sewer overflows, leaking sewer lines, and malfunctioning septic systems.
- Defective storage tanks.
- Pesticides, fertilizers, and other agricultural runoff.
- Run off from oil-slicked or salt-treated highways.
- Underground storage tanks.
- Naturally occurring metals, such as arsenic or cadmium.
- Decay products of naturally occurring radionuclides such as radon, radium, and uranium.
- Industrial chemicals, such as solvents.

During Treatment

- Treatment malfunction or chemical overfeed.
- By-products of disinfectants, such as trihalomethanes and haloacetic acids.

After Treatment

- Lead, copper, asbestos, and other materials from corroding pipes.
- Microbes and sediment entering through leaking pipes, joints, valves, or water main breaks.
- Improper connections with other systems or cross-connections with non-potable water that allow contaminants to enter drinking water pipes.
- Permeation of contaminants through certain pipe materials.
- Microbes and other contaminants entering through or accumulating with inadequately operated or maintained storage tanks.
- Disinfection byproducts, depleted disinfectant residuals, microbial re-growth, biofilm growth, or nitrification from inadequate operation or maintenance of distribution systems.

C. Drinking Water Standards

EPA set legal limits on over 90 contaminants in drinking water. The legal limit for a contaminant reflects the level that protects human health and can be achieved using the best available technology.

❖ **Maximum Contaminant Levels (MCL)**

EPA sets national limits on contaminant levels in drinking water to ensure that the water is safe for human consumption. The MCL is the highest concentration of a contaminant that EPA allows in drinking water. The Regulations include all of EPA's MCLs.

❖ **Maximum Residual Disinfectant Levels (MRDL)**

EPA sets national limits on residual disinfectant levels in drinking water to reduce the risk of exposure to disinfectant byproducts that form when chemical disinfectants are added to drinking water to prevent bacteriological contamination. Chemical disinfectants may react

with organic matter in the distribution system to form carcinogenic byproducts that present harm to human health with chronic exposure. The MRDL level is the highest level of a disinfection byproduct that EPA allows in drinking water. The Regulations include all of EPA's MRDLs.

❖ Treatment Techniques (TT)

EPA may establish treatment techniques in lieu of MCLs for contaminants that cannot be measured reliably. Absent the ability to measure a contaminant level, EPA requires that waterworks follow treatment techniques to ensure certain contaminants are adequately controlled. Viruses and turbidity are examples of contaminants that are controlled by treatment techniques rather than MCLs.

❖ Monitoring and Reporting

Monitoring and reporting requirements are specific to each waterworks. At a minimum, all waterworks are required to monitor routinely for total coliform bacteria, nitrate and nitrite, and, if using a surface water source, conduct monitoring for other microbiological contaminants. Community and non-transient non-community waterworks also monitor for other chemicals and radiological contaminants. ODW may require additional monitoring for noncompliance.

Monitoring and reporting violations occur when a waterworks owner fails to monitor and report sample results indicating drinking water quality or reports the sample results incorrectly. Monitoring requirements are critical to verifying that the waterworks is providing drinking water that meets the standards in the NPDWR and Regulations.

❖ Monitoring and Reporting Violations

For this report, monitoring and reporting violations, with rare exceptions, occur when the waterworks does not collect samples or does not report results to ODW during the compliance period for a particular contaminant.

❖ Consumer Notification

Consumer notification violations result when community waterworks owners fail to deliver a Consumer Confidence Report (CCR) to its customers educating them on their drinking water quality. The CCR is an annual report that includes educational material, source water information, the levels of any detected contaminants, and the status of compliance with drinking water regulations.

❖ Consumer Notification Violations

For this report, a consumer notification violation occurs if the owner of a community waterworks completely fails to provide its consumers the required annual drinking water quality report.

❖ Public Notice

The Public Notification Rule, as it has been incorporated in the Regulations, requires waterworks owners to notify their consumers any time the waterworks violates a drinking water regulation (e.g., exceeding an MCL or MRDL, violation of a treatment technique requirement, or occurrence of a waterborne disease outbreak) or has a situation posing a risk to public health. Notices must be in a form and manner reasonably calculated to reach all consumers, not just billing customers or persons named on an account. Public notices must include a description of the violation, actions that the customers should take, and a schedule for returning to compliance.

❖ Public Notification Violations

For this report, a public notification violation occurs when a waterworks completely fails to notify its consumers that it violated a drinking water regulation or had a situation posing a risk to public health.

❖ Variances and Exemptions

In limited circumstances, the Commissioner may grant variances or exemptions that relieve a waterworks from complying with a specific regulatory requirement. Variances may be appropriate when the characteristics of the raw water source prevent it from meeting an MCL and treatment or alternative water sources are not feasible. Exemptions allow certain waterworks additional time to comply with a new regulation as long as the waterworks continues to protect public health. VDH did not issue any exemptions or variances to the National Primary Drinking Water Regulations in 2022.

D. Compliance Monitoring

ODW uses the following tools to monitor and track compliance with the drinking water requirements. The Enforcement Targeting Tool (ETT) helps EPA and ODW to identify and prioritize waterworks with health-based violations. Formal enforcement action may be required within six months of a waterworks' status on the ETT as a serious violator.

❖ ETT

The ETT implements EPA's ERP by assigning each violation a number of points based on the assigned threat to public health, which are then added together to provide a total score for each waterworks. The ETT helps identify waterworks with the most noncompliance across all rules within a 5-year period. *EPA Drinking Water Enforcement Response Policy*.

- **Potential Serious Violator**

The status of a waterworks with an ETT score of 5 to 10 points.

- **Serious Violator**

The status of a waterworks with an ETT score greater than 10 points (meaning the waterworks has at least one recent acute health-based violation, or at least two recent other non-acute health-based violations, or 11 non-health-based violations, or some combination thereof adding to an ETT score of greater than 10 points). The ERP requires formal

enforcement action within 6 months of a waterworks being listed on the ETT as a serious violator.

❖ **Enforcement Targeting Tool Assistant (ETTA)**

A tool that analyzes SDWIS/State database data and calculates a real time assessment of waterworks that are out of compliance, comparing this data side-by-side with the latest state data reported to the SDWIS/Fed database.

❖ **Health-Based Violation (HBV)**

Violations of the MCLs or MRDLs allowed in drinking water; or of treatment technique rules, which specify required processes intended to reduce the amounts of contaminants in drinking water. MCLs, MRDLs, and treatment techniques are all health-based drinking water standards.

❖ **Returned to Compliance (RTC)**

The waterworks has completed monitoring, reporting, modifications to treatment, or other activities necessary to return to compliance with the Regulations following a violation. Voluntary corrective action, compliance assistance, and informal or formal enforcement actions may return the waterworks to compliance.

E. Enforcement Tools

For waterworks that fail to return to compliance through assistance, ODW may proceed with an enforcement action to compel compliance. Enforcement tools include informal enforcement actions, such as notices of alleged violations, and formal enforcement actions, such as administrative orders with civil penalties and corrective action. ODW's enforcement policies are consistent with state and federal requirements and EPA's ERP.

❖ **Informal Enforcement**

Compliance and other activities leading up to formal enforcement, and including a letter of agreement, warning letter, or NOAV, as well as activities to enforce requested actions outlined in a NOAV.

❖ **Notice of Alleged Violation (NOAV)**

A written statement from ODW to a waterworks owner notifying the owner that ODW has reason to believe that a violation has occurred or is occurring. Notices include the facts that form the basis for alleging a violation has occurred or is occurring and a legal citation of the statutes or regulations allegedly violated and may include a request for corrective action. A notice of alleged violation is not a determination that a violation has occurred or is occurring, i.e., it is not a case decision. 12VAC5-590-110.

❖ **Formal Enforcement**

An action that cites specific violations, requires corrective action to return to compliance, and includes an enforceable consequence if the schedule of compliance is not met, in

accordance with EPA's ERP. Examples include administrative orders with and without consent (i.e., a consent order or special order), penalties, and civil or criminal action.

❖ Consent Order

A voluntary agreement between the Commissioner, acting on behalf of the Board when it is not in session, and the waterworks owner to resolve violations of the PWSL and Regulations, setting forth corrective actions to be completed and a schedule for returning to compliance.

❖ Special Order

An administrative order issued by the Commissioner, on behalf of the Board, without a waterworks owner's consent after an informal fact-finding proceeding (IFFP), compelling the owner to bring the waterworks into compliance with the Regulations.

❖ Civil Penalties

Civil penalties may be imposed administratively or through court action. Civil penalties assessed through the administrative process can be included in a consent order or in a special order. Civil penalties issued via a consent order or special order are limited by the Code of Virginia to a maximum of \$1,000 for each day of violation. A court may assess a civil penalty of up to \$5,000 for each day of violation of the PWSL, the Regulations, or an order issued pursuant thereto.

❖ Enforcement Response Policy (ERP)

EPA's approach to targeting enforcement under the SDWA. The ERP focuses on waterworks with health-based violations and a history of noncompliance. The policy also ensures consistency, provides a model to escalate responses to violations, defines timely and appropriate actions, and defines what constitutes a formal action.

III. Profile of Waterworks in Virginia

This section provides a profile of waterworks in Virginia for CY 2022. ODW regulates 2,811 waterworks that serve drinking water to approximately 7,729,839 people in the Commonwealth. The size, number, and types of waterworks and their service populations are detailed below. This section also discusses the sources of drinking water in Virginia, as well as the types of waterworks owners.

A. Inventory of Waterworks

ODW regulates 2,811 waterworks in Virginia. ODW expects this number to increase as ODW identifies more businesses that use private wells and serve drinking water to 25 or more people for at least 60 days per year. While ODW encourages smaller, underperforming waterworks to consolidate or regionalize with higher performing waterworks when feasible, rural development projects could also create new well systems that meet the definition of a waterworks. Businesses that can connect to a local water supply may choose to consolidate rather than to operate a waterworks. The option to connect to another water supply is location dependent.

In Virginia, the 16 largest waterworks serve approximately 4.6 million people or 59.5% of the population served by public drinking water. In contrast, 2,655 small and very small waterworks serve 800,364 people, or 10.4% of the population. Historical data shows violations are more common at small or very small waterworks, particularly those that lack the technical, managerial, or financial capability to operate a waterworks in compliance with the Regulations. Small or very small CWS with ongoing or recurring noncompliance also tend to serve disadvantaged communities, such as rural towns, mobile home parks, and housing developments.

TNC waterworks are the most common type of waterworks and typically represent the greatest percent of violations. Owners of TNC waterworks, such as marinas, restaurants, and campgrounds, often include a single well and distribution system. Owners may not have experience or familiarity with the Regulations, or sufficient technical, managerial, and financial capability to successfully own and operate a waterworks. Tables 1 and 2 and Figures 1 through 3 summarize the size and type of waterworks in Virginia.

Table 1. Number, Population, and Percent of Waterworks by Size in Virginia for CY 2022.

Size	Number	Population	% of Total Pop.
Very Large Systems (>100,001)	16	4,599,472	59.5%
Large Systems (10,001-100,000)	60	1,861,064	24.1%
Medium Systems (3,301-10,000)	80	468,939	6.0%
Small Systems (501-3,300)	396	514,101	6.7%
Very Small Systems (25-500)	2,259	286,263	3.7%
Total	2,811	7,729,839	100%

Figure 1. Percent of Waterworks by Size Classification in Virginia for CY 2022.




Figure 2. Percent Population Served in Virginia by Waterworks of Various Size Classifications for CY 2022.





Table 2. Number and Percent of Waterworks by Type in Virginia for CY 2022.

Type	Number	% of Total
Community	1,076	38.3%
Non-transient Non-community	498	17.7%
Transient Non-community	1,237	44.0%
Total	2,811	100%

Figure 3. Waterworks by Type in Virginia for CY 2022.

Presented another way, Figure 4 compares the number of waterworks by size with the service populations that they serve. Notably, the 76 large and very large waterworks serve over 80 percent of the population in Virginia. Figure 5 lists the 16 largest waterworks and shows the corresponding population served by each system. The 2,259 very small waterworks serve noticeably fewer people and account for 1,226 of the violations presented in Chapter IV.

Figure 4. Number of Waterworks by Size Compared to the Service Populations in Virginia for CY 2022.





Figure 5. The 16 Largest Waterworks in Virginia by Population Served for CY 2022.



B. Sources of Drinking Water

Waterworks may use groundwater or surface water as their drinking water supply. Drinking water standards, treatment, monitoring, and reporting requirements differ depending on the water source. The process for withdrawing, treating, and distributing surface water is more complex than a groundwater well. Approximately 86% of waterworks in Virginia use groundwater as the drinking water supply (Figure 6) but serve only a small percent of the population. TNC waterworks most commonly use groundwater. (Figure 7A.) Most of the population receives its drinking water from a surface water supply.

As shown in Figure 7A, there are 313 CWS that draw directly from surface waters such as rivers, creeks, or reservoirs, but they serve over 6.8 million people – nearly 93.1% of the total CWS population. The source of drinking water may correlate with the type of noncompliance. For example, waterworks operating a groundwater system may be more likely to receive a violation under the Revised Total Coliform Rule (RTCR) related to bacteriological monitoring and reporting, compared to waterworks using a surface water supply that are more prone to the formation of disinfection byproducts from organic matter in the source water.

Figure 6. Percent of Waterworks by Water Source in Virginia for CY 2022.






Figure 7A. Water System Types by Primary Source in Virginia for CY 2022.**Figure 7B. Population Served by Waterworks Type and Water Source in Virginia for CY 2022.**

C. Owners of Waterworks

Waterworks owners in Virginia include local, state, and federal governments, public/private partnerships, and private entities. Private entities own 64.1% of waterworks in Virginia. Local governments, including authorities, account for 35.7% of waterworks owners and serve the greatest population, as demonstrated in Figures 8 and 9. Local governments own 15 of the 16 largest waterworks in Virginia serving approximately 4.6 million people, or 59.5% of the population.

Figure 8. Number of Waterworks by Ownership Type in Virginia for CY 2022.





Figure 9. Population Served by Owner Type in Virginia for CY 2022.



IV. Summary of Violations in Virginia

This section details incidences constituting a violation of federal drinking water standards at waterworks in Virginia for CY 2022 and describes actions that ODW may take to return a waterworks to compliance. This section of the report improves accountability, program performance, and strategic planning for the drinking water program in Virginia. Sharing this data with the public educates consumers on the quality and safety of their drinking water so they can make informed decisions about their health. The rules in this section are based on the NPDWR and have been incorporated into the Regulations.

A. Geographical Location of Violations

Figure 10 shows the distribution of violations in Virginia according to the population served by the waterworks for CY 2022. The colors, from green to red, represent the number of violations per waterworks, i.e., dark green indicates 1-2 violations per waterworks; light green, 3-7 violations; yellow, 8-17 violations; orange, 18-26 violations, and red, 27-34 violations per waterworks. The circle sizes represent the size of the waterworks based on the populations served, as defined in Chapter III.

Figure 10. Number of Violations by Waterworks Size in Virginia for CY 2022.




Figure 11A shows the number of violations per waterworks across Virginia for CY 2022. The larger the circle size and the more clustered the violations, the more violations per waterworks and waterworks with violations, respectively. Figure 11B shows a significant cluster of violations in Montgomery, Southampton and Campbell Counties and surrounding areas, which are further reflected in the violation density map below in Figure 12.

Figure 11A. Distribution of Violations per Waterworks in Virginia for CY 2022.




Figure 11B. Distribution of Violations by Location in Virginia for CY 2022.




Figure 11C represents acute health-based and health-based violations that have occurred throughout the state during CY 2022. Acute health-based violations are those that may cause illness after a short-term exposure. Chronic health-based violations are those violations that fall into one of three categories: 1) exceedances of the maximum contaminant levels (MCLs) which specify the highest allowable contaminant concentrations in drinking water, 2) exceedances of the maximum residual disinfectant levels (MRDLs), which specify the highest concentrations of disinfectants allowed in drinking water, and 3) treatment technique requirements, which specify certain processes intended to reduce the level of a contaminant.

Figure 11C. Distribution of Acute Health-Based & Health-Based Violations in CY 2022.




Figure 12. Waterworks Violation Density in Virginia for CY 2022.




Figure 13A indicates that the most violations, designated by red, occurred in Montgomery and Southampton Counties during 2022. Counties colored orange have fewer violations but still indicate areas of concern.

Figure 13A. Number of Violations by County in Virginia for CY 2022.





Figure 13B shows Albemarle, Bedford, Pittsylvania, and Middlesex Counties have the highest number of water systems with violations.

Figure 13B. Number of Violations at Waterworks by County in Virginia for CY 2022



B. Compliance Monitoring.

In CY 2022, 2,175 waterworks, 77.4% of all waterworks in Virginia, had no violations. At least one violation occurred at the remaining 636 waterworks, 58 of which were health-based violations (acute and chronic), and 11 waterworks were serious violators. These statistics may include some violations that were issued prior to CY 2022. A violation may not be resolved in the same year it was issued. It depends on the type of violation and the methods it may take to resolve the violation to bring the waterworks back into compliance.

Figure 14 shows the number of waterworks with violations by waterworks type. The figure below expresses that TNC waterworks have just over half (55.2%) of the total number of waterworks with violations, CWS comprise 32.2% of the waterworks with violations, and lastly, NTNC waterworks have the fewest waterworks with violations (12.6% of the total number of waterworks with violations) in 2022.

Figure 14. Number of Waterworks by Type with Violations in Virginia for CY 2022.




Figure 15 details the number of violations by waterworks and ownership type. The data shows that for CWS and TNC waterworks, significantly more violations occurred at privately owned waterworks than at waterworks owned by other categories of owners. By contrast, virtually the same number of violations occurred for locally owned and privately owned NTNC waterworks.

Figure 15. Number of Violations by Waterworks and Ownership Type in Virginia for CY 2022.




Figure 16 shows the number of violations by violation description type, the number of waterworks with violations by violation description type, and the number of violations that have been resolved by violation description type. The discrepancy between the number of violations compared to the number of waterworks indicates that some of those waterworks are receiving more than one violation.

Figure 16. Violation Summary by Violation Description Type in Virginia for CY 2022.





Figure 17 below shows the number of violations by category in Virginia for CY 2022. RTCR had more violations than any other violation category, followed by the Public Notice Rule. Volatile Organic Chemicals violations came in as the third most frequent.

Figure 17. Number of Violations by Category of Waterworks in Virginia for CY 2022.



The majority of waterworks with violations return to compliance within the same year. Some health-based violations may require additional monitoring, changes to operation or treatment technology, or other repairs or infrastructure improvements that extend beyond one year. Violations that present a greater potential for harm to public health and require more than six months to return to compliance are more likely to be addressed with a formal enforcement action. ODW strives to respond to health-based violations before the waterworks becomes a serious violator. Violations that may be returned to compliance once the waterworks owner samples following a missed monitoring period or submits a certification following a public notice or consumer confidence report requirement, are often addressed with an informal enforcement response. VDH monitors and tracks waterworks with ongoing or recurring violations to identify repeat violators that may require an elevated enforcement response.

Figure 18. Number of Violations Returned to Compliance versus the number of Violations issued in CY 2022 by Waterworks Type.



C. Enforcement Actions

After issuing a NOAV, ODW staff monitor and track the compliance status to see if the waterworks returns to compliance with assistance or if an elevated enforcement response is appropriate. Most violations are resolved voluntarily with assistance and returned to compliance soon after ODW issues the notice. In many cases, staff from the TCDO, DTS, and FCAP divisions assist the waterworks owner with financial, managerial, or technical needs. In cases where the waterworks does not return to compliance voluntarily within a reasonable time, an enforcement action with a civil charge, corrective action plan, and schedule for compliance may be necessary.

Enforcement actions may be informal or formal, and are generally administrative in nature (i.e., non-judicial). Informal enforcement actions include NOAVs, requests for public notice, and return to compliance codes, for purposes of this report. Informal actions may also include warning letters and letters of agreements, which are not included in this report. Warning letters outline the violations and recommend actions that the waterworks owner needs to take to return to compliance and may serve as a referral to enforcement. Letters of agreement may be used for waterworks owners that have demonstrated a “good faith” effort to comply with the Regulations, are not listed on the ETT, and the corrective action can be completed in less than one year. Information on warning letters and letters of agreement not included in this report may be actions that ODW takes between issuing a NOAV and initiating formal enforcement.

Formal enforcement may include administrative orders – consent orders or special orders – both with and without consent and may assess civil penalties and require corrective actions. Formal enforcement actions are binding and enforceable through the court system and may be required when the waterworks is listed as a “serious violator” or Enforcement Priority on the ETT (i.e., the waterworks’ ETT score is greater than 10).


With administrative, civil, and criminal enforcement actions, ODW staff selects the most appropriate enforcement method for each situation and associated violations. In determining the appropriate enforcement action, ODW may consider the size and type of the waterworks, the risk of harm to human health, and the willingness of the waterworks owner to cooperate. While staff may begin with a consensual means of achieving compliance, regulatory compliance by a waterworks is not optional and ODW may proceed as necessary to protect human health.

ODW resolves most noncompliance through the administrative process with the waterworks owner's consent. ODW strives to address and resolve all cases in a timely fashion, considering the nature of the case and the availability of resources; however, certain cases may take longer to resolve due to the complexity of the issues involved.

i. Informal Enforcement Actions

Informal enforcement is appropriate for waterworks that are responsive, cooperative, and demonstrate a “good faith” effort to comply with the regulations. ODW encourages informal enforcement for waterworks that are not listed on the ETT. If the waterworks has an ETT score greater than 5, formal enforcement (with or without consent) is generally more appropriate. In most cases, enforcement starts with informal actions and progresses to formal actions, as necessary. In CY 2022, Figure 19 shows that 636 waterworks were given informal enforcement actions and 6 waterworks were placed under formal enforcement. Informal enforcement actions include NOAVs issued, public notices, boil water orders, and violations or reminder notices. When a waterworks receives a violation, it is required to complete the public notice requirement within a deadline. If a public notice is not posted and returned along with the certification form, by the due date, then an additional NOAV is sent to the waterworks.

Figure 19. Waterworks with Informal, Formal, and Resolving Enforcement Actions in Virginia for Calendar Years 2018 - 2022.



ii. Formal Enforcement Actions

As described in Chapter II, the ERP defines formal enforcement as actions that require specific steps for the waterworks to return to compliance, cites specific violations, and is independently enforceable without having to prove the original violation. Formal enforcement includes administrative orders (with or without consent) and judicial actions through the civil or criminal court.


Consent orders are the most appropriate tool when the waterworks is cooperating with ODW to resolve noncompliance in a timely and appropriate manner. A consent order is an administrative order issued on behalf of the Board to a waterworks owner, with their consent, requiring that the waterworks perform a set of actions to return the waterworks to compliance. Consent orders allow the waterworks owner to participate in developing the corrective action plan and schedule for compliance, and usually results in quicker resolution.

If the waterworks is not cooperating or does not agree to the terms of a consent order, then ODW may hold an administrative proceeding to provide the waterworks owner with an opportunity to be heard and determine the fact basis for a case decision. Depending on the findings that result from the proceeding, ODW may issue a special order in which the Commissioner compels compliance unilaterally. An administrative hearing must be held before a special order can be issued.

The data in this report does not distinguish between consent orders and special orders.

In CY 2022, six waterworks had formal enforcement actions. (Figure 20.) Depending on the nature of the violation, the size and sophistication of the waterworks, and the ability of the waterworks to comply with the requirements, formal actions may include a civil penalty, corrective action plan, and schedule for compliance. In CY 2022, ODW assessed \$2,795.50 in civil penalties and collected payment in that amount.

Figure 20. Waterworks with Formal Enforcement Actions in Virginia for CY 2022. (“St AO” means State Administrative Order.)



iii. Trends in Compliance and Enforcement

ODW continues to carefully monitor compliance and adjust its policies and procedures as necessary to reduce the number of violations across the state. ODW continues to prioritize those systems with health-based violations, which is reflected in the lower number of health-based violations and serious violators for the compliance periods below (specifically from CY 2018 to 2022). ODW addresses problems proactively, as soon as a problem is known to exist, and uses administrative orders as a tool for accessing additional resources that may be necessary to address longer-term noncompliance.

In recent years, Virginia has been at or below the averages for violation percentages compared to EPA Region 3 and nationally, as reflected in Figures 21 through 24. Percentages nationally for CY 2018 to 2022 report more formal enforcement than introduced in Virginia or Region 3. Virginia tends to respond more with informal enforcement actions, but increasingly uses formal enforcement actions in response to new enforcement policies and improvements in data management. With more formal enforcement actions over recent years, the number of serious violators over a 5-year period has declined, which has in turn resulted in a drop in the number of formal enforcement actions that were necessary in CY 2022. Responding with formal enforcement early has reduced the number of waterworks that remain on the ETT and become serious violators.

Figures 21 – 24 indicate that VDH-ODW staff are proactively working with waterworks which helps to lower the number of violations issued, decreases the number of acute and chronic health-based violations, decreases the number of monitoring and reporting violations, and decreases the number of serious violators that are on the ETT Report.

Figure 21. All Violations in Virginia Compared to EPA Region 3³ and National Averages for Calendar Years 2018 to 2022.





Figure 22A. Acute Health-Based Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.



³ As a member of EPA's Region 3 (the Mid-Atlantic serves Delaware, the District of Columbia, Maryland, Pennsylvania, Virginia and West Virginia), Region 3 data includes Virginia in each Figure represented from 21 - 26.

Figure 22B. Health-Based Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.




Figure 23. Monitoring and Reporting Violations in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.




Figure 24. Percent of Serious Violator Waterworks in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.




Figure 25 reflects that in CY 2020 VDH-ODW staff increased formal enforcement actions. In CY 2021, the increase in these actions slowed down as staff were proactively working with waterworks owners and operators to bring the water systems back into compliance. In CY 2022, the number of formal enforcement actions in Virginia dropped below EPA's Region 3 and is well below the national average for formal enforcement cases. Virginia also had a minimal number of Serious Violator waterworks during CY 2022.

Figure 25. Number of Formal Enforcement Actions in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.





Figure 26 highlights that Virginia exceeds the national average when dealing with informal enforcement actions; generating notices of alleged violation and warning letters, as well as addressing issues quickly to prevent water systems from becoming formal enforcement cases. VDH-ODW staff work with waterworks owners to provide technical assistance and funding to bring these water systems back into compliance as quickly as possible. As seen earlier, these efforts have resulted in a drop in the percentage of waterworks that are designated as Serious Violators.

Figure 26. Number of Informal Enforcement Actions in Virginia Compared to EPA Region 3 and National Averages for Calendar Years 2018 to 2022.



V. Enforcement Program Oversight

This section describes initiatives that ODW is working on to improve its oversight, management, and strategic planning of compliance in Virginia. ODW first issued its Enforcement Manual in 2020 to create policies and procedures for monitoring, tracking, and prioritizing noncompliance, and referring for enforcement those waterworks that fail to return to compliance in a timely manner. ODW is also strengthening the organization of its field offices to enhance performance, efficiency, and autonomy based on roles. The enforcement program is also developing a strategic plan to set a vision with goals and short-term objectives for the next five years.

A. Policy and Procedure Updates

VDH continues to develop, implement, and improve its enforcement program. In CY 2020, ODW published an Enforcement Manual to reflect ODW's mission to protect public health and help ensure that all waterworks in Virginia provide a safe and adequate supply of drinking water. The manual provides guidance on monitoring and tracking noncompliance, elevating noncompliance for enforcement, and ensuring waterworks return to compliance action in a timely and appropriate manner.

In addition to ongoing process improvements internally, the Office of the State Inspector General (OSIG) audited ODW during CY 2020, issuing a performance audit report in June 2021. The report included several findings and recommendations related to the enforcement program.

ODW's capacity to fully address OSIG's findings and related recommendations was significantly affected in CY 2021 and CY 2022 by budgetary challenges that impacted, among other things, ODW's ability to fill certain vacant positions and hire staff for new positions. Those budgetary challenges were partially addressed by the budget passed by the Virginia General Assembly that became effective on July 1, 2022. However, ODW still faces budgetary challenges that are limiting its ability to fill vacancies and hire new personnel. ODW continues to pursue additional sources of funding.

The Compliance and Enforcement Division of ODW also saw significant changes in CY 2022 as both a new division director and a new enforcement coordinator were hired. Despite changes in personnel with the Compliance and Enforcement Division and budgetary constraints on ODW at-large, ODW kept moving forward in CY 2022 to continue to address the OSIG recommendations, while planning to continue to do more work in this regard in CY 2023, including completing revisions to the Enforcement Manual.

B. Strategic Planning

ODW actively engages in strategic planning to identify needs, develop objectives, and build program performance. Over the last several years, ODW's enforcement program has reduced the number of waterworks with violations. However, new regulations, emerging contaminants, and aging infrastructure present continuing challenges that ODW must confront to continue the trendline of fewer violations, including fewer health-based violations. The strategic plan for the enforcement program allows ODW to focus on near- and long-term goals based on needs and resources, set schedules for achieving those goals, and plan for how to respond to these sorts of continuing challenges.

While the 16 largest waterworks in Virginia had a total of six violations in CY 2022, of those five were for monitoring and reporting and one was a health-based violation; failing infrastructure may be unidentified or unaddressed. Water loss, water main breaks, boil water advisories, power outages, and inadequate reliability may not always result in a health-based violation but require significant investment in the waterworks infrastructure to prevent future harm to public health from occurring. These sorts of issues may be especially challenging for very small waterworks that tend to have fewer resources. Additionally, very small waterworks may have more trouble attracting qualified licensed operators, which are in short supply and is a continuing challenge. Strengthening enforcement of reliability standards in the Regulations may help ODW to require certain upgrades and repairs to address infrastructure concerns.

ODW continues to use enforcement tools to achieve compliance voluntarily. Consent orders have been effective at achieving compliance and many repeat violators are willing to agree to a corrective action plan and schedule for compliance, as well as a civil charge, for past noncompliance. On only rare occasions must ODW proceed to an administrative hearing and seek issuance of a unilateral special order to compel compliance. Because of ODW's considerable compliance and technical assistance, waterworks owners seem to perceive a sense of fairness when presented with an administrative order. In turn, consent orders help waterworks owners qualify for funding in many cases to help them return to compliance.

In CY 2022, ODW did not limit its formal enforcement efforts to administrative orders. ODW acted under Virginia statutory authority and had Virginia's Office of the Attorney General file civil lawsuits that resulted in eight privately owned waterworks being placed into receivership with local government entities on account of the private owner being unable comply with previously issued administrative orders. This was the first-time to anyone's knowledge that this statutory authority had been used by ODW and it serves as another possible enforcement option for the future.

While most waterworks comply with the Regulations, very small and small waterworks represent a disproportionate bulk of the violations and often lack the technical, managerial, and financial capability to address violations. ODW is focusing on measures that it can take to help ensure that customers at small and very small waterworks receive equal access to a safe and adequate drinking water supply, regardless of waterworks size or location.

Equal access to drinking water remains a priority given ODW's mission to ensure that all Virginians have access to safe and adequate drinking water. Additional funding in the Virginia budget may allow for greater support for the operation and maintenance of noncompliant waterworks and incentivize the consolidation or regionalization of underperforming waterworks with larger, high-performing waterworks, thereby helping equalize access to safe and adequate drinking water. While Virginia continues to explore ways of addressing health equity and environmental justice, state and local partnerships are critical to the success of such initiatives.

Lastly, ODW continues to explore ways to improve its comprehensive oversight of waterworks across Virginia. To this end, ODW is working towards digitizing its files, an effort that is going on at the field office level. Ultimately, a document management system combined with digital recordkeeping will allow ODW staff to access records remotely, easily share records among staff in different locations, and eliminate reliance upon physical files that are stored at individual field offices.

VI. Conclusion

ODW provides exceptional compliance and technical assistance to waterworks. The success of such efforts is reflected in the low number of waterworks with violations. Compliance and technical assistance build trust and partnership between ODW and the waterworks owner and operators that often returns violations to compliance as quickly as possible with no further action needed. Waterworks that require enforcement action to achieve compliance represent only a small fraction of waterworks in Virginia and they tend to serve fewer people. For the fraction of waterworks that require formal enforcement action, administrative orders have successfully resulted in cooperation by the waterworks owners to take actions as needed to return to compliance.

ODW uses real-time data and proactive enforcement policies to identify and resolve noncompliance before the waterworks appears on the ETT. ODW uses the Enforcement Tracking Tool Assistant (ETTA) database weekly to update compliance data and identify waterworks with new or ongoing violations for potential enforcement. The Enforcement Manual identifies tools for addressing noncompliance in a uniform, structured, and timely manner. Guidelines and training on timelines for referring a waterworks for enforcement, drafting administrative orders, and assessing civil penalties clarify the process for escalating the enforcement response to noncompliance.

Additionally, the Enforcement Manual decentralizes the enforcement response to allow staff with the most expertise on a particular waterworks to recommend and manage enforcement actions locally, with central guidance, supervision, and support. The revised manual will better define the role of compliance specialists in the field offices to further focus on enforcement. The compliance specialists are responsible for monitoring noncompliance for enforcement and ensuring statewide consistency and compliance with enforcement policies.

Based on the data presented in this report, ODW will continue to evaluate how it can reduce the number of violations, especially at transient non-community and community waterworks, which have proportionately more violations than non-transient non-community waterworks. ODW has implemented the use of an auto dialer system that sends reminders to waterworks owners across the state, in an effort to reduce the number of monitoring violations. The auto dialer is currently being used by the field offices to contact water system owners with reminders to collect monthly and quarterly bacteriological samples as well as annual and tri-annual chemical samples. In addition, the auto dialer has been used for seasonal startup and Consumer Confident Report reminders. The auto dialer system was beta tested in the Danville Field Office. During the testing phase, the Danville Field Office tracked sampling data for the auto dialer from 2017 to 2019 and discovered that there was a NOAV issuance reduction during that period, especially for those waterworks on quarterly monitoring. ODW concluded that the auto dialer saved ODW staff time by reducing time spent sending reminders of upcoming sampling, seasonal startups, and CCRs. Additionally, the auto dialer reduced the number of violations, thereby reducing staff time spent on compliance efforts such as issuing NOAVs, communicating with waterworks regarding missing sample collections, public notification notices and certification forms, as well as time spent discussing with waterworks owners and operators how to return the waterworks to compliance.

ODW continues to address disinfection byproduct violations at community waterworks with administrative orders as soon as a problem is known to exist. Formal administrative orders have helped local governments to obtain funding needed to perform certain upgrades to the waterworks infrastructure. Due to the locational running annual average of disinfection byproducts calculated over four quarters, the schedule for returning to compliance may take place over several years. Very small waterworks are more likely to lack the technical, managerial, and financial capability to consistently comply with the Regulations. Through administrative orders, ODW encourages underperforming waterworks to consolidate or regionalize with a higher performing waterworks, such as a regional water authority, when feasible. Localities are often reluctant or unwilling to accept the debt and responsibility of taking over noncompliant waterworks in need of significant upgrades and repairs, and do not want to raise fees for their current customers to make these small noncompliant waterworks financially viable. ODW is using new financial resources to incentivize regionalization and consolidation of underperforming waterworks to improve access to clean and safe drinking water for all Virginians. By encouraging consolidation with higher performing waterworks, ODW hopes to see fewer violations at small and very small community waterworks resulting from low technical, managerial, or financial capability.

Obtaining a Copy of the 2022 Annual Compliance Report

As required by the SDWA, Virginia has made the 2022 Annual Compliance Report available to the public. Interested individuals may review a copy of the 2022 Annual Compliance Report for Virginia by accessing the VDH, Office of Drinking Water's website at:

<https://www.vdh.virginia.gov/drinking-water/office-of-drinking-water/virginia-annual-pws-compliance-report/>

Telephone: (540) 817-5536

Fax Number: (540) 463-3892

E-mail: athena.vanlear@vdh.virginia.gov

Address: VDH-Office of Drinking Water
Lexington Field Office
131 Walker Street
Lexington, Virginia 24450

Contact Name: Athena Van Lear; Enforcement Coordinator

**SAFE DRINKING WATER INFORMATION SYSTEM
2022 ANNUAL PWS COMPLIANCE REPORT SUMMARY**

Rule Family	Violation Category	Contaminant Code	Contaminant	# of Violations	# of Resolved Violations	# of PWS in Violation
Consumer Confidence Rule	Other Violation	7000	Consumer Confidence Rule	27	23	26
Groundwater Rule	Monitoring and Reporting	3014	E. COLI	42	32	37
Groundwater Rule	Treatment Technique Violation	700	Groundwater Rule	10	2	6
Inorganic Chemicals	Maximum Contaminant Level Violation	1025	Fluoride	10	0	3
Inorganic Chemicals	Maximum Contaminant Level Violation	1038	Nitrate-Nitrite	1	1	1
Inorganic Chemicals	Monitoring and Reporting	1015	Cadmium	5	0	5
Inorganic Chemicals	Monitoring and Reporting	1085	Thallium, Total	5	0	5
Inorganic Chemicals	Monitoring and Reporting	1075	Beryllium, Total	5	0	5
Inorganic Chemicals	Monitoring and Reporting	1005	Arsenic	5	0	5
Inorganic Chemicals	Monitoring and Reporting	1010	Barium	5	0	5
Inorganic Chemicals	Maximum Contaminant Level Violation	1005	Arsenic	1	0	1
Inorganic Chemicals	Monitoring and Reporting	1020	Chromium	5	0	5
Inorganic Chemicals	Monitoring and Reporting	1025	Fluoride	9	0	6
Inorganic Chemicals	Monitoring and Reporting	1035	Mercury	5	0	5
Inorganic Chemicals	Monitoring and Reporting	1036	Nickel	5	0	5
Inorganic Chemicals	Monitoring and Reporting	1038	Nitrate-Nitrite	60	1	60

Inorganic Chemicals	Monitoring and Reporting	1045	Selenium	5	0	5
Inorganic Chemicals	Monitoring and Reporting	1074	Antimony, Total	5	0	5
Lead and Copper Rule	Treatment Technique Violation	5000	Lead and Copper Rule	4	2	4
Lead and Copper Rule	Monitoring and Reporting	5000	Lead and Copper Rule	96	61	78
Public Notice Rule	Other Violation	7500	Public Notice	218	149	65
Radionuclides	Maximum Contaminant Level Violation	4010	Combined Radium (-226 and -228)	2	0	1
Radionuclides	Maximum Contaminant Level Violation	4006	Combined Uranium	1	0	1
Radionuclides	Monitoring and Reporting	4010	Combined Radium (-226 and -228)	4	2	3
Radionuclides	Monitoring and Reporting	4000	Gross Alpha, Excl. Radon and U	4	2	3
Radionuclides	Monitoring and Reporting	4006	Combined Uranium	4	2	3
Stage 1 Disinfectants and Disinfection Byproducts Rule	Monitoring and Reporting	999	Chlorine	27	22	25
Stage 1 Disinfectants and Disinfection Byproducts Rule	Treatment Technique Violation	400	Stage 1 Disinfectants and Disinfection Byproducts Rule	12	11	12
Stage 2 Disinfectants and Disinfection Byproducts Rule	Maximum Contaminant Level Violation	2456	Total Haloacetic Acids (HAA5)	7	3	4
Stage 2 Disinfectants and Disinfection Byproducts Rule	Maximum Contaminant Level Violation	2950	TTHM	9	0	6
Stage 2 Disinfectants and Disinfection Byproducts Rule	Monitoring and Reporting	2950	TTHM	11	6	11
Stage 2 Disinfectants and Disinfection Byproducts Rule	Monitoring and Reporting	2456	Total Haloacetic Acids (HAA5)	9	5	9
Surface Water Treatment Rules	Monitoring and Reporting	200	Surface Water Treatment Rule	1	0	1
Total Coliform Rules	Monitoring Violation	8000	Revised Total Coliform Rule	500	367	341

Total Coliform Rules	Other Violation	8000	Revised Total Coliform Rule	7	7	7
Total Coliform Rules	Maximum Contaminant Level Violation	3100	Coliform (TCR)	2	0	2
Total Coliform Rules	Monitoring and Reporting	3100	Coliform (TCR)	1	0	1
Total Coliform Rules	Treatment Technique Violation	8000	Revised Total Coliform Rule	15	12	15
Total Coliform Rules	Maximum Contaminant Level Violation	8000	Revised Total Coliform Rule	7	7	7
Volatile Organic Chemicals	Monitoring and Reporting	2979	trans-1,2-Dichloroethylene	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2980	1,2-Dichloroethane	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2981	1,1,1-Trichloroethane	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2982	Carbon tetrachloride	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2983	1,2-Dichloropropane	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2984	Trichloroethylene	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2985	1,1,2-Trichloroethane	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2987	Tetrachloroethylene	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2989	CHLOROBENZENE	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2990	Benzene	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2991	Toluene	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2992	Ethylbenzene	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2996	Styrene	8	2	8

Volatile Organic Chemicals	Monitoring and Reporting	2977	1,1-Dichloroethylene	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2976	Vinyl chloride	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2969	p-Dichlorobenzene	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2968	o-Dichlorobenzene	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2964	DICHLOROMETHANE	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2955	Xylenes, Total	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2378	1,2,4-Trichlorobenzene	8	2	8
Volatile Organic Chemicals	Monitoring and Reporting	2380	cis-1,2-Dichloroethylene	8	2	8

**SAFE DRINKING WATER INFORMATION SYSTEM
2022 ANNUAL PWS COMPLIANCE REPORT BY RULE**

Rule Name	Violation Code	Violation Type Description	# of Violations	# of Resolved Violations	# of PWS in Violation
Arsenic	2	Maximum Contaminant Level Violation, Average	1	0	1
Arsenic	3	Monitoring, Regular	5	0	5
Consumer Confidence Rule	71	Consumer Confidence Report Complete Failure to Report	27	23	26
Ground Water Rule	34	Monitoring, Source Water (GWR)	42	32	37
Ground Water Rule	41	Treatment Technique (SWTR and GWR)	3	1	2
Ground Water Rule	45	Failure To Address Deficiency	7	1	4
Inorganic Chemicals	2	Maximum Contaminant Level Violation, Average	10	0	3
Inorganic Chemicals	3	Monitoring, Regular	54	0	6
Lead and Copper Rule	52	Follow-up Or Routine LCR Tap M/R	33	15	30
Lead and Copper Rule	58	OCCT/SOWT Treatment Installation/Demonstration	2	0	2
Lead and Copper Rule	65	Public Education	2	2	2
Lead and Copper Rule	66	Lead Consumer Notice	63	46	52
Nitrates	1	Maximum Contaminant Level Violation, Single Sample	1	1	1
Nitrates	3	Monitoring, Regular	60	1	60
Public Notice Rule	75	Public Notification Violation for NPDWR Violation	218	149	65
Radionuclides	2	Maximum Contaminant Level Violation, Average	3	0	2
Radionuclides	3	Monitoring, Regular	12	6	3
Revised Total Coliform Rule	1A	Maximum Contaminant Level Violation, E. coli (RTCR)	7	7	7
Revised Total Coliform Rule	2A	Treatment Technique, Level 1 Assessment (RTCR)	10	7	10
Revised Total Coliform Rule	2C	Treatment Technique, Corrective/Expedited Actions (RTCR)	2	2	2
Revised Total Coliform Rule	2D	Treatment Technique Startup Procedures	3	3	3

		(RTCR)			
Revised Total Coliform Rule	3A	Monitoring, Routine (RTCR)	475	354	322
Revised Total Coliform Rule	3B	Monitoring, Additional Routine (RTCR)	25	13	23
Revised Total Coliform Rule	5A	Sample Siting Plan Errors (RTCR)	7	7	7
Stage 1 Disinfectants and Disinfection Byproducts Rule	12	Treatment Technique No Certif. Operator	12	11	12
Stage 1 Disinfectants and Disinfection Byproducts Rule	27	Monitoring and Reporting (DBP)	27	22	25
Stage 2 Disinfectants and Disinfection Byproducts Rule	2	Maximum Contaminant Level Violation, Average	16	3	9
Stage 2 Disinfectants and Disinfection Byproducts Rule	30	Monitoring, Routine (IDSE)	16	8	8
Stage 2 Disinfectants and Disinfection Byproducts Rule	35	Failure Submit IDSE/Subpart V Plan Rpt	4	3	3
Surface Water Treatment Rule	36	Monitoring of Treatment (SWTR-Filter)	1	0	1
Total Coliform Rule	22	Maximum Contaminant Level Violation, Monthly (TCR)	2	0	2
Total Coliform Rule	24	Monitoring, Routine Minor (TCR)	1	0	1
Volatile Organic Chemicals	3	Monitoring, Regular	168	42	8

**SAFE DRINKING WATER INFORMATION SYSTEM
2022 ANNUAL PWS COMPLIANCE REPORT**

PWS ID	PWS Type	Source	Population Served	Owner Type	Contaminant Name	Violation Category	Enfrmnt Action Type	Enfrmnt Date	RTC Date	Resolved Date	Violation Code	Violation Type Description
VA1021947	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	6/28/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA1021947	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	6/8/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA1021947	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	6/8/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA1021947	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/21/2022			3A	Monitoring, Routine (RTCR)
VA1021947	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/21/2022			3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Public Notice	Other	SOX	1/3/2022	1/3/2022	1/3/2022		Public Notification Violation for NPDWR Violation
VA1035091	TNCWS	GW	25	Private	Public Notice	Other	SFJ	1/3/2022	1/3/2022	1/3/2022		Public Notification Violation for NPDWR Violation
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	3/25/2022	2/8/2022	2/8/2022	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	3/14/2022	2/8/2022	2/8/2022	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	3/14/2022	2/8/2022	2/8/2022	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	2/8/2022	2/8/2022	2/8/2022	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	12/7/2022	11/10/2022	11/10/2022	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	12/1/2022	11/10/2022	11/10/2022	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	12/1/2022	11/10/2022	11/10/2022	3A	Monitoring, Routine (RTCR)
VA1035091	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	11/10/2022	11/10/2022	11/10/2022	3A	Monitoring, Routine (RTCR)
VA1035450	TNCWS	GW	25	Private	Nitrate-Nitrite	MR	SOX	10/25/2022	10/25/2022	10/25/2022		Monitoring, Regular
VA1035450	TNCWS	GW	25	Private	Nitrate-Nitrite	MR	SFJ	10/24/2022	10/25/2022	10/25/2022		Monitoring, Regular
VA1035450	TNCWS	GW	25	Private	Nitrate-Nitrite	MR	SIE	10/24/2022	10/25/2022	10/25/2022		Monitoring, Regular

VA1035450	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	8/26/2022	7/25/2022	7/25/2022	3B	Monitoring, Additional Routine (RTCR)
VA1035450	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	7/25/2022	7/25/2022	7/25/2022	3B	Monitoring, Additional Routine (RTCR)
VA1035450	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2022	7/25/2022	7/25/2022	3B	Monitoring, Additional Routine (RTCR)
VA1035450	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	7/25/2022	7/25/2022	7/25/2022	3B	Monitoring, Additional Routine (RTCR)
VA1035450	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	6/8/2022	6/2/2022	6/2/2022	3B	Monitoring, Additional Routine (RTCR)
VA1035450	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	6/8/2022	6/2/2022	6/2/2022	3B	Monitoring, Additional Routine (RTCR)
VA1035450	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	6/2/2022	6/2/2022	6/2/2022	3B	Monitoring, Additional Routine (RTCR)
VA1035498	NTNCWS	GW	35	Private	Chlorine	MR	SIF	4/29/2022	4/6/2022	4/6/2022		Monitoring and Reporting (DBP)
VA1035498	NTNCWS	GW	35	Private	Chlorine	MR	SFJ	4/26/2022	4/6/2022	4/6/2022		Monitoring and Reporting (DBP)
VA1035498	NTNCWS	GW	35	Private	Chlorine	MR	SIE	4/26/2022	4/6/2022	4/6/2022		Monitoring and Reporting (DBP)
VA1035498	NTNCWS	GW	35	Private	Chlorine	MR	SOX	4/6/2022	4/6/2022	4/6/2022		Monitoring and Reporting (DBP)
VA1035498	NTNCWS	GW	35	Private	Lead and Copper Rule	MR	SIF	11/1/2022				Follow-up Or Routine LCR Tap M/R
VA1035498	NTNCWS	GW	35	Private	Lead and Copper Rule	MR	SIE	10/24/2022				Follow-up Or Routine LCR Tap M/R
VA1035498	NTNCWS	GW	35	Private	Lead and Copper Rule	MR	SFJ	10/24/2022				Follow-up Or Routine LCR Tap M/R
VA1035573	CWS	GW	300	Private	Consumer Confidence Rule	Other	SFJ	12/2/2022	6/30/2022	6/30/2022		Consumer Confidence Report Complete Failure to Report
VA1035573	CWS	GW	300	Private	Consumer Confidence Rule	Other	SOX	6/30/2022	6/30/2022	6/30/2022		Consumer Confidence Report Complete Failure to Report
VA1035573	CWS	GW	300	Private	Lead and Copper Rule	MR	SOX	8/2/2022	8/2/2022	8/2/2022		Follow-up Or Routine LCR Tap M/R
VA1035573	CWS	GW	300	Private	Lead and Copper Rule	MR	SIF	7/11/2022	8/2/2022	8/2/2022		Follow-up Or Routine LCR Tap M/R
VA1035573	CWS	GW	300	Private	Lead and Copper Rule	MR	SFJ	10/27/2021	8/2/2022	8/2/2022		Follow-up Or Routine LCR Tap M/R
VA1035573	CWS	GW	300	Private	Lead and Copper Rule	MR	SIE	10/27/2021	8/2/2022	8/2/2022		Follow-up Or Routine LCR Tap M/R
VA1035700	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	8/12/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)

VA1035700	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/5/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA1035700	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/5/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA1035700	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	7/26/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA1051720	CWS	SWP	592	Local government	Lead and Copper Rule	MR	SIF	10/31/2022				Follow-up Or Routine LCR Tap M/R
VA1051720	CWS	SWP	592	Local government	Lead and Copper Rule	MR	SFJ	10/24/2022				Follow-up Or Routine LCR Tap M/R
VA1051720	CWS	SWP	592	Local government	Lead and Copper Rule	MR	SIE	10/24/2022				Follow-up Or Routine LCR Tap M/R
VA1051726	CWS	SWP	700	Local government	TTHM	MR	SOX	11/28/2022	11/28/2022	11/28/2022		Failure Submit IDSE/Subpart V Plan Rpt
VA1051726	CWS	SWP	700	Local government	TTHM	MR	SFJ	10/24/2022	11/28/2022	11/28/2022		Failure Submit IDSE/Subpart V Plan Rpt
VA1051726	CWS	SWP	700	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	11/28/2022	11/28/2022	11/28/2022		Failure Submit IDSE/Subpart V Plan Rpt
VA1051726	CWS	SWP	700	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/24/2022	11/28/2022	11/28/2022		Failure Submit IDSE/Subpart V Plan Rpt
VA1051726	CWS	SWP	700	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	10/31/2022				Maximum Contaminant Level Violation, Average
VA1051726	CWS	SWP	700	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	9/28/2022				Maximum Contaminant Level Violation, Average
VA1051726	CWS	SWP	700	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	9/28/2022				Maximum Contaminant Level Violation, Average
VA1063030	TNCWS	GW	25	Private	Public Notice	Other	SOX	9/8/2022	9/8/2022	9/8/2022		Public Notification Violation for NPDWR Violation
VA1063030	TNCWS	GW	25	Private	Public Notice	Other	SFJ	9/7/2022	9/8/2022	9/8/2022		Public Notification Violation for NPDWR Violation
VA1063155	TNCWS	GW	30	Private	Public Notice	Other	SOX	7/28/2022	7/28/2022	7/28/2022		Public Notification Violation for NPDWR Violation
VA1063155	TNCWS	GW	30	Private	Public Notice	Other	SFJ	1/3/2022	7/28/2022	7/28/2022		Public Notification Violation for NPDWR Violation
VA1063220	CWS	GW	2300	Local government	Revised Total Coliform Rule	MON	SIF	12/1/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA1063220	CWS	GW	2300	Local government	Revised Total Coliform Rule	MON	SIE	10/11/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA1063220	CWS	GW	2300	Local government	Revised Total Coliform Rule	MON	SFJ	10/11/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA1063220	CWS	GW	2300	Local government	Revised Total Coliform Rule	MON	SOX	9/6/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)

VA1063690	NTNCWS	GW	45	Private	Lead and Copper Rule	MR	SOX	8/1/2022	8/1/2022	8/1/2022		Follow-up Or Routine LCR Tap M/R
VA1063690	NTNCWS	GW	45	Private	Lead and Copper Rule	MR	SIF	11/1/2021	8/1/2022	8/1/2022		Follow-up Or Routine LCR Tap M/R
VA1063690	NTNCWS	GW	45	Private	Lead and Copper Rule	MR	SFJ	10/26/2021	8/1/2022	8/1/2022		Follow-up Or Routine LCR Tap M/R
VA1063690	NTNCWS	GW	45	Private	Lead and Copper Rule	MR	SIE	10/26/2021	8/1/2022	8/1/2022		Follow-up Or Routine LCR Tap M/R
VA1063742	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	8/31/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA1063742	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	7/27/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA1063742	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA1063764	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	5/9/2022	4/6/2022	4/6/2022	3A	Monitoring, Routine (RTCR)
VA1063764	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	5/5/2022	4/6/2022	4/6/2022	3A	Monitoring, Routine (RTCR)
VA1063764	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	5/5/2022	4/6/2022	4/6/2022	3A	Monitoring, Routine (RTCR)
VA1063764	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	4/6/2022	4/6/2022	4/6/2022	3A	Monitoring, Routine (RTCR)
VA1063775	TNCWS	GW	500	Private	E. COLI	MR	SIE	12/22/2022	12/13/2022	12/13/2022		Monitoring, Source Water (GWR)
VA1063775	TNCWS	GW	500	Private	E. COLI	MR	SFJ	12/22/2022	12/13/2022	12/13/2022		Monitoring, Source Water (GWR)
VA1063775	TNCWS	GW	500	Private	E. COLI	MR	SOX	12/13/2022	12/13/2022	12/13/2022		Monitoring, Source Water (GWR)
VA1063775	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2022	10/17/2022	10/17/2022	3A	Monitoring, Routine (RTCR)
VA1063775	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	10/24/2022	10/17/2022	10/17/2022	3A	Monitoring, Routine (RTCR)
VA1063775	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	10/17/2022	10/17/2022	10/17/2022	3A	Monitoring, Routine (RTCR)
VA1071095	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	11/9/2022	10/20/2022	10/20/2022	3A	Monitoring, Routine (RTCR)
VA1071095	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	11/9/2022	10/20/2022	10/20/2022	3A	Monitoring, Routine (RTCR)
VA1071095	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	10/20/2022	10/20/2022	10/20/2022	3A	Monitoring, Routine (RTCR)
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SIF	10/24/2022				Follow-up Or Routine LCR Tap M/R

VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SFJ	10/26/2021				Follow-up Or Routine LCR Tap M/R
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SIE	10/26/2021				Follow-up Or Routine LCR Tap M/R
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SIE	10/24/2022				Follow-up Or Routine LCR Tap M/R
VA1071260	CWS	GUP	193	Local government	Lead and Copper Rule	MR	SFJ	10/24/2022				Follow-up Or Routine LCR Tap M/R
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SOX	11/10/2022	11/10/2022	11/10/2022		Public Notification Violation for NPDWR Violation
VA1071455	CWS	GU	0	Local government	Public Notice	Other	SFJ	1/3/2022	11/10/2022	11/10/2022		Public Notification Violation for NPDWR Violation
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIF	9/15/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA1071460	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	7/12/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA1071550	TNCWS	GW	125	State government	Revised Total Coliform Rule	MON	SOX	6/13/2022	6/13/2022	6/13/2022	3A	Monitoring, Routine (RTCR)
VA1071550	TNCWS	GW	125	State government	Revised Total Coliform Rule	MON	SFJ	5/5/2022	6/13/2022	6/13/2022	3A	Monitoring, Routine (RTCR)
VA1071550	TNCWS	GW	125	State government	Revised Total Coliform Rule	MON	SIE	5/5/2022	6/13/2022	6/13/2022	3A	Monitoring, Routine (RTCR)
VA1071551	NTNCWS	GW	150	Private	E. COLI	MR	SIE	10/11/2022	9/23/2022	9/23/2022		Monitoring, Source Water (GWR)
VA1071551	NTNCWS	GW	150	Private	E. COLI	MR	SFJ	10/11/2022	9/23/2022	9/23/2022		Monitoring, Source Water (GWR)
VA1071551	NTNCWS	GW	150	Private	E. COLI	MR	SOX	9/23/2022	9/23/2022	9/23/2022		Monitoring, Source Water (GWR)
VA1071568	CWS	GW	160	Private	Lead and Copper Rule	MR	SFJ	1/12/2022				Lead Consumer Notice
VA1071576	TNCWS	GW	60	Private	Public Notice	Other	SOX	9/12/2022	9/12/2022	9/12/2022		Public Notification Violation for NPDWR Violation
VA1071576	TNCWS	GW	60	Private	Public Notice	Other	SFJ	9/2/2022	9/12/2022	9/12/2022		Public Notification Violation for NPDWR Violation
VA1071576	TNCWS	GW	60	Private	Public Notice	Other	SFJ	12/30/2022				Public Notification Violation for NPDWR Violation
VA1071576	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	10/11/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)

VA1071576	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	10/4/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA1071576	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	10/4/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA1071576	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	10/21/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA1071576	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	10/21/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA1071576	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	10/11/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA1071650	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	6/28/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA1071650	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	5/5/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA1071650	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	5/5/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA1071665	CWS	GUP	1167	Local government	Revised Total Coliform Rule	TT	SOX	12/12/2022	12/12/2022	12/12/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1071665	CWS	GUP	1167	Local government	Revised Total Coliform Rule	TT	SIF	10/26/2022	12/12/2022	12/12/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1071665	CWS	GUP	1167	Local government	Revised Total Coliform Rule	TT	SIE	10/3/2022	12/12/2022	12/12/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1071665	CWS	GUP	1167	Local government	Revised Total Coliform Rule	TT	SFJ	10/3/2022	12/12/2022	12/12/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SIF	10/24/2022				Follow-up Or Routine LCR Tap M/R
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SIE	10/26/2021				Follow-up Or Routine LCR Tap M/R
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SFJ	10/26/2021				Follow-up Or Routine LCR Tap M/R
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SFJ	10/24/2022				Follow-up Or Routine LCR Tap M/R
VA1071845	CWS	GUP	84	Local government	Lead and Copper Rule	MR	SIE	10/24/2022				Follow-up Or Routine LCR Tap M/R
VA1071910	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA1071910	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA1071910	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	7/12/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SIF	10/24/2022				Follow-up Or Routine LCR Tap M/R

VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SIE	10/26/2021			Follow-up Or Routine LCR Tap M/R
VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SFJ	10/26/2021			Follow-up Or Routine LCR Tap M/R
VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SIE	10/24/2022			Follow-up Or Routine LCR Tap M/R
VA1071920	CWS	GUP	147	Local government	Lead and Copper Rule	MR	SFJ	10/24/2022			Follow-up Or Routine LCR Tap M/R
VA1071970	CWS	GUP	212	Local government	Chlorine	MR					Monitoring and Reporting (DBP)
VA1071970	CWS	GUP	212	Local government	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA1077070	TNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SIE	9/26/2022		3A	Monitoring, Routine (RTCR)
VA1077070	TNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SFJ	9/26/2022		3A	Monitoring, Routine (RTCR)
VA1077135	TNCWS	GW	25	Private	E. COLI	MR	SIF	11/7/2022	9/12/2022	9/12/2022	Monitoring, Source Water (GWR)
VA1077135	TNCWS	GW	25	Private	E. COLI	MR	SIE	10/27/2022	9/12/2022	9/12/2022	Monitoring, Source Water (GWR)
VA1077135	TNCWS	GW	25	Private	E. COLI	MR	SFJ	10/27/2022	9/12/2022	9/12/2022	Monitoring, Source Water (GWR)
VA1077135	TNCWS	GW	25	Private	E. COLI	MR	SOX	9/12/2022	9/12/2022	9/12/2022	Monitoring, Source Water (GWR)
VA1077135	TNCWS	GW	25	Private	Revised Total Coliform Rule	TT	SOX	8/2/2022	8/2/2022	8/2/2022	2D Treatment Technique Startup Procedures (RTCR)
VA1077135	TNCWS	GW	25	Private	Revised Total Coliform Rule	TT	SIF	7/11/2022	8/2/2022	8/2/2022	2D Treatment Technique Startup Procedures (RTCR)
VA1077135	TNCWS	GW	25	Private	Revised Total Coliform Rule	TT	SIE	6/15/2022	8/2/2022	8/2/2022	2D Treatment Technique Startup Procedures (RTCR)
VA1077135	TNCWS	GW	25	Private	Revised Total Coliform Rule	TT	SFJ	6/15/2022	8/2/2022	8/2/2022	2D Treatment Technique Startup Procedures (RTCR)
VA1077200	CWS	SWP	501	Local government	Consumer Confidence Rule	Other	SFJ	9/28/2022	9/2/2022	9/2/2022	Consumer Confidence Report Complete Failure to Report
VA1077200	CWS	SWP	501	Local government	Consumer Confidence Rule	Other	SOX	9/2/2022	9/2/2022	9/2/2022	Consumer Confidence Report Complete Failure to Report
VA1077251	CWS	GWP	350	Local government	Consumer Confidence Rule	Other	SFJ	9/28/2022	9/7/2022	9/7/2022	Consumer Confidence Report Complete Failure to Report
VA1077251	CWS	GWP	350	Local government	Consumer Confidence Rule	Other	SOX	9/7/2022	9/7/2022	9/7/2022	Consumer Confidence Report Complete Failure to Report
VA1077340	TNCWS	GW	27	Private	Revised Total Coliform Rule	TT	SIE	9/28/2022	8/17/2022	8/17/2022	2A Treatment Technique, Level 1 Assessment (RTCR)

VA1077340	TNCWS	GW	27	Private	Revised Total Coliform Rule	TT	SIF	9/28/2022	8/17/2022	8/17/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1077340	TNCWS	GW	27	Private	Revised Total Coliform Rule	TT	SFJ	9/28/2022	8/17/2022	8/17/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1077340	TNCWS	GW	27	Private	Revised Total Coliform Rule	TT	SOX	8/17/2022	8/17/2022	8/17/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	8/31/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	8/30/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA1077411	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	8/30/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA1077539	CWS	GW	225	Private	Chlorine	MR	SFJ	9/1/2022	8/2/2022	8/2/2022		Monitoring and Reporting (DBP)
VA1077539	CWS	GW	225	Private	Chlorine	MR	SIE	9/1/2022	8/2/2022	8/2/2022		Monitoring and Reporting (DBP)
VA1077539	CWS	GW	225	Private	Chlorine	MR	SOX	8/2/2022	8/2/2022	8/2/2022		Monitoring and Reporting (DBP)
VA1077539	CWS	GW	225	Private	Revised Total Coliform Rule	MON	SIF	12/30/2022	11/15/2022	11/15/2022	3A	Monitoring, Routine (RTCR)
VA1077539	CWS	GW	225	Private	Revised Total Coliform Rule	MON	SIE	12/1/2022	11/15/2022	11/15/2022	3A	Monitoring, Routine (RTCR)
VA1077539	CWS	GW	225	Private	Revised Total Coliform Rule	MON	SFJ	12/1/2022	11/15/2022	11/15/2022	3A	Monitoring, Routine (RTCR)
VA1077539	CWS	GW	225	Private	Revised Total Coliform Rule	MON	SOX	11/15/2022	11/15/2022	11/15/2022	3A	Monitoring, Routine (RTCR)
VA1077551	TNCWS	GW	30	Local government	Public Notice	Other	SOX	1/21/2022	1/21/2022	1/21/2022		Public Notification Violation for NPDWR Violation
VA1077551	TNCWS	GW	30	Local government	Public Notice	Other	SFJ	1/12/2022	1/21/2022	1/21/2022		Public Notification Violation for NPDWR Violation
VA1077570	CWS	SWP	200	Local government	Consumer Confidence Rule	Other	SFJ	9/28/2022	9/7/2022	9/7/2022		Consumer Confidence Report Complete Failure to Report
VA1077570	CWS	SWP	200	Local government	Consumer Confidence Rule	Other	SOX	9/7/2022	9/7/2022	9/7/2022		Consumer Confidence Report Complete Failure to Report
VA1077595	TNCWS	GW	25	Private	E. COLI	MR	SIF	11/28/2022	9/20/2022	9/20/2022		Monitoring, Source Water (GWR)
VA1077595	TNCWS	GW	25	Private	E. COLI	MR	SFJ	10/26/2022	9/20/2022	9/20/2022		Monitoring, Source Water (GWR)
VA1077595	TNCWS	GW	25	Private	E. COLI	MR	SIE	10/26/2022	9/20/2022	9/20/2022		Monitoring, Source Water (GWR)
VA1077595	TNCWS	GW	25	Private	E. COLI	MR	SOX	9/20/2022	9/20/2022	9/20/2022		Monitoring, Source Water (GWR)

VA1077851	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SOX	3/10/2022	3/10/2022	3/10/2022	3A	Monitoring, Routine (RTCR)
VA1077851	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SIE	3/9/2022	3/10/2022	3/10/2022	3A	Monitoring, Routine (RTCR)
VA1077851	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SFJ	3/9/2022	3/10/2022	3/10/2022	3A	Monitoring, Routine (RTCR)
VA1077851	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SIE	3/22/2022	3/10/2022	3/10/2022	3A	Monitoring, Routine (RTCR)
VA1077851	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SFJ	3/22/2022	3/10/2022	3/10/2022	3A	Monitoring, Routine (RTCR)
VA1077851	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SOX	3/10/2022	3/10/2022	3/10/2022	3A	Monitoring, Routine (RTCR)
VA1077851	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SIE	11/14/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA1077851	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SFJ	11/14/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA1077851	TNCWS	GW	85	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA1121034	NTNCWS	GW	350	Private	Chlorine	MR	SFJ	3/23/2022	3/2/2022	3/2/2022		Monitoring and Reporting (DBP)
VA1121034	NTNCWS	GW	350	Private	Chlorine	MR	SIE	3/23/2022	3/2/2022	3/2/2022		Monitoring and Reporting (DBP)
VA1121034	NTNCWS	GW	350	Private	Chlorine	MR	SOX	3/2/2022	3/2/2022	3/2/2022		Monitoring and Reporting (DBP)
VA1121034	NTNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SIE	3/23/2022	3/2/2022	3/2/2022	3A	Monitoring, Routine (RTCR)
VA1121034	NTNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SFJ	3/23/2022	3/2/2022	3/2/2022	3A	Monitoring, Routine (RTCR)
VA1121034	NTNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SOX	3/2/2022	3/2/2022	3/2/2022	3A	Monitoring, Routine (RTCR)
VA1121048	CWS	GW	126	Private	Consumer Confidence Rule	Other	SOX	6/14/2022	6/14/2022	6/14/2022		Consumer Confidence Report Complete Failure to Report
VA1121048	CWS	GW	126	Private	E. COLI	MR	SIF	6/15/2022	5/4/2022	5/4/2022		Monitoring, Source Water (GWR)
VA1121048	CWS	GW	126	Private	E. COLI	MR	SOX	5/4/2022	5/4/2022	5/4/2022		Monitoring, Source Water (GWR)
VA1121048	CWS	GW	126	Private	E. COLI	MR	SIE	8/26/2020	5/4/2022	5/4/2022		Monitoring, Source Water (GWR)
VA1121048	CWS	GW	126	Private	E. COLI	MR	SFJ	8/26/2020	5/4/2022	5/4/2022		Monitoring, Source Water (GWR)
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	5/5/2022	5/5/2022	5/5/2022		Public Notification Violation for NPDWR Violation

VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	9/28/2020	5/5/2022	5/5/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	7/12/2022	7/12/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	7/12/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	7/12/2022	7/12/2022	7/12/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	2/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	5/5/2022	5/5/2022	5/5/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	4/21/2021	5/5/2022	5/5/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	6/15/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	6/15/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	2/23/2022	2/23/2022	2/23/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	7/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	8/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	9/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	9/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation

VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation	
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation	
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	11/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation	
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation	
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation	
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	12/10/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation	
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	2/2/2022			Public Notification Violation for NPDWR Violation	
VA1121048	CWS	GW	126	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation	
VA1121048	CWS	GW	126	Private	Public Notice	Other	SFJ	2/2/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation	
VA1121048	CWS	GW	126	Private	Revised Total Coliform Rule	TT	SIF	6/15/2022	5/4/2022	5/4/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1121048	CWS	GW	126	Private	Revised Total Coliform Rule	TT	SOX	5/4/2022	5/4/2022	5/4/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1121048	CWS	GW	126	Private	Revised Total Coliform Rule	TT	SFJ	12/7/2020	5/4/2022	5/4/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1121048	CWS	GW	126	Private	Revised Total Coliform Rule	TT	SIE	12/7/2020	5/4/2022	5/4/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA1121048	CWS	GW	126	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	6/15/2022	5/5/2022	5/5/2022		Treatment Technique No Certif. Operator
VA1121048	CWS	GW	126	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	5/5/2022	5/5/2022	5/5/2022		Treatment Technique No Certif. Operator
VA1121048	CWS	GW	126	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	7/8/2020	5/5/2022	5/5/2022		Treatment Technique No Certif. Operator
VA1121048	CWS	GW	126	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	7/8/2020	5/5/2022	5/5/2022		Treatment Technique No Certif. Operator
VA1121150	CWS	GW	48	Private	Consumer Confidence Rule	Other	SOX	6/15/2022	6/15/2022	6/15/2022		Consumer Confidence Report Complete Failure to Report

VA1121150	CWS	GW	48	Private	Consumer Confidence Rule	Other	SFO	6/5/2021	6/15/2022	6/15/2022	Consumer Confidence Report Complete Failure to Report
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	TT	SIF	6/15/2022			OCCT/SOWT Treatment Installation/Demonstration
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	TT	SFO	6/5/2021			OCCT/SOWT Treatment Installation/Demonstration
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	TT	SFJ	12/30/2019			OCCT/SOWT Treatment Installation/Demonstration
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	TT	SIE	12/30/2019			OCCT/SOWT Treatment Installation/Demonstration
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SFO	6/5/2021			Lead Consumer Notice
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SFJ	7/6/2020			Lead Consumer Notice
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SFO	6/5/2021			Lead Consumer Notice
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SFJ	7/6/2020			Lead Consumer Notice
VA1121150	CWS	GW	48	Private	Lead and Copper Rule	MR	SFO	6/5/2021			Lead Consumer Notice
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021			Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	3/4/2020			Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	9/28/2020	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	11/30/2020	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	5/4/2022	5/4/2022	5/4/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	5/4/2022	5/4/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	11/30/2020	5/4/2022	5/4/2022	Public Notification Violation for NPDWR Violation

[illegible]

VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	6/15/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	6/15/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	5/20/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	7/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	8/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	9/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	9/23/2021			Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021			Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation

VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	12/10/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	2/2/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFJ	2/2/2022			Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Public Notice	Other	SFO	6/5/2021			Public Notification Violation for NPDWR Violation
VA1121150	CWS	GW	48	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	6/15/2022	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121150	CWS	GW	48	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	5/5/2022	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121150	CWS	GW	48	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFO	6/5/2021	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121150	CWS	GW	48	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	7/6/2020	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121150	CWS	GW	48	Private	Stage 1 Disinfectants and	TT	SFJ	7/6/2020	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator

Disinfection
Byproducts Rule

VA1121264	NTNCWS	GW	100	Private	Public Notice	Other	SIF	10/20/2022	10/1/2022	2/19/2022	Public Notification Violation for NPDWR Violation
VA1121264	NTNCWS	GW	100	Private	Public Notice	Other	SOX	10/1/2022	10/1/2022	2/19/2022	Public Notification Violation for NPDWR Violation
VA1121264	NTNCWS	GW	100	Private	Public Notice	Other	SOX	2/19/2022	10/1/2022	2/19/2022	Public Notification Violation for NPDWR Violation
VA1121264	NTNCWS	GW	100	Private	Public Notice	Other	SFJ	1/5/2022	10/1/2022	2/19/2022	Public Notification Violation for NPDWR Violation
VA1121264	NTNCWS	GW	100	Private	Public Notice	Other	SIE	1/5/2022	10/1/2022	2/19/2022	Public Notification Violation for NPDWR Violation
VA1121264	NTNCWS	GW	100	Private	Public Notice	Other	SOX	10/1/2022	10/1/2022	4/14/2022	Public Notification Violation for NPDWR Violation
VA1121264	NTNCWS	GW	100	Private	Public Notice	Other	SOX	4/14/2022	10/1/2022	4/14/2022	Public Notification Violation for NPDWR Violation
VA1121264	NTNCWS	GW	100	Private	Public Notice	Other	SFJ	2/28/2022	10/1/2022	4/14/2022	Public Notification Violation for NPDWR Violation
VA1121264	NTNCWS	GW	100	Private	Public Notice	Other	SFJ	10/11/2022	10/1/2022	10/1/2022	Public Notification Violation for NPDWR Violation
VA1121264	NTNCWS	GW	100	Private	Public Notice	Other	SOX	10/1/2022	10/1/2022	10/1/2022	Public Notification Violation for NPDWR Violation
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	10/20/2022	4/18/2022	4/18/2022	3A Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	4/18/2022	4/18/2022	4/18/2022	3A Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	4/12/2022	4/18/2022	4/18/2022	3A Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	4/12/2022	4/18/2022	4/18/2022	3A Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	10/20/2022	9/14/2022	9/14/2022	3A Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/11/2022	9/14/2022	9/14/2022	3A Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/11/2022	9/14/2022	9/14/2022	3A Monitoring, Routine (RTCR)
VA1121264	NTNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	9/14/2022	9/14/2022	9/14/2022	3A Monitoring, Routine (RTCR)
VA1121508	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/11/2022	9/7/2022	9/7/2022	3A Monitoring, Routine (RTCR)
VA1121508	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/11/2022	9/7/2022	9/7/2022	3A Monitoring, Routine (RTCR)

VA1121508	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	9/7/2022	9/7/2022	9/7/2022	3A	Monitoring, Routine (RTCR)
VA1121685	TNCWS	GW	25	State government	Revised Total Coliform Rule	MON	SFJ	6/22/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA1121685	TNCWS	GW	25	State government	Revised Total Coliform Rule	MON	SIE	6/22/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA1121685	TNCWS	GW	25	State government	Revised Total Coliform Rule	MON	SOX	6/14/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA1121755	CWS	GW	90	Private	Consumer Confidence Rule	Other	SOX	6/14/2022	6/14/2022	6/14/2022		Consumer Confidence Report Complete Failure to Report
VA1121755	CWS	GW	90	Private	Consumer Confidence Rule	Other	SFO	6/5/2021	6/14/2022	6/14/2022		Consumer Confidence Report Complete Failure to Report
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	9/28/2020	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	2/3/2021	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	4/21/2021	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022		Public Notification Violation for NPDWR Violation

VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	4/21/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	4/21/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	6/15/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	6/15/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	5/20/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	7/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	8/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation

VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	9/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	10/27/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	12/10/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	2/2/2022			Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021			Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFJ	2/2/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121755	CWS	GW	90	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	6/15/2022	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121755	CWS	GW	90	Private	Stage 1 Disinfectants and	TT	SOX	5/5/2022	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator

					Disinfection Byproducts Rule						
					Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFO	6/5/2021	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121755	CWS	GW	90	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	7/8/2020	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121755	CWS	GW	90	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	7/8/2020	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121820	CWS	GW	27	Private	Lead and Copper Rule	MR	SFJ	11/16/2022			Follow-up Or Routine LCR Tap M/R
VA1121820	CWS	GW	27	Private	Lead and Copper Rule	MR	SIE	11/16/2022			Follow-up Or Routine LCR Tap M/R
VA1121820	CWS	GW	27	Private	Lead and Copper Rule	MR	SIF	11/16/2022			Follow-up Or Routine LCR Tap M/R
VA1121825	CWS	SWP	230	Private	Consumer Confidence Rule	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Consumer Confidence Report Complete Failure to Report
VA1121825	CWS	SWP	230	Private	Consumer Confidence Rule	Other	SFJ	8/23/2021	6/14/2022	6/14/2022	Consumer Confidence Report Complete Failure to Report
VA1121825	CWS	SWP	230	Private	Consumer Confidence Rule	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Consumer Confidence Report Complete Failure to Report
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	9/28/2020	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	2/3/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation

[illegible]

VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	7/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	8/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	9/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	10/27/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	12/10/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	12/10/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation

VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	1/5/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	2/1/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFJ	2/1/2022			Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Public Notice	Other	SFO	6/5/2021			Public Notification Violation for NPDWR Violation
VA1121825	CWS	SWP	230	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	6/15/2022	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121825	CWS	SWP	230	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	5/5/2022	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121825	CWS	SWP	230	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFO	6/5/2021	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121825	CWS	SWP	230	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	7/8/2020	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121825	CWS	SWP	230	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	7/8/2020	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121842	CWS	GW	135	Private	Consumer Confidence Rule	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Consumer Confidence Report Complete Failure to Report
VA1121842	CWS	GW	135	Private	Consumer Confidence Rule	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Consumer Confidence Report Complete Failure to Report
VA1121842	CWS	GW	135	Private	Lead and Copper Rule	MR	SFO	6/5/2021			Lead Consumer Notice
VA1121842	CWS	GW	135	Private	Lead and Copper Rule	MR	SFJ	7/8/2020			Lead Consumer Notice

VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	9/28/2020	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	2/3/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021			Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	4/21/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	4/21/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	4/21/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	6/15/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation

VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	6/15/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	9/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	9/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	10/27/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	11/23/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation

VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	12/10/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	2/2/2022			Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021			Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SOX	6/14/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFJ	2/2/2022	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Public Notice	Other	SFO	6/5/2021	6/14/2022	6/14/2022	Public Notification Violation for NPDWR Violation
VA1121842	CWS	GW	135	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	6/15/2022	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121842	CWS	GW	135	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	5/5/2022	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121842	CWS	GW	135	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFO	6/5/2021	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121842	CWS	GW	135	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	7/8/2020	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1121842	CWS	GW	135	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	7/8/2020	5/5/2022	5/5/2022	Treatment Technique No Certif. Operator
VA1155050	CWS	GW	45	Private	Consumer Confidence Rule	Other	SOX	7/3/2022	7/3/2022	7/3/2022	Consumer Confidence Report Complete Failure to Report
VA1155050	CWS	GW	45	Private	Consumer Confidence Rule	Other	SFJ	8/23/2021	7/3/2022	7/3/2022	Consumer Confidence Report Complete Failure to Report

VA1155050	CWS	GW	45	Private	Consumer Confidence Rule	Other	SFO	6/5/2021	7/3/2022	7/3/2022	Consumer Confidence Report Complete Failure to Report
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	7/8/2020	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	7/8/2020	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	10/1/2020	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	2/3/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	2/3/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation

VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	4/21/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	4/21/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	4/21/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	5/27/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	6/15/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation

VA1155050	CWS	GW	45	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFJ	6/15/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155050	CWS	GW	45	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	6/30/2022	6/1/2022	6/1/2022	Treatment Technique No Certif. Operator
VA1155050	CWS	GW	45	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	6/1/2022	6/1/2022	6/1/2022	Treatment Technique No Certif. Operator
VA1155050	CWS	GW	45	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFO	6/5/2021	6/1/2022	6/1/2022	Treatment Technique No Certif. Operator
VA1155050	CWS	GW	45	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	7/8/2020	6/1/2022	6/1/2022	Treatment Technique No Certif. Operator
VA1155050	CWS	GW	45	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	7/8/2020	6/1/2022	6/1/2022	Treatment Technique No Certif. Operator
VA1155055	CWS	SWP	100	Local government	TTHM	MR	SFJ	10/24/2022			Failure Submit IDSE/Subpart V Plan Rpt
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SIF	7/18/2022			Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SFJ	5/23/2022			Maximum Contaminant Level Violation, Average
VA1155055	CWS	SWP	100	Local government	TTHM	MCL	SIE	5/23/2022			Maximum Contaminant Level Violation, Average
VA1155089	TNCWS	GW	100	Private	Public Notice	Other	SFJ	12/30/2022			Public Notification Violation for NPDWR Violation
VA1155089	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/20/2022		3B	Monitoring, Additional Routine (RTCR)
VA1155089	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/20/2022		3B	Monitoring, Additional Routine (RTCR)
VA1155315	TNCWS	GW	320	Private	Revised Total Coliform Rule	MON	SFJ	6/8/2022	5/16/2022	5/16/2022	3A Monitoring, Routine (RTCR)
VA1155315	TNCWS	GW	320	Private	Revised Total Coliform Rule	MON	SIE	6/8/2022	5/16/2022	5/16/2022	3A Monitoring, Routine (RTCR)

VA1155315	TNCWS	GW	320	Private	Revised Total Coliform Rule	MON	SOX	5/16/2022	5/16/2022	5/16/2022	3A	Monitoring, Routine (RTCR)
VA1155542	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/20/2022	7/20/2022	3A	Monitoring, Routine (RTCR)
VA1155542	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/20/2022	7/20/2022	3A	Monitoring, Routine (RTCR)
VA1155542	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	7/20/2022	7/20/2022	7/20/2022	3A	Monitoring, Routine (RTCR)
VA1155542	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	12/30/2022			3A	Monitoring, Routine (RTCR)
VA1155542	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	12/30/2022			3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SOX	2/22/2022	2/22/2022	2/22/2022		Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SOX	2/22/2022	2/22/2022	2/22/2022		Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SFJ	1/3/2022	2/22/2022	2/22/2022		Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022		Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SFJ	3/25/2022	6/30/2022	6/30/2022		Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022		Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Public Notice	Other	SFJ	3/25/2022	6/30/2022	6/30/2022		Public Notification Violation for NPDWR Violation
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIF	6/30/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SOX	5/31/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SFJ	2/25/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIE	2/25/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIF	6/30/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SOX	5/31/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIE	3/23/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SFJ	3/23/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)

VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIF	6/30/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SOX	5/31/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIE	5/5/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SFJ	5/5/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIF	6/30/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SFJ	6/8/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SIE	6/8/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155643	TNCWS	GW	375	Private	Revised Total Coliform Rule	MON	SOX	5/31/2022	5/31/2022	5/31/2022	3A	Monitoring, Routine (RTCR)
VA1155700	CWS	GW	72	Private	Consumer Confidence Rule	Other	SOX	6/30/2022	6/30/2022	6/30/2022		Consumer Confidence Report Complete Failure to Report
VA1155700	CWS	GW	72	Private	Consumer Confidence Rule	Other	SFJ	8/23/2021	6/30/2022	6/30/2022		Consumer Confidence Report Complete Failure to Report
VA1155700	CWS	GW	72	Private	Consumer Confidence Rule	Other	SFO	6/5/2021	6/30/2022	6/30/2022		Consumer Confidence Report Complete Failure to Report
VA1155700	CWS	GW	72	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022		Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022		Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	10/1/2020	6/30/2022	6/30/2022		Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021				Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	2/3/2021				Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021				Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	2/3/2021				Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021				Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022		Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022		Public Notification Violation for NPDWR Violation

VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	4/21/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	4/21/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	4/21/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	5/27/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	6/15/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SOX	6/30/2022	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFJ	6/15/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Public Notice	Other	SFO	6/5/2021	6/30/2022	6/30/2022	Public Notification Violation for NPDWR Violation
VA1155700	CWS	GW	72	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	6/30/2022	6/30/2022	6/30/2022	Treatment Technique No Certif. Operator
VA1155700	CWS	GW	72	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFO	6/5/2021	6/30/2022	6/30/2022	Treatment Technique No Certif. Operator
VA1155700	CWS	GW	72	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	7/8/2020	6/30/2022	6/30/2022	Treatment Technique No Certif. Operator

VA1155700	CWS	GW	72	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	7/8/2020	6/30/2022	6/30/2022	Treatment Technique No Certif. Operator
VA1155771	TNCWS	GW	250	Private	E. COLI	MR	SFJ	12/30/2022	11/14/2022	11/14/2022	Monitoring, Source Water (GWR)
VA1155771	TNCWS	GW	250	Private	E. COLI	MR	SIE	12/30/2022	11/14/2022	11/14/2022	Monitoring, Source Water (GWR)
VA1155771	TNCWS	GW	250	Private	E. COLI	MR	SOX	11/14/2022	11/14/2022	11/14/2022	Monitoring, Source Water (GWR)
VA1155910	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	6/8/2022	5/2/2022	5/2/2022	3A Monitoring, Routine (RTCR)
VA1155910	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	6/8/2022	5/2/2022	5/2/2022	3A Monitoring, Routine (RTCR)
VA1155910	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	5/2/2022	5/2/2022	5/2/2022	3A Monitoring, Routine (RTCR)
VA1167050	CWS	GU	5565	Local government	Lead and Copper Rule	MR	SFJ	1/6/2022			Lead Consumer Notice
VA1167051	CWS	SWP	1575	Local government	Public Notice	Other	SOX	1/13/2022	1/13/2022	1/13/2022	Public Notification Violation for NPDWR Violation
VA1167051	CWS	SWP	1575	Local government	Public Notice	Other	SFJ	12/6/2021	1/13/2022	1/13/2022	Public Notification Violation for NPDWR Violation
VA1167051	CWS	SWP	1575	Local government	Public Notice	Other	SOX	1/13/2022	1/13/2022	1/13/2022	Public Notification Violation for NPDWR Violation
VA1167051	CWS	SWP	1575	Local government	Public Notice	Other	SFJ	12/6/2021	1/13/2022	1/13/2022	Public Notification Violation for NPDWR Violation
VA1167115	CWS	GW	340	Local government	Public Notice	Other	SFJ	10/24/2022			Public Notification Violation for NPDWR Violation
VA1167115	CWS	GW	340	Local government	Revised Total Coliform Rule	MON	SFJ	3/23/2022	3/23/2022	3/23/2022	3A Monitoring, Routine (RTCR)
VA1167115	CWS	GW	340	Local government	Revised Total Coliform Rule	MON	SIE	3/23/2022	3/23/2022	3/23/2022	3A Monitoring, Routine (RTCR)
VA1167115	CWS	GW	340	Local government	Revised Total Coliform Rule	MON	SOX	3/23/2022	3/23/2022	3/23/2022	3A Monitoring, Routine (RTCR)
VA1167200	CWS	SWP	113	Local government	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/19/2022	7/19/2022	3A Monitoring, Routine (RTCR)
VA1167200	CWS	SWP	113	Local government	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/19/2022	7/19/2022	3A Monitoring, Routine (RTCR)
VA1167200	CWS	SWP	113	Local government	Revised Total Coliform Rule	MON	SOX	7/19/2022	7/19/2022	7/19/2022	3A Monitoring, Routine (RTCR)
VA1167240	CWS	SWP	60	Local government	Revised Total Coliform Rule	MON	SOX	6/30/2022	6/30/2022	6/30/2022	3A Monitoring, Routine (RTCR)

VA1167240	CWS	SWP	60	Local government	Revised Total Coliform Rule	MON	SIF	6/9/2022	6/30/2022	6/30/2022	3A	Monitoring, Routine (RTCR)
VA1167240	CWS	SWP	60	Local government	Revised Total Coliform Rule	MON	SIE	6/3/2022	6/30/2022	6/30/2022	3A	Monitoring, Routine (RTCR)
VA1167240	CWS	SWP	60	Local government	Revised Total Coliform Rule	MON	SFJ	6/3/2022	6/30/2022	6/30/2022	3A	Monitoring, Routine (RTCR)
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SFJ	1/7/2021				Lead Consumer Notice
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SFJ	1/7/2022				Lead Consumer Notice
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SOX	9/26/2022	9/26/2022	9/26/2022		Follow-up Or Routine LCR Tap M/R
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SIF	1/20/2022	9/26/2022	9/26/2022		Follow-up Or Routine LCR Tap M/R
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SIE	11/3/2021	9/26/2022	9/26/2022		Follow-up Or Routine LCR Tap M/R
VA1167275	CWS	SWP	1048	Local government	Lead and Copper Rule	MR	SFJ	11/3/2021	9/26/2022	9/26/2022		Follow-up Or Routine LCR Tap M/R
VA1167275	CWS	SWP	1048	Local government	Revised Total Coliform Rule	MON	SFJ	7/28/2022	7/19/2022	7/19/2022	3A	Monitoring, Routine (RTCR)
VA1167275	CWS	SWP	1048	Local government	Revised Total Coliform Rule	MON	SIE	7/28/2022	7/19/2022	7/19/2022	3A	Monitoring, Routine (RTCR)
VA1167275	CWS	SWP	1048	Local government	Revised Total Coliform Rule	MON	SOX	7/19/2022	7/19/2022	7/19/2022	3A	Monitoring, Routine (RTCR)
VA1167300	CWS	GW	2250	Local government	Consumer Confidence Rule	Other	SFJ	9/7/2022	7/6/2022	7/6/2022		Consumer Confidence Report Complete Failure to Report
VA1167300	CWS	GW	2250	Local government	Consumer Confidence Rule	Other	SOX	7/6/2022	7/6/2022	7/6/2022		Consumer Confidence Report Complete Failure to Report
VA1167455	CWS	SW	3458	Local government	Consumer Confidence Rule	Other	SFJ	11/19/2022	9/9/2022	9/9/2022		Consumer Confidence Report Complete Failure to Report
VA1167455	CWS	SW	3458	Local government	Consumer Confidence Rule	Other	SOX	9/9/2022	9/9/2022	9/9/2022		Consumer Confidence Report Complete Failure to Report
VA1167540	CWS	GWP	375	Local government	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA1167540	CWS	GWP	375	Local government	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA1167540	CWS	GWP	375	Local government	Revised Total Coliform Rule	MON	SOX	7/12/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA1167540	CWS	GWP	375	Local government	TTHM	MR	SOX	11/29/2022	11/29/2022	11/29/2022		Monitoring, Routine (IDSE)
VA1167540	CWS	GWP	375	Local government	TTHM	MR	SFJ	11/9/2022	11/29/2022	11/29/2022		Monitoring, Routine (IDSE)

VA1167540	CWS	GWP	375	Local government	TTHM	MR	SIE	11/9/2022	11/29/2022	11/29/2022	Monitoring, Routine (IDSE)
VA1167540	CWS	GWP	375	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	11/29/2022	11/29/2022	11/29/2022	Monitoring, Routine (IDSE)
VA1167540	CWS	GWP	375	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	11/9/2022	11/29/2022	11/29/2022	Monitoring, Routine (IDSE)
VA1167540	CWS	GWP	375	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	11/9/2022	11/29/2022	11/29/2022	Monitoring, Routine (IDSE)
VA1167740	TNCWS	GW	28	Private	E. COLI	MR	SIE	10/3/2022	9/26/2022	9/26/2022	Monitoring, Source Water (GWR)
VA1167740	TNCWS	GW	28	Private	E. COLI	MR	SFJ	10/3/2022	9/26/2022	9/26/2022	Monitoring, Source Water (GWR)
VA1167740	TNCWS	GW	28	Private	E. COLI	MR	SOX	9/26/2022	9/26/2022	9/26/2022	Monitoring, Source Water (GWR)
VA1167740	TNCWS	GW	28	Private	Revised Total Coliform Rule	MON	SFJ	11/22/2022		3A	Monitoring, Routine (RTCR)
VA1167740	TNCWS	GW	28	Private	Revised Total Coliform Rule	MON	SIE	11/22/2022		3A	Monitoring, Routine (RTCR)
VA1167814	CWS	GWP	125	Local government	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/12/2022	7/12/2022	3A Monitoring, Routine (RTCR)
VA1167814	CWS	GWP	125	Local government	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/12/2022	7/12/2022	3A Monitoring, Routine (RTCR)
VA1167814	CWS	GWP	125	Local government	Revised Total Coliform Rule	MON	SOX	7/12/2022	7/12/2022	7/12/2022	3A Monitoring, Routine (RTCR)
VA1167900	CWS	SWP	3233	Local government	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/5/2022	7/5/2022	3A Monitoring, Routine (RTCR)
VA1167900	CWS	SWP	3233	Local government	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/5/2022	7/5/2022	3A Monitoring, Routine (RTCR)
VA1167900	CWS	SWP	3233	Local government	Revised Total Coliform Rule	MON	SOX	7/5/2022	7/5/2022	7/5/2022	3A Monitoring, Routine (RTCR)
VA1169015	TNCWS	GW	60	Private	Public Notice	Other	SFJ	11/5/2021			Public Notification Violation for NPDWR Violation
VA1169015	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	9/2/2022	8/25/2022	8/25/2022	3A Monitoring, Routine (RTCR)
VA1169015	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	9/2/2022	8/25/2022	8/25/2022	3A Monitoring, Routine (RTCR)
VA1169015	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	8/25/2022	8/25/2022	8/25/2022	3A Monitoring, Routine (RTCR)
VA1169225	CWS	GU	410	Local government	Groundwater Rule	TT	SIE	12/22/2022			Treatment Technique (SWTR and GWR)
VA1169225	CWS	GU	410	Local government	Groundwater Rule	TT	SFJ	12/22/2022			Treatment Technique (SWTR and GWR)

VA1169225	CWS	GU	410	Local government	Groundwater Rule	TT						Treatment Technique (SWTR and GWR)
VA1169650	CWS	SW	5412	Local government	Consumer Confidence Rule	Other	SFJ	9/8/2022	9/7/2022	9/7/2022		Consumer Confidence Report Complete Failure to Report
VA1169650	CWS	SW	5412	Local government	Consumer Confidence Rule	Other	SOX	9/7/2022	9/7/2022	9/7/2022		Consumer Confidence Report Complete Failure to Report
VA1173265	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIF	8/10/2022	4/13/2022	4/13/2022	3A	Monitoring, Routine (RTCR)
VA1173265	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	6/14/2022	4/13/2022	4/13/2022	3A	Monitoring, Routine (RTCR)
VA1173265	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	6/14/2022	4/13/2022	4/13/2022	3A	Monitoring, Routine (RTCR)
VA1173265	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	4/13/2022	4/13/2022	4/13/2022	3A	Monitoring, Routine (RTCR)
VA1173265	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	11/14/2022	11/14/2022	11/14/2022	3A	Monitoring, Routine (RTCR)
VA1173265	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	10/28/2022	11/14/2022	11/14/2022	3A	Monitoring, Routine (RTCR)
VA1173265	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	10/28/2022	11/14/2022	11/14/2022	3A	Monitoring, Routine (RTCR)
VA1173783	CWS	GUP	1135	Local government	TTHM	MR	SOX	5/10/2022	5/10/2022	5/10/2022		Monitoring, Routine (IDSE)
VA1173783	CWS	GUP	1135	Local government	TTHM	MR	SFJ	4/15/2022	5/10/2022	5/10/2022		Monitoring, Routine (IDSE)
VA1173783	CWS	GUP	1135	Local government	TTHM	MR	SIE	4/15/2022	5/10/2022	5/10/2022		Monitoring, Routine (IDSE)
VA1173783	CWS	GUP	1135	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	5/10/2022	5/10/2022	5/10/2022		Monitoring, Routine (IDSE)
VA1173783	CWS	GUP	1135	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	4/15/2022	5/10/2022	5/10/2022		Monitoring, Routine (IDSE)
VA1173783	CWS	GUP	1135	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	4/15/2022	5/10/2022	5/10/2022		Monitoring, Routine (IDSE)
VA1191070	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	8/10/2022	5/4/2022	5/4/2022	3A	Monitoring, Routine (RTCR)
VA1191070	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	6/6/2022	5/4/2022	5/4/2022	3A	Monitoring, Routine (RTCR)
VA1191070	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	6/6/2022	5/4/2022	5/4/2022	3A	Monitoring, Routine (RTCR)
VA1191070	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	5/4/2022	5/4/2022	5/4/2022	3A	Monitoring, Routine (RTCR)
VA1191315	TNCWS	GW	120	Federal government	Revised Total Coliform Rule	TT	SIF	9/19/2022	5/20/2022	5/20/2022	2D	Treatment Technique Startup Procedures (RTCR)

VA1191315	TNCWS	GW	120	Federal government	Revised Total Coliform Rule	TT	SFJ	6/14/2022	5/20/2022	5/20/2022	2D	Treatment Technique Startup Procedures (RTCR)
VA1191315	TNCWS	GW	120	Federal government	Revised Total Coliform Rule	TT	SIE	6/14/2022	5/20/2022	5/20/2022	2D	Treatment Technique Startup Procedures (RTCR)
VA1191315	TNCWS	GW	120	Federal government	Revised Total Coliform Rule	TT	SOX	5/20/2022	5/20/2022	5/20/2022	2D	Treatment Technique Startup Procedures (RTCR)
VA1191315	TNCWS	GW	120	Federal government	Revised Total Coliform Rule	MON	SFJ	9/28/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA1191315	TNCWS	GW	120	Federal government	Revised Total Coliform Rule	MON	SIE	9/28/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA1191315	TNCWS	GW	120	Federal government	Revised Total Coliform Rule	MON	SOX	9/6/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA1197220	NTNCWS	GW	225	State government	Chlorine	MR	SIF	4/7/2022	3/24/2022	3/24/2022		Monitoring and Reporting (DBP)
VA1197220	NTNCWS	GW	225	State government	Chlorine	MR	SOX	3/24/2022	3/24/2022	3/24/2022		Monitoring and Reporting (DBP)
VA1197220	NTNCWS	GW	225	State government	Chlorine	MR	SIE	3/23/2022	3/24/2022	3/24/2022		Monitoring and Reporting (DBP)
VA1197220	NTNCWS	GW	225	State government	Chlorine	MR	SFJ	3/23/2022	3/24/2022	3/24/2022		Monitoring and Reporting (DBP)
VA1197743	TNCWS	GW	25	Federal government	Public Notice	Other						Public Notification Violation for NPDWR Violation
VA1197880	CWS	SWP	1001	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	4/19/2022	4/19/2022	4/19/2022		Maximum Contaminant Level Violation, Average
VA1197880	CWS	SWP	1001	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	4/4/2022	4/19/2022	4/19/2022		Maximum Contaminant Level Violation, Average
VA1197880	CWS	SWP	1001	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	2/22/2022	4/19/2022	4/19/2022		Maximum Contaminant Level Violation, Average
VA1197880	CWS	SWP	1001	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	2/22/2022	4/19/2022	4/19/2022		Maximum Contaminant Level Violation, Average
VA1197880	CWS	SWP	1001	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	10/17/2022	10/17/2022	10/17/2022		Maximum Contaminant Level Violation, Average
VA1197880	CWS	SWP	1001	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	7/14/2022	10/17/2022	10/17/2022		Maximum Contaminant Level Violation, Average
VA1197880	CWS	SWP	1001	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	5/23/2022	10/17/2022	10/17/2022		Maximum Contaminant Level Violation, Average
VA1197880	CWS	SWP	1001	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	5/23/2022	10/17/2022	10/17/2022		Maximum Contaminant Level Violation, Average
VA2003060	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SOX	7/26/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA2003060	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SFJ	7/21/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)

VA2003060	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SIE	7/21/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA2003150	CWS	GW	58	Private	Chlorine	MR	SFJ	8/3/2022	5/31/2022	5/31/2022		Monitoring and Reporting (DBP)
VA2003150	CWS	GW	58	Private	Chlorine	MR	SIE	8/3/2022	5/31/2022	5/31/2022		Monitoring and Reporting (DBP)
VA2003150	CWS	GW	58	Private	Chlorine	MR	SOX	5/31/2022	5/31/2022	5/31/2022		Monitoring and Reporting (DBP)
VA2003168	NTNCWS	GW	78	Private	Lead and Copper Rule	MR	SIE	11/9/2022				Follow-up Or Routine LCR Tap M/R
VA2003168	NTNCWS	GW	78	Private	Lead and Copper Rule	MR	SFJ	11/9/2022				Follow-up Or Routine LCR Tap M/R
VA2003260	CWS	GW	95	Private	Chlorine	MR						Monitoring and Reporting (DBP)
VA2003270	NTNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIF	8/31/2022	8/1/2022	8/1/2022	3A	Monitoring, Routine (RTCR)
VA2003270	NTNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	8/23/2022	8/1/2022	8/1/2022	3A	Monitoring, Routine (RTCR)
VA2003270	NTNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	8/23/2022	8/1/2022	8/1/2022	3A	Monitoring, Routine (RTCR)
VA2003270	NTNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	8/1/2022	8/1/2022	8/1/2022	3A	Monitoring, Routine (RTCR)
VA2003339	TNCWS	GW	410	Private	Revised Total Coliform Rule	MON	SFJ	10/19/2022	10/19/2022	10/19/2022	3A	Monitoring, Routine (RTCR)
VA2003339	TNCWS	GW	410	Private	Revised Total Coliform Rule	MON	SOX	10/19/2022	10/19/2022	10/19/2022	3A	Monitoring, Routine (RTCR)
VA2003339	TNCWS	GW	410	Private	Revised Total Coliform Rule	MON	SIE	10/19/2022	10/19/2022	10/19/2022	3A	Monitoring, Routine (RTCR)
VA2003342	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SIF	6/23/2022	6/2/2022	6/2/2022	3A	Monitoring, Routine (RTCR)
VA2003342	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	6/16/2022	6/2/2022	6/2/2022	3A	Monitoring, Routine (RTCR)
VA2003342	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	6/16/2022	6/2/2022	6/2/2022	3A	Monitoring, Routine (RTCR)
VA2003342	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	6/2/2022	6/2/2022	6/2/2022	3A	Monitoring, Routine (RTCR)
VA2003443	CWS	GW	73	Private	Revised Total Coliform Rule	MON	SIF	7/18/2022	6/1/2022	6/1/2022	3A	Monitoring, Routine (RTCR)
VA2003443	CWS	GW	73	Private	Revised Total Coliform Rule	MON	SFJ	6/16/2022	6/1/2022	6/1/2022	3A	Monitoring, Routine (RTCR)
VA2003443	CWS	GW	73	Private	Revised Total Coliform Rule	MON	SIE	6/16/2022	6/1/2022	6/1/2022	3A	Monitoring, Routine (RTCR)

VA2003443	CWS	GW	73	Private	Revised Total Coliform Rule	MON	SOX	6/1/2022	6/1/2022	6/1/2022	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SOX	7/28/2022	7/28/2022	7/28/2022	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SIE	7/21/2022	7/28/2022	7/28/2022	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SFJ	7/21/2022	7/28/2022	7/28/2022	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SOX	9/29/2022	9/29/2022	9/29/2022	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022	9/29/2022	9/29/2022	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022	9/29/2022	9/29/2022	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SFJ	12/19/2022	12/15/2022	12/15/2022	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SIE	12/19/2022	12/15/2022	12/15/2022	3A	Monitoring, Routine (RTCR)
VA2003463	TNCWS	GW	105	Private	Revised Total Coliform Rule	MON	SOX	12/15/2022	12/15/2022	12/15/2022	3A	Monitoring, Routine (RTCR)
VA2003537	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SIF	8/5/2022	8/3/2022	8/3/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2003537	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SOX	8/3/2022	8/3/2022	8/3/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2003537	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SFH	7/22/2022	8/3/2022	8/3/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2003537	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SFJ	7/22/2022	8/3/2022	8/3/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2003537	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SIE	7/22/2022	8/3/2022	8/3/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2003640	TNCWS	GW	41	Private	Revised Total Coliform Rule	MON	SOX	9/8/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)
VA2003640	TNCWS	GW	41	Private	Revised Total Coliform Rule	MON	SIF	8/10/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)
VA2003640	TNCWS	GW	41	Private	Revised Total Coliform Rule	MON	SIE	7/21/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)
VA2003640	TNCWS	GW	41	Private	Revised Total Coliform Rule	MON	SFJ	7/21/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)
VA2003650	CWS	GW	475	Private	Revised Total Coliform Rule	MON	SFJ	8/22/2022	8/16/2022	8/16/2022	3A	Monitoring, Routine (RTCR)
VA2003650	CWS	GW	475	Private	Revised Total Coliform Rule	MON	SIE	8/22/2022	8/16/2022	8/16/2022	3A	Monitoring, Routine (RTCR)

VA2003650	CWS	GW	475	Private	Revised Total Coliform Rule	MON	SOX	8/16/2022	8/16/2022	8/16/2022	3A	Monitoring, Routine (RTCR)
VA2003654	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	10/19/2022	10/3/2022	10/3/2022	3A	Monitoring, Routine (RTCR)
VA2003654	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	10/19/2022	10/3/2022	10/3/2022	3A	Monitoring, Routine (RTCR)
VA2003654	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/3/2022	10/3/2022	10/3/2022	3A	Monitoring, Routine (RTCR)
VA2003665	TNCWS	GW	605	Private	Revised Total Coliform Rule	MON	SIE	12/19/2022	12/7/2022	12/7/2022	3A	Monitoring, Routine (RTCR)
VA2003665	TNCWS	GW	605	Private	Revised Total Coliform Rule	MON	SFJ	12/19/2022	12/7/2022	12/7/2022	3A	Monitoring, Routine (RTCR)
VA2003665	TNCWS	GW	605	Private	Revised Total Coliform Rule	MON	SOX	12/7/2022	12/7/2022	12/7/2022	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	10/27/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/20/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA2003691	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/20/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA2003692	TNCWS	GW	50	Local government	Revised Total Coliform Rule	MON	SIE	6/16/2022	6/13/2022	6/13/2022	3A	Monitoring, Routine (RTCR)
VA2003692	TNCWS	GW	50	Local government	Revised Total Coliform Rule	MON	SFJ	6/16/2022	6/13/2022	6/13/2022	3A	Monitoring, Routine (RTCR)
VA2003692	TNCWS	GW	50	Local government	Revised Total Coliform Rule	MON	SOX	6/13/2022	6/13/2022	6/13/2022	3A	Monitoring, Routine (RTCR)
VA2003850	CWS	GW	27	Private	Revised Total Coliform Rule	MON	SOX	9/22/2022	9/22/2022	9/22/2022	3A	Monitoring, Routine (RTCR)
VA2003850	CWS	GW	27	Private	Revised Total Coliform Rule	MON	SIE	9/16/2022	9/22/2022	9/22/2022	3A	Monitoring, Routine (RTCR)
VA2003850	CWS	GW	27	Private	Revised Total Coliform Rule	MON	SFJ	9/16/2022	9/22/2022	9/22/2022	3A	Monitoring, Routine (RTCR)
VA2005042	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	12/12/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA2005042	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/21/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA2005042	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/21/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	4/18/2022	4/4/2022	4/4/2022	3A	Monitoring, Routine (RTCR)
VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	4/18/2022	4/4/2022	4/4/2022	3A	Monitoring, Routine (RTCR)

VA2005070	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	4/4/2022	4/4/2022	4/4/2022	3A	Monitoring, Routine (RTCR)
VA2005631	TNCWS	GWP	250	Federal government	Revised Total Coliform Rule	MON	SOX	7/11/2022	7/11/2022	7/11/2022	3A	Monitoring, Routine (RTCR)
VA2005631	TNCWS	GWP	250	Federal government	Revised Total Coliform Rule	MON	SFJ	6/21/2022	7/11/2022	7/11/2022	3A	Monitoring, Routine (RTCR)
VA2005631	TNCWS	GWP	250	Federal government	Revised Total Coliform Rule	MON	SIE	6/21/2022	7/11/2022	7/11/2022	3A	Monitoring, Routine (RTCR)
VA2015150	CWS	GU	2340	Local government	Revised Total Coliform Rule	MON	SIF	3/28/2022	2/8/2022	2/8/2022	3A	Monitoring, Routine (RTCR)
VA2015150	CWS	GU	2340	Local government	Revised Total Coliform Rule	MON	SFJ	2/28/2022	2/8/2022	2/8/2022	3A	Monitoring, Routine (RTCR)
VA2015150	CWS	GU	2340	Local government	Revised Total Coliform Rule	MON	SIE	2/28/2022	2/8/2022	2/8/2022	3A	Monitoring, Routine (RTCR)
VA2015150	CWS	GU	2340	Local government	Revised Total Coliform Rule	MON	SOX	2/8/2022	2/8/2022	2/8/2022	3A	Monitoring, Routine (RTCR)
VA2015195	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MCL	SOX	5/9/2022	5/9/2022	5/9/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2015195	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MCL	SIF	5/6/2022	5/9/2022	5/9/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2015195	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MCL	SIE	5/6/2022	5/9/2022	5/9/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2015195	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MCL	SFJ	5/6/2022	5/9/2022	5/9/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2015195	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MCL	SFH	5/6/2022	5/9/2022	5/9/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2015195	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	9/19/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)
VA2015195	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	9/12/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)
VA2015195	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	9/8/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)
VA2015195	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	9/8/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)
VA2015390	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/19/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA2015390	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/19/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA2015390	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA2015523	CWS	GW	100	Private	Chlorine	MR	SIF	5/11/2022	5/11/2022	5/11/2022		Monitoring and Reporting (DBP)

VA2015523	CWS	GW	100	Private	Chlorine	MR	SOX	5/11/2022	5/11/2022	5/11/2022	Monitoring and Reporting (DBP)	
VA2015523	CWS	GW	100	Private	Chlorine	MR	SIE	4/29/2022	5/11/2022	5/11/2022	Monitoring and Reporting (DBP)	
VA2015523	CWS	GW	100	Private	Chlorine	MR	SFJ	4/29/2022	5/11/2022	5/11/2022	Monitoring and Reporting (DBP)	
VA2015523	CWS	GW	100	Private	Chlorine	MR	SFJ	8/4/2022	5/11/2022	5/11/2022	Monitoring and Reporting (DBP)	
VA2015523	CWS	GW	100	Private	Chlorine	MR	SIE	8/4/2022	5/11/2022	5/11/2022	Monitoring and Reporting (DBP)	
VA2015523	CWS	GW	100	Private	Chlorine	MR	SOX	5/11/2022	5/11/2022	5/11/2022	Monitoring and Reporting (DBP)	
VA2015523	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	9/21/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA2015523	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	9/21/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA2015523	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	9/6/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA2015550	CWS	GW	227	Private	Chlorine	MR	SIF	5/11/2022	4/18/2022	4/18/2022	Monitoring and Reporting (DBP)	
VA2015550	CWS	GW	227	Private	Chlorine	MR	SFJ	4/29/2022	4/18/2022	4/18/2022	Monitoring and Reporting (DBP)	
VA2015550	CWS	GW	227	Private	Chlorine	MR	SIE	4/29/2022	4/18/2022	4/18/2022	Monitoring and Reporting (DBP)	
VA2015550	CWS	GW	227	Private	Chlorine	MR	SOX	4/18/2022	4/18/2022	4/18/2022	Monitoring and Reporting (DBP)	
VA2015550	CWS	GW	227	Private	Revised Total Coliform Rule	MON	SOX	3/30/2022	3/30/2022	3/30/2022	3A	Monitoring, Routine (RTCR)
VA2015550	CWS	GW	227	Private	Revised Total Coliform Rule	MON	SIF	3/29/2022	3/30/2022	3/30/2022	3A	Monitoring, Routine (RTCR)
VA2015550	CWS	GW	227	Private	Revised Total Coliform Rule	MON	SIE	3/21/2022	3/30/2022	3/30/2022	3A	Monitoring, Routine (RTCR)
VA2015550	CWS	GW	227	Private	Revised Total Coliform Rule	MON	SFJ	3/21/2022	3/30/2022	3/30/2022	3A	Monitoring, Routine (RTCR)
VA2023030	CWS	GW	875	Private	Revised Total Coliform Rule	MON	SIF	8/10/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA2023030	CWS	GW	875	Private	Revised Total Coliform Rule	MON	SOX	7/26/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA2023030	CWS	GW	875	Private	Revised Total Coliform Rule	MON	SIE	7/20/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA2023030	CWS	GW	875	Private	Revised Total Coliform Rule	MON	SFJ	7/20/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)

VA2023080	TNCWS	GW	225	Private	Public Notice	Other	SIE	6/21/2022	6/21/2022	6/21/2022	Public Notification Violation for NPDWR Violation	
VA2023080	TNCWS	GW	225	Private	Public Notice	Other	SOX	6/21/2022	6/21/2022	6/21/2022	Public Notification Violation for NPDWR Violation	
VA2023080	TNCWS	GW	225	Private	Public Notice	Other	SFJ	6/21/2022	6/21/2022	6/21/2022	Public Notification Violation for NPDWR Violation	
VA2023080	TNCWS	GW	225	Private	Public Notice	Other					Public Notification Violation for NPDWR Violation	
VA2023080	TNCWS	GW	225	Private	Revised Total Coliform Rule	MON	SOX	12/20/2022	12/20/2022	12/20/2022	3A	Monitoring, Routine (RTCR)
VA2023150	CWS	GW	415	Private	Lead and Copper Rule	MR	SOX	9/21/2022	9/21/2022	9/21/2022		Follow-up Or Routine LCR Tap M/R
VA2023150	CWS	GW	415	Private	Lead and Copper Rule	MR	SIF	6/27/2022	9/21/2022	9/21/2022		Follow-up Or Routine LCR Tap M/R
VA2023150	CWS	GW	415	Private	Lead and Copper Rule	MR	SIE	10/25/2021	9/21/2022	9/21/2022		Follow-up Or Routine LCR Tap M/R
VA2023150	CWS	GW	415	Private	Lead and Copper Rule	MR	SFJ	10/25/2021	9/21/2022	9/21/2022		Follow-up Or Routine LCR Tap M/R
VA2023155	TNCWS	GW	100	Private	E. COLI	MR	SOX	12/16/2022	12/16/2022	12/16/2022		Monitoring, Source Water (GWR)
VA2023155	TNCWS	GW	100	Private	E. COLI	MR	SFJ	10/21/2022	12/16/2022	12/16/2022		Monitoring, Source Water (GWR)
VA2023155	TNCWS	GW	100	Private	E. COLI	MR	SIE	10/21/2022	12/16/2022	12/16/2022		Monitoring, Source Water (GWR)
VA2023178	TNCWS	GW	200	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	4/19/2022	4/19/2022	4/19/2022	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	4/18/2022	4/19/2022	4/19/2022	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	4/18/2022	4/19/2022	4/19/2022	3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	10/21/2022			3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	10/21/2022			3A	Monitoring, Routine (RTCR)
VA2023178	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2023450	CWS	GW	114	Private	Lead and Copper Rule	MR	SFJ	11/15/2022				Follow-up Or Routine LCR Tap M/R
VA2023450	CWS	GW	114	Private	Lead and Copper Rule	MR	SIE	11/15/2022				Follow-up Or Routine LCR Tap M/R

VA2023462	TNCWS	GW	300	Private	E. COLI	MR	SFJ	9/15/2022	8/25/2022	8/25/2022	Monitoring, Source Water (GWR)
VA2023462	TNCWS	GW	300	Private	E. COLI	MR	SIE	9/15/2022	8/25/2022	8/25/2022	Monitoring, Source Water (GWR)
VA2023462	TNCWS	GW	300	Private	E. COLI	MR	SOX	8/25/2022	8/25/2022	8/25/2022	Monitoring, Source Water (GWR)
VA2023555	CWS	GW	92	Private	Revised Total Coliform Rule	MON	SIF	8/10/2022	7/22/2022	7/22/2022	3A Monitoring, Routine (RTCR)
VA2023555	CWS	GW	92	Private	Revised Total Coliform Rule	MON	SOX	7/22/2022	7/22/2022	7/22/2022	3A Monitoring, Routine (RTCR)
VA2023555	CWS	GW	92	Private	Revised Total Coliform Rule	MON	SFJ	7/20/2022	7/22/2022	7/22/2022	3A Monitoring, Routine (RTCR)
VA2023555	CWS	GW	92	Private	Revised Total Coliform Rule	MON	SIE	7/20/2022	7/22/2022	7/22/2022	3A Monitoring, Routine (RTCR)
VA2023555	CWS	GW	92	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022	9/13/2022	9/13/2022	3A Monitoring, Routine (RTCR)
VA2023555	CWS	GW	92	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022	9/13/2022	9/13/2022	3A Monitoring, Routine (RTCR)
VA2023555	CWS	GW	92	Private	Revised Total Coliform Rule	MON	SOX	9/13/2022	9/13/2022	9/13/2022	3A Monitoring, Routine (RTCR)
VA2023590	CWS	GW	77	Private	Chlorine	MR	SFJ	11/15/2022	10/17/2022	10/17/2022	Monitoring and Reporting (DBP)
VA2023590	CWS	GW	77	Private	Chlorine	MR	SIE	11/15/2022	10/17/2022	10/17/2022	Monitoring and Reporting (DBP)
VA2023590	CWS	GW	77	Private	Chlorine	MR	SOX	10/17/2022	10/17/2022	10/17/2022	Monitoring and Reporting (DBP)
VA2023661	TNCWS	GW	130	Private	E. COLI	MR	SIE	9/16/2022			Monitoring, Source Water (GWR)
VA2023661	TNCWS	GW	130	Private	E. COLI	MR	SFJ	9/16/2022			Monitoring, Source Water (GWR)
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SFJ	6/17/2022			Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SIE	6/17/2022			Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SIE	6/17/2022			Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Public Notice	Other	SFJ	6/17/2022			Public Notification Violation for NPDWR Violation
VA2023661	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SIE	4/18/2022	4/13/2022	4/13/2022	3A Monitoring, Routine (RTCR)
VA2023661	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SFJ	4/18/2022	4/13/2022	4/13/2022	3A Monitoring, Routine (RTCR)

VA2023661	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SOX	4/13/2022	4/13/2022	4/13/2022	3A	Monitoring, Routine (RTCR)
VA2023662	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON					3B	Monitoring, Additional Routine (RTCR)
VA2023720	CWS	GW	500	Local government	Lead and Copper Rule	MR	SOX	12/30/2022	12/30/2022	12/30/2022		Lead Consumer Notice
VA2023736	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SOX	10/26/2022	10/26/2022	10/26/2022	3A	Monitoring, Routine (RTCR)
VA2023736	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SIE	10/21/2022	10/26/2022	10/26/2022	3A	Monitoring, Routine (RTCR)
VA2023736	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SFJ	10/21/2022	10/26/2022	10/26/2022	3A	Monitoring, Routine (RTCR)
VA2043629	NTNCWS	GW	175	Private	TTHM	MR	SOX	3/4/2022	3/4/2022	3/4/2022		Failure Submit IDSE/Subpart V Plan Rpt
VA2043629	NTNCWS	GW	175	Private	TTHM	MR	SIE	2/8/2022	3/4/2022	3/4/2022		Failure Submit IDSE/Subpart V Plan Rpt
VA2043629	NTNCWS	GW	175	Private	TTHM	MR	SFJ	2/8/2022	3/4/2022	3/4/2022		Failure Submit IDSE/Subpart V Plan Rpt
VA2043942	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/21/2022			3A	Monitoring, Routine (RTCR)
VA2043942	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/21/2022			3A	Monitoring, Routine (RTCR)
VA2043942	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022			3A	Monitoring, Routine (RTCR)
VA2043942	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022			3A	Monitoring, Routine (RTCR)
VA2045160	CWS	GW	1238	Local government	Chlorine	MR	SIE	11/15/2022	10/18/2022	10/18/2022		Monitoring and Reporting (DBP)
VA2045160	CWS	GW	1238	Local government	Chlorine	MR	SFJ	11/15/2022	10/18/2022	10/18/2022		Monitoring and Reporting (DBP)
VA2045160	CWS	GW	1238	Local government	Chlorine	MR	SOX	10/18/2022	10/18/2022	10/18/2022		Monitoring and Reporting (DBP)
VA2045165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	10/21/2022			3A	Monitoring, Routine (RTCR)
VA2045165	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	10/21/2022			3A	Monitoring, Routine (RTCR)
VA2045225	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	10/24/2022	10/24/2022	10/24/2022	3A	Monitoring, Routine (RTCR)
VA2045225	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/21/2022	10/24/2022	10/24/2022	3A	Monitoring, Routine (RTCR)
VA2045225	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/21/2022	10/24/2022	10/24/2022	3A	Monitoring, Routine (RTCR)

VA2045225	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Public Notice	Other	SIE	10/31/2022				Public Notification Violation for NPDWR Violation
VA2045253	TNCWS	GW	25	Federal government	Public Notice	Other	SFJ	10/31/2022				Public Notification Violation for NPDWR Violation
VA2045253	TNCWS	GW	25	Federal government	Public Notice	Other						Public Notification Violation for NPDWR Violation
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	5/13/2022	5/5/2022	5/5/2022	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	5/13/2022	5/5/2022	5/5/2022	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	5/5/2022	5/5/2022	5/5/2022	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SOX	8/24/2022	8/24/2022	8/24/2022	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SIE	8/24/2022	8/24/2022	8/24/2022	3A	Monitoring, Routine (RTCR)
VA2045253	TNCWS	GW	25	Federal government	Revised Total Coliform Rule	MON	SFJ	8/24/2022	8/24/2022	8/24/2022	3A	Monitoring, Routine (RTCR)
VA2045254	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2065052	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	10/25/2022	10/25/2022	10/25/2022	3A	Monitoring, Routine (RTCR)
VA2065052	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	10/19/2022	10/25/2022	10/25/2022	3A	Monitoring, Routine (RTCR)
VA2065052	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	10/19/2022	10/25/2022	10/25/2022	3A	Monitoring, Routine (RTCR)
VA2065250	CWS	SW	1650	State government	Revised Total Coliform Rule	MON	SIF	7/12/2022	6/7/2022	6/7/2022	3A	Monitoring, Routine (RTCR)
VA2065250	CWS	SW	1650	State government	Revised Total Coliform Rule	MON	SFJ	6/16/2022	6/7/2022	6/7/2022	3A	Monitoring, Routine (RTCR)
VA2065250	CWS	SW	1650	State government	Revised Total Coliform Rule	MON	SIE	6/16/2022	6/7/2022	6/7/2022	3A	Monitoring, Routine (RTCR)
VA2065250	CWS	SW	1650	State government	Revised Total Coliform Rule	MON	SOX	6/7/2022	6/7/2022	6/7/2022	3A	Monitoring, Routine (RTCR)
VA2065300	CWS	GW	2150	Local government	Chlorine	MR	SFJ	8/3/2022	6/22/2022	6/22/2022		Monitoring and Reporting (DBP)
VA2065300	CWS	GW	2150	Local government	Chlorine	MR	SIE	8/3/2022	6/22/2022	6/22/2022		Monitoring and Reporting (DBP)
VA2065300	CWS	GW	2150	Local government	Chlorine	MR	SOX	6/22/2022	6/22/2022	6/22/2022		Monitoring and Reporting (DBP)

VA2065520	NTNCWS	GW	40	Private	Chlorine	MR	SIE	10/24/2022	9/19/2022	9/19/2022		Monitoring and Reporting (DBP)
VA2065520	NTNCWS	GW	40	Private	Chlorine	MR	SFJ	10/24/2022	9/19/2022	9/19/2022		Monitoring and Reporting (DBP)
VA2065520	NTNCWS	GW	40	Private	Chlorine	MR	SOX	9/19/2022	9/19/2022	9/19/2022		Monitoring and Reporting (DBP)
VA2065525	NTNCWS	GW	100	Private	Lead and Copper Rule	MR	SIF	10/28/2022				Follow-up Or Routine LCR Tap M/R
VA2065525	NTNCWS	GW	100	Private	Lead and Copper Rule	MR	SFJ	10/19/2022				Follow-up Or Routine LCR Tap M/R
VA2065525	NTNCWS	GW	100	Private	Lead and Copper Rule	MR	SIE	10/19/2022				Follow-up Or Routine LCR Tap M/R
VA2065600	CWS	GW	79	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA2065600	CWS	GW	79	Private	Revised Total Coliform Rule	MON	SIF	5/6/2022	3/1/2022	3/1/2022	3A	Monitoring, Routine (RTCR)
VA2065600	CWS	GW	79	Private	Revised Total Coliform Rule	MON	SFJ	3/17/2022	3/1/2022	3/1/2022	3A	Monitoring, Routine (RTCR)
VA2065600	CWS	GW	79	Private	Revised Total Coliform Rule	MON	SIE	3/17/2022	3/1/2022	3/1/2022	3A	Monitoring, Routine (RTCR)
VA2065600	CWS	GW	79	Private	Revised Total Coliform Rule	MON	SOX	3/1/2022	3/1/2022	3/1/2022	3A	Monitoring, Routine (RTCR)
VA2069202	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/11/2022	7/11/2022	3A	Monitoring, Routine (RTCR)
VA2069202	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/11/2022	7/11/2022	3A	Monitoring, Routine (RTCR)
VA2069202	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	7/11/2022	7/11/2022	7/11/2022	3A	Monitoring, Routine (RTCR)
VA2069204	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SOX	11/3/2022	11/3/2022	11/3/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2069204	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SIF	7/18/2022	11/3/2022	11/3/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2069204	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SFH	7/12/2022	11/3/2022	11/3/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2069204	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SIE	7/12/2022	11/3/2022	11/3/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2069204	TNCWS	GW	100	Private	Revised Total Coliform Rule	MCL	SFJ	7/12/2022	11/3/2022	11/3/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA2069208	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA2069208	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)

VA2069208	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	7/26/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	E. COLI	MR	SOX	6/1/2022	6/1/2022	6/1/2022		Monitoring, Source Water (GWR)
VA2069216	TNCWS	GW	52	Private	E. COLI	MR	SFJ	5/13/2022	6/1/2022	6/1/2022		Monitoring, Source Water (GWR)
VA2069216	TNCWS	GW	52	Private	E. COLI	MR	SIE	5/13/2022	6/1/2022	6/1/2022		Monitoring, Source Water (GWR)
VA2069216	TNCWS	GW	52	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SOX	12/1/2022	12/1/2022	12/1/2022	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	4/26/2022	12/1/2022	12/1/2022	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	4/26/2022	12/1/2022	12/1/2022	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SOX	12/1/2022	12/1/2022	12/1/2022	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	10/12/2022	12/1/2022	12/1/2022	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	10/12/2022	12/1/2022	12/1/2022	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SOX	12/1/2022	12/1/2022	12/1/2022	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022	12/1/2022	12/1/2022	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022	12/1/2022	12/1/2022	3A	Monitoring, Routine (RTCR)
VA2069216	TNCWS	GW	52	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2069505	TNCWS	GW	25	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA2069505	TNCWS	GW	25	Private	Revised Total Coliform Rule	TT	SOX	8/2/2022	8/2/2022	8/2/2022	2C	Treatment Technique, Corrective/Expedited Actions (RTCR)
VA2069505	TNCWS	GW	25	Private	Revised Total Coliform Rule	TT	SIF	5/6/2022	8/2/2022	8/2/2022	2C	Treatment Technique, Corrective/Expedited Actions (RTCR)
VA2069505	TNCWS	GW	25	Private	Revised Total Coliform Rule	TT	SIE	4/29/2022	8/2/2022	8/2/2022	2C	Treatment Technique, Corrective/Expedited Actions (RTCR)
VA2069505	TNCWS	GW	25	Private	Revised Total Coliform Rule	TT	SFJ	4/29/2022	8/2/2022	8/2/2022	2C	Treatment Technique, Corrective/Expedited Actions (RTCR)

VA2069773	NTNCWS	GW	85	Private	Arsenic	MCL	SIF	5/20/2022					Maximum Contaminant Level Violation, Average
VA2069773	NTNCWS	GW	85	Private	Arsenic	MCL	SIE	5/19/2022					Maximum Contaminant Level Violation, Average
VA2069773	NTNCWS	GW	85	Private	Arsenic	MCL	SFJ	5/19/2022					Maximum Contaminant Level Violation, Average
VA2079485	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SOX	8/8/2022	8/8/2022	8/8/2022	3A	Monitoring, Routine (RTCR)	
VA2079485	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SIE	7/27/2022	8/8/2022	8/8/2022	3A	Monitoring, Routine (RTCR)	
VA2079485	TNCWS	GW	100	Local government	Revised Total Coliform Rule	MON	SFJ	7/27/2022	8/8/2022	8/8/2022	3A	Monitoring, Routine (RTCR)	
VA2079585	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	11/9/2022	10/26/2022	10/26/2022	3A	Monitoring, Routine (RTCR)	
VA2079585	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	10/31/2022	10/26/2022	10/26/2022	3A	Monitoring, Routine (RTCR)	
VA2079585	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	10/31/2022	10/26/2022	10/26/2022	3A	Monitoring, Routine (RTCR)	
VA2079585	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/26/2022	10/26/2022	10/26/2022	3A	Monitoring, Routine (RTCR)	
VA2079590	CWS	GW	2141	Private	Revised Total Coliform Rule	MON	SIE	9/26/2022	9/7/2022	9/7/2022	3A	Monitoring, Routine (RTCR)	
VA2079590	CWS	GW	2141	Private	Revised Total Coliform Rule	MON	SFJ	9/26/2022	9/7/2022	9/7/2022	3A	Monitoring, Routine (RTCR)	
VA2079590	CWS	GW	2141	Private	Revised Total Coliform Rule	MON	SOX	9/7/2022	9/7/2022	9/7/2022	3A	Monitoring, Routine (RTCR)	
VA2079770	CWS	SWP	40	Private	Revised Total Coliform Rule	MON	SFJ	9/26/2022	9/7/2022	9/7/2022	3A	Monitoring, Routine (RTCR)	
VA2079770	CWS	SWP	40	Private	Revised Total Coliform Rule	MON	SIE	9/26/2022	9/7/2022	9/7/2022	3A	Monitoring, Routine (RTCR)	
VA2079770	CWS	SWP	40	Private	Revised Total Coliform Rule	MON	SOX	9/7/2022	9/7/2022	9/7/2022	3A	Monitoring, Routine (RTCR)	
VA2109025	NTNCWS	GW	610	Local government	Lead and Copper Rule	MR	SFJ	4/6/2022					Lead Consumer Notice
VA2109060	NTNCWS	GW	50	Private	Lead and Copper Rule	MR	SFJ	4/6/2022					Lead Consumer Notice
VA2109060	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)	
VA2109205	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON					3B	Monitoring, Additional Routine (RTCR)	
VA2109265	CWS	GW	50	Private	Revised Total Coliform Rule	Other	SOX	3/21/2022	3/21/2022	3/21/2022	5A	Sample Siting Plan Errors (RTCR)	

VA2109265	CWS	GW	50	Private	Revised Total Coliform Rule	Other	SFJ	3/2/2022	3/21/2022	3/21/2022	5A	Sample Siting Plan Errors (RTCR)
VA2109630	NTNCWS	GW	123	Private	Lead and Copper Rule	MR	SOX	5/2/2022	5/2/2022	5/2/2022		Lead Consumer Notice
VA2109630	NTNCWS	GW	123	Private	Lead and Copper Rule	MR	SFJ	4/6/2022	5/2/2022	5/2/2022		Lead Consumer Notice
VA2109630	NTNCWS	GW	123	Private	Revised Total Coliform Rule	MON	SIF	10/5/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA2109630	NTNCWS	GW	123	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA2109630	NTNCWS	GW	123	Private	Revised Total Coliform Rule	MON	SIE	8/29/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA2109630	NTNCWS	GW	123	Private	Revised Total Coliform Rule	MON	SOX	7/6/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA2109639	TNCWS	GW	950	Private	Revised Total Coliform Rule	MON	SFJ	11/21/2022	11/21/2022	11/21/2022	3B	Monitoring, Additional Routine (RTCR)
VA2109639	TNCWS	GW	950	Private	Revised Total Coliform Rule	MON	SOX	11/21/2022	11/21/2022	11/21/2022	3B	Monitoring, Additional Routine (RTCR)
VA2109639	TNCWS	GW	950	Private	Revised Total Coliform Rule	MON	SIE	11/21/2022	11/21/2022	11/21/2022	3B	Monitoring, Additional Routine (RTCR)
VA2109648	NTNCWS	GW	110	Private	Lead and Copper Rule	MR	SFJ	12/15/2021				Lead Consumer Notice
VA2109648	NTNCWS	GW	110	Private	Lead and Copper Rule	MR	SFJ	12/15/2021				Lead Consumer Notice
VA2109650	CWS	GW	950	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA2109650	CWS	GW	950	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA2109650	CWS	GW	950	Private	Revised Total Coliform Rule	MON	SOX	10/27/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA2109675	CWS	GW	201	Private	Lead and Copper Rule	MR	SOX	6/15/2022	6/15/2022	6/15/2022		Follow-up Or Routine LCR Tap M/R
VA2109675	CWS	GW	201	Private	Lead and Copper Rule	MR	SIF	5/20/2022	6/15/2022	6/15/2022		Follow-up Or Routine LCR Tap M/R
VA2109675	CWS	GW	201	Private	Lead and Copper Rule	MR	SIE	4/27/2022	6/15/2022	6/15/2022		Follow-up Or Routine LCR Tap M/R
VA2109675	CWS	GW	201	Private	Lead and Copper Rule	MR	SFJ	4/27/2022	6/15/2022	6/15/2022		Follow-up Or Routine LCR Tap M/R
VA2109675	CWS	GW	201	Private	Lead and Copper Rule	MR						Lead Consumer Notice
VA2109725	TNCWS	GW	150	Private	Revised Total Coliform Rule	TT	SIF	4/11/2022	4/6/2022	4/6/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)

VA2109725	TNCWS	GW	150	Private	Revised Total Coliform Rule	TT	SOX	4/6/2022	4/6/2022	4/6/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA2109725	TNCWS	GW	150	Private	Revised Total Coliform Rule	TT	SIE	2/28/2022	4/6/2022	4/6/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA2109725	TNCWS	GW	150	Private	Revised Total Coliform Rule	TT	SFJ	2/28/2022	4/6/2022	4/6/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA2109800	CWS	GW	61	Private	Lead and Copper Rule	MR	SFJ	12/15/2021				Follow-up Or Routine LCR Tap M/R
VA2109800	CWS	GW	61	Private	Lead and Copper Rule	MR	SIE	12/15/2021				Follow-up Or Routine LCR Tap M/R
VA2109800	CWS	GW	61	Private	Lead and Copper Rule	MR	SOX	8/26/2022	8/26/2022	8/26/2022		Lead Consumer Notice
VA2109825	CWS	GW	70	Private	Revised Total Coliform Rule	MON	SFJ	6/29/2022	6/1/2022	6/1/2022	3A	Monitoring, Routine (RTCR)
VA2109825	CWS	GW	70	Private	Revised Total Coliform Rule	MON	SIE	6/29/2022	6/1/2022	6/1/2022	3A	Monitoring, Routine (RTCR)
VA2109825	CWS	GW	70	Private	Revised Total Coliform Rule	MON	SOX	6/1/2022	6/1/2022	6/1/2022	3A	Monitoring, Routine (RTCR)
VA2125013	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	9/28/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA2125013	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	7/21/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA2125013	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	7/21/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA2125043	TNCWS	GW	35	Private	Revised Total Coliform Rule	MON	SIF	8/8/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA2125043	TNCWS	GW	35	Private	Revised Total Coliform Rule	MON	SFJ	7/29/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA2125043	TNCWS	GW	35	Private	Revised Total Coliform Rule	MON	SIE	7/29/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA2125043	TNCWS	GW	35	Private	Revised Total Coliform Rule	MON	SOX	7/5/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA2125046	TNCWS	GW	57	Private	Revised Total Coliform Rule	MON	SIE	10/19/2022	10/13/2022	10/13/2022	3A	Monitoring, Routine (RTCR)
VA2125046	TNCWS	GW	57	Private	Revised Total Coliform Rule	MON	SFJ	10/19/2022	10/13/2022	10/13/2022	3A	Monitoring, Routine (RTCR)
VA2125046	TNCWS	GW	57	Private	Revised Total Coliform Rule	MON	SOX	10/13/2022	10/13/2022	10/13/2022	3A	Monitoring, Routine (RTCR)
VA2125047	NTNCWS	GW	120	Private	Lead and Copper Rule	MR	SFJ	11/28/2022	11/14/2022	11/14/2022		Lead Consumer Notice
VA2125047	NTNCWS	GW	120	Private	Lead and Copper Rule	MR	SOX	11/14/2022	11/14/2022	11/14/2022		Lead Consumer Notice

VA2125280	TNCWS	GW	90	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2125650	CWS	SW	477	Local government	Chlorine	MR	SOX	11/9/2022	11/9/2022	11/9/2022		Monitoring and Reporting (DBP)
VA2125650	CWS	SW	477	Local government	Chlorine	MR	SFJ	10/24/2022	11/9/2022	11/9/2022		Monitoring and Reporting (DBP)
VA2125650	CWS	SW	477	Local government	Chlorine	MR	SIE	10/24/2022	11/9/2022	11/9/2022		Monitoring and Reporting (DBP)
VA2125650	CWS	SW	477	Local government	Revised Total Coliform Rule	MON	SOX	11/9/2022	11/9/2022	11/9/2022	3A	Monitoring, Routine (RTCR)
VA2125650	CWS	SW	477	Local government	Revised Total Coliform Rule	MON	SFJ	10/20/2022	11/9/2022	11/9/2022	3A	Monitoring, Routine (RTCR)
VA2125650	CWS	SW	477	Local government	Revised Total Coliform Rule	MON	SIE	10/20/2022	11/9/2022	11/9/2022	3A	Monitoring, Routine (RTCR)
VA2125650	CWS	SW	477	Local government	TTHM	MCL	SIF	9/29/2022				Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	477	Local government	TTHM	MCL	SIE	9/19/2022				Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	477	Local government	TTHM	MCL	SFJ	9/19/2022				Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	477	Local government	TTHM	MCL	SFJ	12/19/2022				Maximum Contaminant Level Violation, Average
VA2125650	CWS	SW	477	Local government	TTHM	MCL	SIE	12/19/2022				Maximum Contaminant Level Violation, Average
VA2125845	CWS	GW	40	Private	TTHM	MR	SFJ	10/24/2022				Monitoring, Routine (IDSE)
VA2125845	CWS	GW	40	Private	TTHM	MR	SIE	10/24/2022				Monitoring, Routine (IDSE)
VA2125845	CWS	GW	40	Private	Total Haloacetic Acids (HAA5)	MR	SIE	10/24/2022				Monitoring, Routine (IDSE)
VA2125845	CWS	GW	40	Private	Total Haloacetic Acids (HAA5)	MR	SFJ	10/24/2022				Monitoring, Routine (IDSE)
VA2125910	CWS	SW	6861	Local government	Nitrate-Nitrite	MR						Monitoring, Regular
VA2139017	CWS	GW	55	Private	Consumer Confidence Rule	Other	SOX	1/20/2022	1/20/2022	1/20/2022		Consumer Confidence Report Complete Failure to Report
VA2139017	CWS	GW	55	Private	Consumer Confidence Rule	Other	SFL	10/20/2021	1/20/2022	1/20/2022		Consumer Confidence Report Complete Failure to Report
VA2139017	CWS	GW	55	Private	Consumer Confidence Rule	Other	EIA	3/31/2020	1/20/2022	1/20/2022		Consumer Confidence Report Complete Failure to Report
VA2139017	CWS	GW	55	Private	Consumer Confidence Rule	Other	SIE	12/30/2019	1/20/2022	1/20/2022		Consumer Confidence Report Complete Failure to Report

VA2139017	CWS	GW	55	Private	Consumer Confidence Rule	Other	SFJ	12/30/2019	1/20/2022	1/20/2022	Consumer Confidence Report Complete Failure to Report
VA2139017	CWS	GW	55	Private	Consumer Confidence Rule	Other	SFJ	10/12/2022	7/18/2022	7/18/2022	Consumer Confidence Report Complete Failure to Report
VA2139017	CWS	GW	55	Private	Consumer Confidence Rule	Other	SIE	10/12/2022	7/18/2022	7/18/2022	Consumer Confidence Report Complete Failure to Report
VA2139017	CWS	GW	55	Private	Consumer Confidence Rule	Other	SOX	7/18/2022	7/18/2022	7/18/2022	Consumer Confidence Report Complete Failure to Report
VA2139017	CWS	GW	55	Private	Lead and Copper Rule	MR	SOX	1/26/2022	1/26/2022	1/26/2022	Lead Consumer Notice
VA2139017	CWS	GW	55	Private	Lead and Copper Rule	MR	SIE	1/26/2022	1/26/2022	1/26/2022	Lead Consumer Notice
VA2139017	CWS	GW	55	Private	Lead and Copper Rule	MR	SIF	1/26/2022	1/26/2022	1/26/2022	Lead Consumer Notice
VA2139017	CWS	GW	55	Private	Lead and Copper Rule	MR	SFJ	1/20/2022	1/26/2022	1/26/2022	Lead Consumer Notice
VA2139025	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	12/7/2022	10/3/2022	10/3/2022	3A Monitoring, Routine (RTCR)
VA2139025	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	10/24/2022	10/3/2022	10/3/2022	3A Monitoring, Routine (RTCR)
VA2139025	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2022	10/3/2022	10/3/2022	3A Monitoring, Routine (RTCR)
VA2139025	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/3/2022	10/3/2022	10/3/2022	3A Monitoring, Routine (RTCR)
VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MON	SOX	8/8/2022	8/8/2022	8/8/2022	3A Monitoring, Routine (RTCR)
VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MON	SIE	7/28/2022	8/8/2022	8/8/2022	3A Monitoring, Routine (RTCR)
VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MON	SFJ	7/28/2022	8/8/2022	8/8/2022	3A Monitoring, Routine (RTCR)
VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MCL	SOX	8/24/2022	8/24/2022	8/24/2022	1A Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MCL	SIE	8/19/2022	8/24/2022	8/24/2022	1A Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MCL	SIF	8/19/2022	8/24/2022	8/24/2022	1A Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MCL	SFH	8/18/2022	8/24/2022	8/24/2022	1A Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139035	TNCWS	GW	90	Private	Revised Total Coliform Rule	MCL	SFJ	8/18/2022	8/24/2022	8/24/2022	1A Maximum Contaminant Level Violation, E. coli (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	3/27/2022	3/27/2022	3/27/2022	3A Monitoring, Routine (RTCR)

VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	3/1/2022	3/27/2022	3/27/2022	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	3/1/2022	3/27/2022	3/27/2022	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	3/27/2022	3/27/2022	3/27/2022	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	3/24/2022	3/27/2022	3/27/2022	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	3/24/2022	3/27/2022	3/27/2022	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/1/2022	7/1/2022	7/1/2022	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	6/24/2022	7/1/2022	7/1/2022	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	6/24/2022	7/1/2022	7/1/2022	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/1/2022	7/1/2022	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/1/2022	7/1/2022	3A	Monitoring, Routine (RTCR)
VA2139040	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	7/1/2022	7/1/2022	7/1/2022	3A	Monitoring, Routine (RTCR)
VA2139200	NTNCWS	GW	30	Local government	Chlorine	MR	SFJ	12/14/2022	9/12/2022	9/12/2022		Monitoring and Reporting (DBP)
VA2139200	NTNCWS	GW	30	Local government	Chlorine	MR	SIE	12/14/2022	9/12/2022	9/12/2022		Monitoring and Reporting (DBP)
VA2139200	NTNCWS	GW	30	Local government	Chlorine	MR	SOX	9/12/2022	9/12/2022	9/12/2022		Monitoring and Reporting (DBP)
VA2139390	TNCWS	GW	120	Private	E. COLI	MR	SOX	12/21/2022	12/21/2022	12/21/2022		Monitoring, Source Water (GWR)
VA2139390	TNCWS	GW	120	Private	E. COLI	MR	SFJ	10/24/2022	12/21/2022	12/21/2022		Monitoring, Source Water (GWR)
VA2139390	TNCWS	GW	120	Private	E. COLI	MR	SIE	10/24/2022	12/21/2022	12/21/2022		Monitoring, Source Water (GWR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SIF	6/2/2022	4/13/2022	4/13/2022	3A	Monitoring, Routine (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SFJ	4/29/2022	4/13/2022	4/13/2022	3A	Monitoring, Routine (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SIE	4/29/2022	4/13/2022	4/13/2022	3A	Monitoring, Routine (RTCR)
VA2139390	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON	SOX	4/13/2022	4/13/2022	4/13/2022	3A	Monitoring, Routine (RTCR)

VA2139470	TNCWS	GW	50	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA2139470	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2139473	NTNCWS	GW	660	Local government	1,1,1-Trichloroethane	MR	SFJ	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,1,1-Trichloroethane	MR	SIE	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,1,1-Trichloroethane	MR	SOX	10/11/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,1,2-Trichloroethane	MR	SFJ	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,1,2-Trichloroethane	MR	SIE	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,1,2-Trichloroethane	MR	SOX	10/11/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,1-Dichloroethylene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,1-Dichloroethylene	MR	SIE	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,1-Dichloroethylene	MR	SOX	10/11/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,2,4-Trichlorobenzene	MR	SIE	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,2,4-Trichlorobenzene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,2,4-Trichlorobenzene	MR	SOX	10/11/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,2-Dichloroethane	MR	SIE	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,2-Dichloroethane	MR	SFJ	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,2-Dichloroethane	MR	SOX	10/11/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,2-Dichloropropane	MR	SFJ	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,2-Dichloropropane	MR	SIE	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	1,2-Dichloropropane	MR	SOX	10/11/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Benzene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular

VA2139473	NTNCWS	GW	660	Local government	Benzene	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Benzene	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	CHLOROBENZENE	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	CHLOROBENZENE	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	CHLOROBENZENE	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Carbon tetrachloride	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Carbon tetrachloride	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Carbon tetrachloride	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	DICHLOROMETHANE	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	DICHLOROMETHANE	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	DICHLOROMETHANE	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Ethylbenzene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Ethylbenzene	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Ethylbenzene	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Styrene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Styrene	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Styrene	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	TTHM	MR	SIE	11/17/2022			Monitoring, Routine (IDSE)
VA2139473	NTNCWS	GW	660	Local government	TTHM	MR	SFJ	11/17/2022			Monitoring, Routine (IDSE)
VA2139473	NTNCWS	GW	660	Local government	Tetrachloroethylene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Tetrachloroethylene	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular

VA2139473	NTNCWS	GW	660	Local government	Tetrachloroethylene	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Toluene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Toluene	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Toluene	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	11/17/2022			Monitoring, Routine (IDSE)
VA2139473	NTNCWS	GW	660	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	11/17/2022			Monitoring, Routine (IDSE)
VA2139473	NTNCWS	GW	660	Local government	Trichloroethylene	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Trichloroethylene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Trichloroethylene	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Vinyl chloride	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Vinyl chloride	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Vinyl chloride	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Xylenes, Total	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Xylenes, Total	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	Xylenes, Total	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	cis-1,2-Dichloroethylene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	cis-1,2-Dichloroethylene	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	cis-1,2-Dichloroethylene	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	o-Dichlorobenzene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	o-Dichlorobenzene	MR	SIE	10/31/2022	10/11/2022	10/11/2022	Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	o-Dichlorobenzene	MR	SOX	10/11/2022	10/11/2022	10/11/2022	Monitoring, Regular

VA2139473	NTNCWS	GW	660	Local government	p-Dichlorobenzene	MR	SIE	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	p-Dichlorobenzene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	p-Dichlorobenzene	MR	SOX	10/11/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	trans-1,2-Dichloroethylene	MR	SFJ	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	trans-1,2-Dichloroethylene	MR	SIE	10/31/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139473	NTNCWS	GW	660	Local government	trans-1,2-Dichloroethylene	MR	SOX	10/11/2022	10/11/2022	10/11/2022		Monitoring, Regular
VA2139835	TNCWS	GW	80	Private	E. COLI	MR	SOX	7/20/2022	7/20/2022	7/20/2022		Monitoring, Source Water (GWR)
VA2139835	TNCWS	GW	80	Private	E. COLI	MR	SFJ	7/19/2022	7/20/2022	7/20/2022		Monitoring, Source Water (GWR)
VA2139835	TNCWS	GW	80	Private	E. COLI	MR	SIE	7/19/2022	7/20/2022	7/20/2022		Monitoring, Source Water (GWR)
VA2161175	TNCWS	GW	299	Private	Revised Total Coliform Rule	MON	SFJ	8/19/2022	8/17/2022	8/17/2022	3A	Monitoring, Routine (RTCR)
VA2161175	TNCWS	GW	299	Private	Revised Total Coliform Rule	MON	SIE	8/19/2022	8/17/2022	8/17/2022	3A	Monitoring, Routine (RTCR)
VA2161175	TNCWS	GW	299	Private	Revised Total Coliform Rule	MON	SOX	8/17/2022	8/17/2022	8/17/2022	3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SFJ	8/1/2022				Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SIE	8/1/2022				Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SFJ	8/1/2022				Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SIE	8/1/2022				Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SFJ	8/1/2022				Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SIE	8/1/2022				Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SFJ	8/1/2022				Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Public Notice	Other	SIE	8/1/2022				Public Notification Violation for NPDWR Violation
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2022			3A	Monitoring, Routine (RTCR)

VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	10/25/2022			3A	Monitoring, Routine (RTCR)
VA2161283	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2161598	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SFJ	8/22/2022	8/8/2022	8/8/2022	3B	Monitoring, Additional Routine (RTCR)
VA2161598	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SIE	8/22/2022	8/8/2022	8/8/2022	3B	Monitoring, Additional Routine (RTCR)
VA2161598	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SOX	8/8/2022	8/8/2022	8/8/2022	3B	Monitoring, Additional Routine (RTCR)
VA2161598	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2161665	CWS	GW	205	Private	E. COLI	MR	SIF	7/1/2022	6/26/2022	6/26/2022		Monitoring, Source Water (GWR)
VA2161665	CWS	GW	205	Private	E. COLI	MR	SOX	6/26/2022	6/26/2022	6/26/2022		Monitoring, Source Water (GWR)
VA2161665	CWS	GW	205	Private	E. COLI	MR	SIE	6/22/2022	6/26/2022	6/26/2022		Monitoring, Source Water (GWR)
VA2161665	CWS	GW	205	Private	E. COLI	MR	SFJ	6/22/2022	6/26/2022	6/26/2022		Monitoring, Source Water (GWR)
VA2161665	CWS	GW	205	Private	Revised Total Coliform Rule	MON	SIE	3/18/2022	3/8/2022	3/8/2022	3A	Monitoring, Routine (RTCR)
VA2161665	CWS	GW	205	Private	Revised Total Coliform Rule	MON	SFJ	3/18/2022	3/8/2022	3/8/2022	3A	Monitoring, Routine (RTCR)
VA2161665	CWS	GW	205	Private	Revised Total Coliform Rule	MON	SOX	3/8/2022	3/8/2022	3/8/2022	3A	Monitoring, Routine (RTCR)
VA2161665	CWS	GW	205	Private	Revised Total Coliform Rule	MON	SFJ	10/21/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA2161665	CWS	GW	205	Private	Revised Total Coliform Rule	MON	SIE	10/21/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA2161665	CWS	GW	205	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA2161668	CWS	GW	71	Private	Revised Total Coliform Rule	MON	SFJ	5/23/2022	5/18/2022	5/18/2022	3A	Monitoring, Routine (RTCR)
VA2161668	CWS	GW	71	Private	Revised Total Coliform Rule	MON	SIE	5/23/2022	5/18/2022	5/18/2022	3A	Monitoring, Routine (RTCR)
VA2161668	CWS	GW	71	Private	Revised Total Coliform Rule	MON	SOX	5/18/2022	5/18/2022	5/18/2022	3A	Monitoring, Routine (RTCR)
VA2161680	CWS	GW	78	Private	Consumer Confidence Rule	Other	SIE	9/28/2022	9/20/2022	9/20/2022		Consumer Confidence Report Complete Failure to Report
VA2161680	CWS	GW	78	Private	Consumer Confidence Rule	Other	SOX	9/20/2022	9/20/2022	9/20/2022		Consumer Confidence Report Complete Failure to Report

VA2161680	CWS	GW	78	Private	Consumer Confidence Rule	Other	SIF	9/16/2022	9/20/2022	9/20/2022		Consumer Confidence Report Complete Failure to Report
VA2161755	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022	8/23/2022	8/23/2022	3A	Monitoring, Routine (RTCR)
VA2161755	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022	8/23/2022	8/23/2022	3A	Monitoring, Routine (RTCR)
VA2161755	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/23/2022	8/23/2022	8/23/2022	3A	Monitoring, Routine (RTCR)
VA2161830	CWS	GW	13309	Local government	Coliform (TCR)	MCL	SIF	2/10/1992	1/7/2023			Maximum Contaminant Level Violation, Monthly (TCR)
VA2161830	CWS	GW	13309	Local government	Coliform (TCR)	MCL	SIE	1/17/1992	1/7/2023			Maximum Contaminant Level Violation, Monthly (TCR)
VA2161830	CWS	GW	13309	Local government	Coliform (TCR)	MCL	SIA	1/17/1992	1/7/2023			Maximum Contaminant Level Violation, Monthly (TCR)
VA2161830	CWS	GW	13309	Local government	Coliform (TCR)	MR	SFJ	1/24/2005	1/7/2023			Monitoring, Routine Minor (TCR)
VA2161830	CWS	GW	13309	Local government	Coliform (TCR)	MR	SIE	1/24/2005	1/7/2023			Monitoring, Routine Minor (TCR)
VA2163185	TNCWS	GW	350	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2163225	CWS	GW	1133	Local government	Lead and Copper Rule	MR	SFJ	12/21/2022				Follow-up Or Routine LCR Tap M/R
VA2163225	CWS	GW	1133	Local government	Lead and Copper Rule	MR	SIE	12/21/2022				Follow-up Or Routine LCR Tap M/R
VA2163225	CWS	GW	1133	Local government	TTHM	MR	SIE	11/17/2022				Monitoring, Routine (IDSE)
VA2163225	CWS	GW	1133	Local government	TTHM	MR	SFJ	11/17/2022				Monitoring, Routine (IDSE)
VA2163225	CWS	GW	1133	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	11/17/2022				Monitoring, Routine (IDSE)
VA2163225	CWS	GW	1133	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	11/17/2022				Monitoring, Routine (IDSE)
VA2163253	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2163615	NTNCWS	GU	485	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	8/5/2022				Treatment Technique No Certif. Operator
VA2163615	NTNCWS	GU	485	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	11/23/2021				Treatment Technique No Certif. Operator

VA2163615	NTNCWS	GU	485	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	11/23/2021					Treatment Technique No Certif. Operator
VA2163885	TNCWS	GW	330	Private	Nitrate-Nitrite	MR							Monitoring, Regular
VA2163885	TNCWS	GW	330	Private	Revised Total Coliform Rule	MON					3A		Monitoring, Routine (RTCR)
VA2165185	TNCWS	GW	90	Private	Revised Total Coliform Rule	MON	SFJ	10/19/2022	10/3/2022	10/3/2022	3A		Monitoring, Routine (RTCR)
VA2165185	TNCWS	GW	90	Private	Revised Total Coliform Rule	MON	SIE	10/19/2022	10/3/2022	10/3/2022	3A		Monitoring, Routine (RTCR)
VA2165185	TNCWS	GW	90	Private	Revised Total Coliform Rule	MON	SOX	10/3/2022	10/3/2022	10/3/2022	3A		Monitoring, Routine (RTCR)
VA2165322	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	12/5/2022			3B		Monitoring, Additional Routine (RTCR)
VA2165322	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	11/14/2022			3B		Monitoring, Additional Routine (RTCR)
VA2165322	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	11/14/2022			3B		Monitoring, Additional Routine (RTCR)
VA2165495	CWS	GW	140	Private	Chlorine	MR	SFJ	4/29/2022	3/30/2022	3/30/2022			Monitoring and Reporting (DBP)
VA2165495	CWS	GW	140	Private	Chlorine	MR	SIE	4/29/2022	3/30/2022	3/30/2022			Monitoring and Reporting (DBP)
VA2165495	CWS	GW	140	Private	Chlorine	MR	SOX	3/30/2022	3/30/2022	3/30/2022			Monitoring and Reporting (DBP)
VA2165521	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	12/12/2022	12/12/2022	12/12/2022	3A		Monitoring, Routine (RTCR)
VA2165521	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIF	10/31/2022	12/12/2022	12/12/2022	3A		Monitoring, Routine (RTCR)
VA2165521	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	10/19/2022	12/12/2022	12/12/2022	3A		Monitoring, Routine (RTCR)
VA2165521	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	10/19/2022	12/12/2022	12/12/2022	3A		Monitoring, Routine (RTCR)
VA2165647	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	8/22/2022	8/22/2022	8/22/2022	3A		Monitoring, Routine (RTCR)
VA2165647	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	8/8/2022	8/22/2022	8/22/2022	3A		Monitoring, Routine (RTCR)
VA2165647	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	8/8/2022	8/22/2022	8/22/2022	3A		Monitoring, Routine (RTCR)
VA2165660	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIF	5/5/2022	4/27/2022	4/27/2022	3A		Monitoring, Routine (RTCR)

VA2165660	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	4/27/2022	4/27/2022	4/27/2022	3A	Monitoring, Routine (RTCR)
VA2165660	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	4/27/2022	4/27/2022	4/27/2022	3A	Monitoring, Routine (RTCR)
VA2165660	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2022	4/27/2022	4/27/2022	3A	Monitoring, Routine (RTCR)
VA2171175	NTNCWS	GW	211	Private	Nitrate-Nitrite	MCL	SFJ	11/7/2022	10/26/2022	10/26/2022		Maximum Contaminant Level Violation, Single Sample
VA2171175	NTNCWS	GW	211	Private	Nitrate-Nitrite	MCL	SIF	11/7/2022	10/26/2022	10/26/2022		Maximum Contaminant Level Violation, Single Sample
VA2171175	NTNCWS	GW	211	Private	Nitrate-Nitrite	MCL	SIE	11/7/2022	10/26/2022	10/26/2022		Maximum Contaminant Level Violation, Single Sample
VA2171175	NTNCWS	GW	211	Private	Nitrate-Nitrite	MCL	SOX	10/26/2022	10/26/2022	10/26/2022		Maximum Contaminant Level Violation, Single Sample
VA2171256	TNCWS	GW	45	Private	E. COLI	MR	SIF	11/10/2022	10/21/2022	10/21/2022		Monitoring, Source Water (GWR)
VA2171256	TNCWS	GW	45	Private	E. COLI	MR	SOX	10/21/2022	10/21/2022	10/21/2022		Monitoring, Source Water (GWR)
VA2171256	TNCWS	GW	45	Private	E. COLI	MR	SFJ	10/14/2022	10/21/2022	10/21/2022		Monitoring, Source Water (GWR)
VA2171256	TNCWS	GW	45	Private	E. COLI	MR	SIE	10/14/2022	10/21/2022	10/21/2022		Monitoring, Source Water (GWR)
VA2171256	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SIF	5/23/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)
VA2171256	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SFJ	4/29/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)
VA2171256	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SIE	4/29/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)
VA2171256	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SOX	4/11/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	E. COLI	MR	SOX	2/15/2022	2/15/2022	2/15/2022		Monitoring, Source Water (GWR)
VA2171510	TNCWS	GW	30	Private	E. COLI	MR	SIE	9/3/2021	2/15/2022	2/15/2022		Monitoring, Source Water (GWR)
VA2171510	TNCWS	GW	30	Private	E. COLI	MR	SFJ	9/3/2021	2/15/2022	2/15/2022		Monitoring, Source Water (GWR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	6/14/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	4/29/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	4/29/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)

VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	6/24/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	6/24/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	6/14/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	10/11/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	10/11/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	9/26/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	9/26/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/24/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA2171510	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	10/11/2022	10/11/2022	10/11/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	5/19/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	3/1/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	3/1/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	5/19/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	3/24/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	3/24/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	5/19/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	4/29/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	4/29/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)

VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	5/24/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	5/24/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	5/19/2022	5/19/2022	5/19/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	7/27/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	9/26/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	9/26/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/24/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/24/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	12/8/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	12/8/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171760	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/27/2022	7/27/2022	3A	Monitoring, Routine (RTCR)
VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/27/2022	7/27/2022	3A	Monitoring, Routine (RTCR)
VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON	SOX	7/27/2022	7/27/2022	7/27/2022	3A	Monitoring, Routine (RTCR)

VA2171820	TNCWS	GW	35	State government	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2171850	CWS	SW	5955	Local government	Lead and Copper Rule	MR	SFJ	12/21/2022				Follow-up Or Routine LCR Tap M/R
VA2171850	CWS	SW	5955	Local government	Lead and Copper Rule	MR	SIE	12/21/2022				Follow-up Or Routine LCR Tap M/R
VA2171850	CWS	SW	5955	Local government	Total Haloacetic Acids (HAA5)	MCL	SOX	11/16/2022	11/16/2022	11/16/2022		Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	9/30/2022	11/16/2022	11/16/2022		Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	9/12/2022	11/16/2022	11/16/2022		Maximum Contaminant Level Violation, Average
VA2171850	CWS	SW	5955	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	9/12/2022	11/16/2022	11/16/2022		Maximum Contaminant Level Violation, Average
VA2187100	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA2187229	TNCWS	GW	250	Private	E. COLI	MR	SIE	10/21/2022	10/18/2022	10/18/2022		Monitoring, Source Water (GWR)
VA2187229	TNCWS	GW	250	Private	E. COLI	MR	SFJ	10/21/2022	10/18/2022	10/18/2022		Monitoring, Source Water (GWR)
VA2187229	TNCWS	GW	250	Private	E. COLI	MR	SOX	10/18/2022	10/18/2022	10/18/2022		Monitoring, Source Water (GWR)
VA2187229	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON					3B	Monitoring, Additional Routine (RTCR)
VA2187232	CWS	GW	50	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA2187232	CWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	3/30/2022	3/30/2022	3/30/2022	3A	Monitoring, Routine (RTCR)
VA2187232	CWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	3/3/2022	3/30/2022	3/30/2022	3A	Monitoring, Routine (RTCR)
VA2187232	CWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	3/3/2022	3/30/2022	3/30/2022	3A	Monitoring, Routine (RTCR)
VA2187232	CWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	3/30/2022	3/30/2022	3/30/2022	3A	Monitoring, Routine (RTCR)
VA2187232	CWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	3/3/2022	3/30/2022	3/30/2022	3A	Monitoring, Routine (RTCR)
VA2187232	CWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	3/3/2022	3/30/2022	3/30/2022	3A	Monitoring, Routine (RTCR)
VA2187232	CWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	5/26/2022	5/26/2022	5/26/2022	3A	Monitoring, Routine (RTCR)
VA2187232	CWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	5/25/2022	5/26/2022	5/26/2022	3A	Monitoring, Routine (RTCR)

VA2187232	CWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	5/25/2022	5/26/2022	5/26/2022	3A	Monitoring, Routine (RTCR)
VA2187232	CWS	GW	50	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	5/19/2022	5/19/2022	5/19/2022		Treatment Technique No Certif. Operator
VA2187232	CWS	GW	50	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	2/25/2022	5/19/2022	5/19/2022		Treatment Technique No Certif. Operator
VA2187232	CWS	GW	50	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	2/25/2022	5/19/2022	5/19/2022		Treatment Technique No Certif. Operator
VA2187335	CWS	GW	140	Private	Lead and Copper Rule	MR	SFJ	11/21/2022				Follow-up Or Routine LCR Tap M/R
VA2187335	CWS	GW	140	Private	Lead and Copper Rule	MR	SIE	11/21/2022				Follow-up Or Routine LCR Tap M/R
VA2187406	CWS	SW	15000	Local government	Chlorine	MR	SOX	5/31/2022	5/31/2022	5/31/2022		Monitoring and Reporting (DBP)
VA2187406	CWS	SW	15000	Local government	Chlorine	MR	SIE	5/24/2022	5/31/2022	5/31/2022		Monitoring and Reporting (DBP)
VA2187406	CWS	SW	15000	Local government	Chlorine	MR	SFJ	5/24/2022	5/31/2022	5/31/2022		Monitoring and Reporting (DBP)
VA2187406	CWS	SW	15000	Local government	Revised Total Coliform Rule	MON	SIE	5/24/2022	5/17/2022	5/17/2022	3A	Monitoring, Routine (RTCR)
VA2187406	CWS	SW	15000	Local government	Revised Total Coliform Rule	MON	SFJ	5/24/2022	5/17/2022	5/17/2022	3A	Monitoring, Routine (RTCR)
VA2187406	CWS	SW	15000	Local government	Revised Total Coliform Rule	MON	SOX	5/17/2022	5/17/2022	5/17/2022	3A	Monitoring, Routine (RTCR)
VA2187623	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	6/22/2022	6/8/2022	6/8/2022	3A	Monitoring, Routine (RTCR)
VA2187623	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	6/22/2022	6/8/2022	6/8/2022	3A	Monitoring, Routine (RTCR)
VA2187623	CWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	6/8/2022	6/8/2022	6/8/2022	3A	Monitoring, Routine (RTCR)
VA2770425	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIF	8/5/2022	3/8/2022	3/8/2022	3A	Monitoring, Routine (RTCR)
VA2770425	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	7/18/2022	3/8/2022	3/8/2022	3A	Monitoring, Routine (RTCR)
VA2770425	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	7/18/2022	3/8/2022	3/8/2022	3A	Monitoring, Routine (RTCR)
VA2770425	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	3/8/2022	3/8/2022	3/8/2022	3A	Monitoring, Routine (RTCR)

VA2820775	CWS	GU	22630	Local government	Lead and Copper Rule	MR	SFJ	9/21/2022	9/19/2022	9/19/2022	Lead Consumer Notice
VA2820775	CWS	GU	22630	Local government	Lead and Copper Rule	MR	SOX	9/19/2022	9/19/2022	9/19/2022	Lead Consumer Notice
VA2820775	CWS	GU	22630	Local government	Surface Water Treatment Rule	MR	SFJ	9/14/2022			Monitoring of Treatment (SWTR-Filter)
VA2820775	CWS	GU	22630	Local government	Surface Water Treatment Rule	MR	SIE	9/14/2022			Monitoring of Treatment (SWTR-Filter)
VA3001175	CWS	GW	4325	Local government	Revised Total Coliform Rule	MON	SFJ	10/31/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001175	CWS	GW	4325	Local government	Revised Total Coliform Rule	MON	SIE	10/31/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001175	CWS	GW	4325	Local government	Revised Total Coliform Rule	MON	SOX	10/11/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SOX	10/11/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SFJ	4/21/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SIE	4/21/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SOX	10/11/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SIE	7/22/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SFJ	7/22/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SOX	10/11/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SFJ	10/28/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SIE	10/28/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001178	TNCWS	GW	175	Private	Revised Total Coliform Rule	MON	SOX	10/11/2022	10/11/2022	10/11/2022	3A Monitoring, Routine (RTCR)
VA3001195	TNCWS	GW	200	Local government	Revised Total Coliform Rule	MON	SFJ	4/22/2022	4/7/2022	4/7/2022	3A Monitoring, Routine (RTCR)
VA3001195	TNCWS	GW	200	Local government	Revised Total Coliform Rule	MON	SIE	4/22/2022	4/7/2022	4/7/2022	3A Monitoring, Routine (RTCR)

VA3001195	TNCWS	GW	200	Local government	Revised Total Coliform Rule	MON	SOX	4/7/2022	4/7/2022	4/7/2022	3A	Monitoring, Routine (RTCR)
VA3001211	TNCWS	GW	300	Local government	Revised Total Coliform Rule	MON	SFJ	8/24/2022	8/16/2022	8/16/2022	3A	Monitoring, Routine (RTCR)
VA3001211	TNCWS	GW	300	Local government	Revised Total Coliform Rule	MON	SIE	8/24/2022	8/16/2022	8/16/2022	3A	Monitoring, Routine (RTCR)
VA3001211	TNCWS	GW	300	Local government	Revised Total Coliform Rule	MON	SOX	8/16/2022	8/16/2022	8/16/2022	3A	Monitoring, Routine (RTCR)
VA3001211	TNCWS	GW	300	Local government	Revised Total Coliform Rule	MON	SIE	11/22/2022	11/16/2022	11/16/2022	3A	Monitoring, Routine (RTCR)
VA3001211	TNCWS	GW	300	Local government	Revised Total Coliform Rule	MON	SFJ	11/22/2022	11/16/2022	11/16/2022	3A	Monitoring, Routine (RTCR)
VA3001211	TNCWS	GW	300	Local government	Revised Total Coliform Rule	MON	SOX	11/16/2022	11/16/2022	11/16/2022	3A	Monitoring, Routine (RTCR)
VA3001331	NTNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SOX	8/31/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA3001331	NTNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA3001331	NTNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA3001331	NTNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SIE	10/28/2022	10/18/2022	10/18/2022	3A	Monitoring, Routine (RTCR)
VA3001331	NTNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SFJ	10/28/2022	10/18/2022	10/18/2022	3A	Monitoring, Routine (RTCR)
VA3001331	NTNCWS	GW	350	Private	Revised Total Coliform Rule	MON	SOX	10/18/2022	10/18/2022	10/18/2022	3A	Monitoring, Routine (RTCR)
VA3001432	TNCWS	GW	360	Private	E. COLI	MR	SFJ	9/19/2022				Monitoring, Source Water (GWR)
VA3001432	TNCWS	GW	360	Private	E. COLI	MR	SIE	9/19/2022				Monitoring, Source Water (GWR)
VA3001500	CWS	GW	1625	Federal government	Groundwater Rule	TT	SOX	12/18/2022	12/18/2022	12/18/2022		Treatment Technique (SWTR and GWR)
VA3001500	CWS	GW	1625	Federal government	TTHM	MCL						Maximum Contaminant Level Violation, Average
VA3001658	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIF	4/21/2022	2/2/2022	2/2/2022	3A	Monitoring, Routine (RTCR)
VA3001658	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	2/18/2022	2/2/2022	2/2/2022	3A	Monitoring, Routine (RTCR)
VA3001658	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	2/18/2022	2/2/2022	2/2/2022	3A	Monitoring, Routine (RTCR)
VA3001658	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	2/2/2022	2/2/2022	2/2/2022	3A	Monitoring, Routine (RTCR)

VA3001658	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIF	12/21/2022	11/21/2022	11/21/2022	3A	Monitoring, Routine (RTCR)
VA3001658	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	11/22/2022	11/21/2022	11/21/2022	3A	Monitoring, Routine (RTCR)
VA3001658	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	11/22/2022	11/21/2022	11/21/2022	3A	Monitoring, Routine (RTCR)
VA3001658	NTNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	11/21/2022	11/21/2022	11/21/2022	3A	Monitoring, Routine (RTCR)
VA3001717	TNCWS	GW	100	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3001720	TNCWS	GW	184	Private	Revised Total Coliform Rule	MON	SOX	4/27/2022	4/27/2022	4/27/2022	3A	Monitoring, Routine (RTCR)
VA3001720	TNCWS	GW	184	Private	Revised Total Coliform Rule	MON	SFJ	4/22/2022	4/27/2022	4/27/2022	3A	Monitoring, Routine (RTCR)
VA3001720	TNCWS	GW	184	Private	Revised Total Coliform Rule	MON	SIE	4/22/2022	4/27/2022	4/27/2022	3A	Monitoring, Routine (RTCR)
VA3001833	CWS	GW	650	Local government	Revised Total Coliform Rule	MON	SOX	7/28/2022	7/28/2022	7/28/2022	3A	Monitoring, Routine (RTCR)
VA3001833	CWS	GW	650	Local government	Revised Total Coliform Rule	MON	SIE	7/22/2022	7/28/2022	7/28/2022	3A	Monitoring, Routine (RTCR)
VA3001833	CWS	GW	650	Local government	Revised Total Coliform Rule	MON	SFJ	7/22/2022	7/28/2022	7/28/2022	3A	Monitoring, Routine (RTCR)
VA3001982	NTNCWS	GW	385	Private	Revised Total Coliform Rule	MON	SFJ	2/18/2022	2/14/2022	2/14/2022	3A	Monitoring, Routine (RTCR)
VA3001982	NTNCWS	GW	385	Private	Revised Total Coliform Rule	MON	SIE	2/18/2022	2/14/2022	2/14/2022	3A	Monitoring, Routine (RTCR)
VA3001982	NTNCWS	GW	385	Private	Revised Total Coliform Rule	MON	SOX	2/14/2022	2/14/2022	2/14/2022	3A	Monitoring, Routine (RTCR)
VA3053210	CWS	GW	39	Private	Combined Uranium	MCL	SFL	8/1/2022				Maximum Contaminant Level Violation, Average
VA3053210	CWS	GW	39	Private	Combined Uranium	MCL	SIE	4/21/2022				Maximum Contaminant Level Violation, Average
VA3053210	CWS	GW	39	Private	Combined Uranium	MCL	SFJ	4/21/2022				Maximum Contaminant Level Violation, Average
VA3053515	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	6/28/2022	6/22/2022	6/22/2022	3A	Monitoring, Routine (RTCR)
VA3053515	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	6/28/2022	6/22/2022	6/22/2022	3A	Monitoring, Routine (RTCR)
VA3053515	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	6/22/2022	6/22/2022	6/22/2022	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SOX	9/19/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)

VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SIE	7/26/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)
VA3093030	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)
VA3093040	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFJ	11/23/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFL	8/15/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFL	8/1/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SIE	5/5/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFJ	5/5/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFJ	11/23/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFL	8/15/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SIE	7/29/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFJ	7/29/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFJ	11/23/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SFJ	11/2/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL	SIE	11/2/2022				Maximum Contaminant Level Violation, Average
VA3093210	CWS	GW	104	Private	Fluoride	MCL						Maximum Contaminant Level Violation, Average
VA3093220	CWS	GW	83	Private	E. COLI	MR	SIF	1/13/2022	1/11/2022	1/11/2022		Monitoring, Source Water (GWR)
VA3093220	CWS	GW	83	Private	E. COLI	MR	SOX	1/11/2022	1/11/2022	1/11/2022		Monitoring, Source Water (GWR)
VA3093220	CWS	GW	83	Private	E. COLI	MR	SIE	12/20/2021	1/11/2022	1/11/2022		Monitoring, Source Water (GWR)
VA3093220	CWS	GW	83	Private	E. COLI	MR	SFJ	12/20/2021	1/11/2022	1/11/2022		Monitoring, Source Water (GWR)
VA3093313	NTNCWS	GW	450	Private	Revised Total Coliform Rule	MON	SIF	10/17/2022	8/9/2022	8/9/2022	3A	Monitoring, Routine (RTCR)

VA3093313	NTNCWS	GW	450	Private	Revised Total Coliform Rule	MON	SFJ	8/25/2022	8/9/2022	8/9/2022	3A	Monitoring, Routine (RTCR)
VA3093313	NTNCWS	GW	450	Private	Revised Total Coliform Rule	MON	SIE	8/25/2022	8/9/2022	8/9/2022	3A	Monitoring, Routine (RTCR)
VA3093313	NTNCWS	GW	450	Private	Revised Total Coliform Rule	MON	SOX	8/9/2022	8/9/2022	8/9/2022	3A	Monitoring, Routine (RTCR)
VA3093380	CWS	GW	116	Private	Revised Total Coliform Rule	MON	SIE	9/21/2022	9/20/2022	9/20/2022	3A	Monitoring, Routine (RTCR)
VA3093380	CWS	GW	116	Private	Revised Total Coliform Rule	MON	SFJ	9/21/2022	9/20/2022	9/20/2022	3A	Monitoring, Routine (RTCR)
VA3093380	CWS	GW	116	Private	Revised Total Coliform Rule	MON	SOX	9/20/2022	9/20/2022	9/20/2022	3A	Monitoring, Routine (RTCR)
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	11/23/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	8/1/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIF	5/16/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIE	5/5/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFJ	5/5/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	11/23/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIF	8/24/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	8/1/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIE	7/29/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFJ	7/29/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFL	11/23/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SFJ	11/2/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL	SIE	11/2/2022				Maximum Contaminant Level Violation, Average
VA3093400	CWS	GW	203	Private	Fluoride	MCL						Maximum Contaminant Level Violation, Average
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFL	8/1/2022				Monitoring, Source Water (GWR)

VA3093850	CWS	GW	31	Private	E. COLI	MR	SFL	8/1/2022	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFL	5/29/2021	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIF	12/9/2020	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIE	12/1/2020	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFJ	12/1/2020	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIF	2/11/2021	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIE	1/12/2021	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFJ	1/12/2021	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIF	2/11/2021	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SIE	2/2/2021	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	E. COLI	MR	SFJ	2/2/2021	Monitoring, Source Water (GWR)
VA3093850	CWS	GW	31	Private	Fluoride	MR	SFJ	5/5/2022	Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MR	SIE	5/5/2022	Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MR	SFJ	7/26/2022	Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MR	SIE	7/26/2022	Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MCL	SFL	8/1/2022	Maximum Contaminant Level Violation, Average
VA3093850	CWS	GW	31	Private	Fluoride	MCL	SIE	5/5/2022	Maximum Contaminant Level Violation, Average
VA3093850	CWS	GW	31	Private	Fluoride	MCL	SFJ	5/5/2022	Maximum Contaminant Level Violation, Average
VA3093850	CWS	GW	31	Private	Fluoride	MCL	SFL	8/1/2022	Maximum Contaminant Level Violation, Average
VA3093850	CWS	GW	31	Private	Fluoride	MCL	SFJ	7/28/2022	Maximum Contaminant Level Violation, Average
VA3093850	CWS	GW	31	Private	Fluoride	MCL	SIE	7/28/2022	Maximum Contaminant Level Violation, Average

VA3093850	CWS	GW	31	Private	Fluoride	MR	SIE	11/2/2022				Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MR	SFJ	11/2/2022				Monitoring, Regular
VA3093850	CWS	GW	31	Private	Fluoride	MR						Monitoring, Regular
VA3093850	CWS	GW	31	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3095590	CWS	GW	41	Private	Revised Total Coliform Rule	MON	SFJ	3/22/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)
VA3095590	CWS	GW	41	Private	Revised Total Coliform Rule	MON	SIE	3/22/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)
VA3095590	CWS	GW	41	Private	Revised Total Coliform Rule	MON	SOX	3/9/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)
VA3095590	CWS	GW	41	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022	9/13/2022	9/13/2022	3A	Monitoring, Routine (RTCR)
VA3095590	CWS	GW	41	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022	9/13/2022	9/13/2022	3A	Monitoring, Routine (RTCR)
VA3095590	CWS	GW	41	Private	Revised Total Coliform Rule	MON	SOX	9/13/2022	9/13/2022	9/13/2022	3A	Monitoring, Routine (RTCR)
VA3095610	TNCWS	GW	310	Private	Revised Total Coliform Rule	MON	SFJ	4/21/2022	4/19/2022	4/19/2022	3A	Monitoring, Routine (RTCR)
VA3095610	TNCWS	GW	310	Private	Revised Total Coliform Rule	MON	SIE	4/21/2022	4/19/2022	4/19/2022	3A	Monitoring, Routine (RTCR)
VA3095610	TNCWS	GW	310	Private	Revised Total Coliform Rule	MON	SOX	4/19/2022	4/19/2022	4/19/2022	3A	Monitoring, Routine (RTCR)
VA3095810	NTNCWS	GW	390	Private	E. COLI	MR	SOX	3/24/2022	3/24/2022	3/24/2022		Monitoring, Source Water (GWR)
VA3095810	NTNCWS	GW	390	Private	E. COLI	MR	SIE	3/11/2022	3/24/2022	3/24/2022		Monitoring, Source Water (GWR)
VA3095810	NTNCWS	GW	390	Private	E. COLI	MR	SFJ	3/11/2022	3/24/2022	3/24/2022		Monitoring, Source Water (GWR)
VA3095882	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/21/2022			3B	Monitoring, Additional Routine (RTCR)
VA3095882	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	11/22/2022			3B	Monitoring, Additional Routine (RTCR)
VA3095882	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	11/22/2022			3B	Monitoring, Additional Routine (RTCR)
VA3131095	NTNCWS	GW	456	Private	Revised Total Coliform Rule	MON	SIF	3/16/2022	2/1/2022	2/1/2022	3A	Monitoring, Routine (RTCR)
VA3131095	NTNCWS	GW	456	Private	Revised Total Coliform Rule	MON	SIE	2/22/2022	2/1/2022	2/1/2022	3A	Monitoring, Routine (RTCR)

VA3131095	NTNCWS	GW	456	Private	Revised Total Coliform Rule	MON	SFJ	2/22/2022	2/1/2022	2/1/2022	3A	Monitoring, Routine (RTCR)
VA3131095	NTNCWS	GW	456	Private	Revised Total Coliform Rule	MON	SOX	2/1/2022	2/1/2022	2/1/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SOX	5/25/2022	5/25/2022	5/25/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIE	4/21/2022	5/25/2022	5/25/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SFJ	4/21/2022	5/25/2022	5/25/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SOX	7/27/2022	7/27/2022	7/27/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIE	7/26/2022	7/27/2022	7/27/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2022	7/27/2022	7/27/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SOX	9/28/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SFJ	11/23/2022			3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIE	11/23/2022			3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SFJ	12/22/2022	12/21/2022	12/21/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SIE	12/22/2022	12/21/2022	12/21/2022	3A	Monitoring, Routine (RTCR)
VA3131100	TNCWS	GW	46	Private	Revised Total Coliform Rule	MON	SOX	12/21/2022	12/21/2022	12/21/2022	3A	Monitoring, Routine (RTCR)
VA3131137	NTNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIF	3/18/2022	2/2/2022	2/2/2022	3A	Monitoring, Routine (RTCR)
VA3131137	NTNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	2/22/2022	2/2/2022	2/2/2022	3A	Monitoring, Routine (RTCR)
VA3131137	NTNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	2/22/2022	2/2/2022	2/2/2022	3A	Monitoring, Routine (RTCR)
VA3131137	NTNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	2/2/2022	2/2/2022	2/2/2022	3A	Monitoring, Routine (RTCR)
VA3131145	NTNCWS	GW	1025	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)

VA3131200	CWS	GW	1030	Local government	E. COLI	MR	SOX	12/12/2022	12/12/2022	12/12/2022		Monitoring, Source Water (GWR)
VA3131300	CWS	GW	80	Private	E. COLI	MR	SIE	6/23/2022	6/15/2022	6/15/2022		Monitoring, Source Water (GWR)
VA3131300	CWS	GW	80	Private	E. COLI	MR	SFJ	6/23/2022	6/15/2022	6/15/2022		Monitoring, Source Water (GWR)
VA3131300	CWS	GW	80	Private	E. COLI	MR	SOX	6/15/2022	6/15/2022	6/15/2022		Monitoring, Source Water (GWR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	5/18/2022	5/18/2022	5/18/2022	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	4/21/2022	5/18/2022	5/18/2022	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	4/21/2022	5/18/2022	5/18/2022	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	5/23/2022	5/18/2022	5/18/2022	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	5/18/2022	5/18/2022	5/18/2022	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	5/18/2022	5/18/2022	5/18/2022	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2022	7/25/2022	7/25/2022	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	7/26/2022	7/25/2022	7/25/2022	3A	Monitoring, Routine (RTCR)
VA3131300	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	7/25/2022	7/25/2022	7/25/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIF	6/22/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	4/21/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	4/21/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIF	6/22/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	5/23/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)

VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	5/23/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIF	6/22/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	6/17/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	6/17/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	7/26/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	8/30/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	8/30/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	11/2/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	11/2/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SIE	11/28/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131372	TNCWS	GW	76	Private	Revised Total Coliform Rule	MON	SFJ	11/28/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA3131373	TNCWS	GW	555	State government	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)

VA3131610	TNCWS	GW	40	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3131825	TNCWS	GW	500	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3131825	TNCWS	GW	500	Private	Revised Total Coliform Rule	MCL	SOX	7/7/2022	7/7/2022	7/7/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3131825	TNCWS	GW	500	Private	Revised Total Coliform Rule	MCL	SIF	7/7/2022	7/7/2022	7/7/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3131825	TNCWS	GW	500	Private	Revised Total Coliform Rule	MCL	SIE	6/30/2022	7/7/2022	7/7/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3131825	TNCWS	GW	500	Private	Revised Total Coliform Rule	MCL	SFJ	6/30/2022	7/7/2022	7/7/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3131825	TNCWS	GW	500	Private	Revised Total Coliform Rule	MCL	SFH	6/30/2022	7/7/2022	7/7/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA3131851	CWS	GW	27	Local government	E. COLI	MR	SOX	5/2/2022	5/2/2022	5/2/2022		Monitoring, Source Water (GWR)
VA3131851	CWS	GW	27	Local government	E. COLI	MR	SIF	4/21/2021	5/2/2022	5/2/2022		Monitoring, Source Water (GWR)
VA3131851	CWS	GW	27	Local government	E. COLI	MR	SFJ	3/4/2021	5/2/2022	5/2/2022		Monitoring, Source Water (GWR)
VA3131851	CWS	GW	27	Local government	E. COLI	MR	SIE	3/4/2021	5/2/2022	5/2/2022		Monitoring, Source Water (GWR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SIE	11/2/2022	10/17/2022	10/17/2022	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SFJ	11/2/2022	10/17/2022	10/17/2022	3A	Monitoring, Routine (RTCR)
VA3131980	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SOX	10/17/2022	10/17/2022	10/17/2022	3A	Monitoring, Routine (RTCR)
VA3149130	TNCWS	GW	313	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3149130	TNCWS	GW	313	Private	Revised Total Coliform Rule	MON	SFJ	10/28/2022			3A	Monitoring, Routine (RTCR)
VA3149130	TNCWS	GW	313	Private	Revised Total Coliform Rule	MON	SIE	10/28/2022			3A	Monitoring, Routine (RTCR)
VA3149130	TNCWS	GW	313	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA3149243	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	7/27/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA3149243	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	7/27/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA3149243	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	7/6/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)

VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SOX	2/25/2022	2/25/2022	2/25/2022	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SFJ	2/17/2022	2/25/2022	2/25/2022	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SIE	2/17/2022	2/25/2022	2/25/2022	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SFJ	6/28/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SIE	6/28/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SOX	6/28/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA3149295	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA3149550	TNCWS	GW	97	Local government	Revised Total Coliform Rule	MON	SIF	8/18/2022	8/15/2022	8/15/2022	3A	Monitoring, Routine (RTCR)
VA3149550	TNCWS	GW	97	Local government	Revised Total Coliform Rule	MON	SOX	8/15/2022	8/15/2022	8/15/2022	3A	Monitoring, Routine (RTCR)
VA3149550	TNCWS	GW	97	Local government	Revised Total Coliform Rule	MON	SIE	7/27/2022	8/15/2022	8/15/2022	3A	Monitoring, Routine (RTCR)
VA3149550	TNCWS	GW	97	Local government	Revised Total Coliform Rule	MON	SFJ	7/27/2022	8/15/2022	8/15/2022	3A	Monitoring, Routine (RTCR)
VA3175155	NTNCWS	GW	208	Local government	1,1,1-Trichloroethane	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	1,1,2-Trichloroethane	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	1,1-Dichloroethylene	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	1,2,4-Trichlorobenzene	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	1,2-Dichloroethane	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	1,2-Dichloropropane	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Antimony, Total	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Arsenic	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Barium	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Benzene	MR						Monitoring, Regular

VA3175155	NTNCWS	GW	208	Local government	Beryllium, Total	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	CHLOROBENZENE	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Cadmium	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Carbon tetrachloride	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Chromium	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	DICHLOROMETHANE	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Ethylbenzene	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Fluoride	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Mercury	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Nickel	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Nitrate-Nitrite	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Revised Total Coliform Rule	MON	SOX	6/30/2022	6/30/2022	6/30/2022	3A				Monitoring, Routine (RTCR)
VA3175155	NTNCWS	GW	208	Local government	Revised Total Coliform Rule	MON	SIE	6/23/2022	6/30/2022	6/30/2022	3A				Monitoring, Routine (RTCR)
VA3175155	NTNCWS	GW	208	Local government	Revised Total Coliform Rule	MON	SFJ	6/23/2022	6/30/2022	6/30/2022	3A				Monitoring, Routine (RTCR)
VA3175155	NTNCWS	GW	208	Local government	Selenium	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Styrene	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Tetrachloroethylene	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Thallium, Total	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Toluene	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Trichloroethylene	MR									Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	Vinyl chloride	MR									Monitoring, Regular

VA3175155	NTNCWS	GW	208	Local government	Xylenes, Total	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	cis-1,2-Dichloroethylene	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	o-Dichlorobenzene	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	p-Dichlorobenzene	MR						Monitoring, Regular
VA3175155	NTNCWS	GW	208	Local government	trans-1,2-Dichloroethylene	MR						Monitoring, Regular
VA3175170	CWS	GW	163	Local government	E. COLI	MR	SOX	11/16/2022	11/16/2022	11/16/2022		Monitoring, Source Water (GWR)
VA3175170	CWS	GW	163	Local government	E. COLI	MR	SIE	10/28/2022	11/16/2022	11/16/2022		Monitoring, Source Water (GWR)
VA3175170	CWS	GW	163	Local government	E. COLI	MR	SFJ	10/28/2022	11/16/2022	11/16/2022		Monitoring, Source Water (GWR)
VA3175170	CWS	GW	163	Local government	Revised Total Coliform Rule	MON	SIF	10/21/2022	8/4/2022	8/4/2022	3A	Monitoring, Routine (RTCR)
VA3175170	CWS	GW	163	Local government	Revised Total Coliform Rule	MON	SIE	10/13/2022	8/4/2022	8/4/2022	3A	Monitoring, Routine (RTCR)
VA3175170	CWS	GW	163	Local government	Revised Total Coliform Rule	MON	SFJ	8/24/2022	8/4/2022	8/4/2022	3A	Monitoring, Routine (RTCR)
VA3175170	CWS	GW	163	Local government	Revised Total Coliform Rule	MON	SOX	8/4/2022	8/4/2022	8/4/2022	3A	Monitoring, Routine (RTCR)
VA3175270	TNCWS	GW	100	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3175270	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	2/23/2022	2/23/2022	2/23/2022	3A	Monitoring, Routine (RTCR)
VA3175270	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	2/17/2022	2/23/2022	2/23/2022	3A	Monitoring, Routine (RTCR)
VA3175270	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	2/17/2022	2/23/2022	2/23/2022	3A	Monitoring, Routine (RTCR)
VA3175270	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/30/2022	8/30/2022	8/30/2022	3A	Monitoring, Routine (RTCR)
VA3175270	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022	8/30/2022	8/30/2022	3A	Monitoring, Routine (RTCR)
VA3175270	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022	8/30/2022	8/30/2022	3A	Monitoring, Routine (RTCR)
VA3175275	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SOX	12/13/2022	12/13/2022	12/13/2022	3B	Monitoring, Additional Routine (RTCR)
VA3175275	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SIE	11/22/2022	12/13/2022	12/13/2022	3B	Monitoring, Additional Routine (RTCR)

VA3175275	TNCWS	GW	800	Private	Revised Total Coliform Rule	MON	SFJ	11/22/2022	12/13/2022	12/13/2022	3B	Monitoring, Additional Routine (RTCR)
VA3175282	CWS	GW	182	Private	Groundwater Rule	TT	SFL	3/8/2017				Failure To Address Deficiency
VA3175282	CWS	GW	182	Private	Groundwater Rule	TT	SIF	3/24/2014				Failure To Address Deficiency
VA3175282	CWS	GW	182	Private	Groundwater Rule	TT	SIE	10/4/2013				Failure To Address Deficiency
VA3175282	CWS	GW	182	Private	Groundwater Rule	TT	SFJ	10/4/2013				Failure To Address Deficiency
VA3175282	CWS	GW	182	Private	Revised Total Coliform Rule	TT	SIF	9/1/2020			2A	Treatment Technique, Level 1 Assessment (RTCR)
VA3175282	CWS	GW	182	Private	Revised Total Coliform Rule	TT	SF9	7/10/2019			2A	Treatment Technique, Level 1 Assessment (RTCR)
VA3175282	CWS	GW	182	Private	Revised Total Coliform Rule	TT	SFJ	1/28/2019			2A	Treatment Technique, Level 1 Assessment (RTCR)
VA3175282	CWS	GW	182	Private	Revised Total Coliform Rule	TT	SIE	1/28/2019			2A	Treatment Technique, Level 1 Assessment (RTCR)
VA3175282	CWS	GW	182	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA3175461	CWS	GW	64	Private	Lead and Copper Rule	MR	SFJ	11/4/2022				Follow-up Or Routine LCR Tap M/R
VA3175461	CWS	GW	64	Private	Lead and Copper Rule	MR	SIE	11/4/2022				Follow-up Or Routine LCR Tap M/R
VA3175461	CWS	GW	64	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3175461	CWS	GW	64	Private	Revised Total Coliform Rule	MON	SIE	11/22/2022	11/2/2022	11/2/2022	3A	Monitoring, Routine (RTCR)
VA3175461	CWS	GW	64	Private	Revised Total Coliform Rule	MON	SFJ	11/22/2022	11/2/2022	11/2/2022	3A	Monitoring, Routine (RTCR)
VA3175461	CWS	GW	64	Private	Revised Total Coliform Rule	MON	SOX	11/2/2022	11/2/2022	11/2/2022	3A	Monitoring, Routine (RTCR)
VA3175515	NTNCWS	GW	400	Local government	1,1,1-Trichloroethane	MR						Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	1,1,2-Trichloroethane	MR						Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	1,1-Dichloroethylene	MR						Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	1,2,4-Trichlorobenzene	MR						Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	1,2-Dichloroethane	MR						Monitoring, Regular

VA3175515	NTNCWS	GW	400	Local government	1,2-Dichloropropane	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Antimony, Total	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Arsenic	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Barium	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Benzene	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Beryllium, Total	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	CHLOROBENZENE	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Cadmium	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Carbon tetrachloride	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Chromium	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	DICHLOROMETHANE	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Ethylbenzene	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Fluoride	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Mercury	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Nickel	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Nitrate-Nitrite	MR									Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Revised Total Coliform Rule	MON	SIF	8/5/2022	6/30/2022	6/30/2022	3A				Monitoring, Routine (RTCR)
VA3175515	NTNCWS	GW	400	Local government	Revised Total Coliform Rule	MON	SOX	6/30/2022	6/30/2022	6/30/2022	3A				Monitoring, Routine (RTCR)
VA3175515	NTNCWS	GW	400	Local government	Revised Total Coliform Rule	MON	SIE	6/23/2022	6/30/2022	6/30/2022	3A				Monitoring, Routine (RTCR)
VA3175515	NTNCWS	GW	400	Local government	Revised Total Coliform Rule	MON	SFJ	6/23/2022	6/30/2022	6/30/2022	3A				Monitoring, Routine (RTCR)
VA3175515	NTNCWS	GW	400	Local government	Selenium	MR									Monitoring, Regular

VA3175515	NTNCWS	GW	400	Local government	Styrene	MR							Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Tetrachloroethylene	MR							Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Thallium, Total	MR							Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Toluene	MR							Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Trichloroethylene	MR							Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Vinyl chloride	MR							Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	Xylenes, Total	MR							Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	cis-1,2-Dichloroethylene	MR							Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	o-Dichlorobenzene	MR							Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	p-Dichlorobenzene	MR							Monitoring, Regular
VA3175515	NTNCWS	GW	400	Local government	trans-1,2-Dichloroethylene	MR							Monitoring, Regular
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	Other	SOX	2/16/2022	2/16/2022	2/16/2022	5A		Sample Siting Plan Errors (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	Other	SFJ	1/4/2022	2/16/2022	2/16/2022	5A		Sample Siting Plan Errors (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022	8/1/2022	8/1/2022	3A		Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022	8/1/2022	8/1/2022	3A		Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SOX	8/1/2022	8/1/2022	8/1/2022	3A		Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SIE	11/22/2022			3A		Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SFJ	11/22/2022			3A		Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SIE	12/20/2022			3A		Monitoring, Routine (RTCR)
VA3175554	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SFJ	12/20/2022			3A		Monitoring, Routine (RTCR)
VA3175650	CWS	GW	400	Private	Revised Total Coliform Rule	MON	SIF	8/10/2022	7/5/2022	7/5/2022	3A		Monitoring, Routine (RTCR)

VA3175650	CWS	GW	400	Private	Revised Total Coliform Rule	MON	SIE	7/22/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA3175650	CWS	GW	400	Private	Revised Total Coliform Rule	MON	SFJ	7/22/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA3175650	CWS	GW	400	Private	Revised Total Coliform Rule	MON	SOX	7/5/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA3175740	NTNCWS	GW	2000	Local government	1,1,1-Trichloroethane	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	1,1,2-Trichloroethane	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	1,1-Dichloroethylene	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	1,2,4-Trichlorobenzene	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	1,2-Dichloroethane	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	1,2-Dichloropropane	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Antimony, Total	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Arsenic	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Barium	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Benzene	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Beryllium, Total	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	CHLOROBENZENE	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Cadmium	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Carbon tetrachloride	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Chromium	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	DICHLOROMETHANE	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Ethylbenzene	MR						Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Fluoride	MR						Monitoring, Regular

VA3175740	NTNCWS	GW	2000	Local government	Mercury	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Nickel	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Nitrate-Nitrite	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Revised Total Coliform Rule	MON	SIF	8/5/2022	6/30/2022	6/30/2022	3A		Monitoring, Routine (RTCR)
VA3175740	NTNCWS	GW	2000	Local government	Revised Total Coliform Rule	MON	SOX	6/30/2022	6/30/2022	6/30/2022	3A		Monitoring, Routine (RTCR)
VA3175740	NTNCWS	GW	2000	Local government	Revised Total Coliform Rule	MON	SFJ	6/23/2022	6/30/2022	6/30/2022	3A		Monitoring, Routine (RTCR)
VA3175740	NTNCWS	GW	2000	Local government	Revised Total Coliform Rule	MON	SIE	6/23/2022	6/30/2022	6/30/2022	3A		Monitoring, Routine (RTCR)
VA3175740	NTNCWS	GW	2000	Local government	Selenium	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Styrene	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Tetrachloroethylene	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Thallium, Total	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Toluene	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Trichloroethylene	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Vinyl chloride	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	Xylenes, Total	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	cis-1,2-Dichloroethylene	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	o-Dichlorobenzene	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	p-Dichlorobenzene	MR							Monitoring, Regular
VA3175740	NTNCWS	GW	2000	Local government	trans-1,2-Dichloroethylene	MR							Monitoring, Regular
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	5/3/2022	5/3/2022	5/3/2022	3A		Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	4/22/2022	5/3/2022	5/3/2022	3A		Monitoring, Routine (RTCR)

VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	4/22/2022	5/3/2022	5/3/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	5/16/2022	5/3/2022	5/3/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	5/16/2022	5/3/2022	5/3/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	5/3/2022	5/3/2022	5/3/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	8/22/2022	8/22/2022	8/22/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	7/22/2022	8/22/2022	8/22/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	7/22/2022	8/22/2022	8/22/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022	8/2/2022	8/2/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022	8/2/2022	8/2/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	8/2/2022	8/2/2022	8/2/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	12/12/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	10/28/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	10/28/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	12/12/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	11/22/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	11/22/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	12/20/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	12/20/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA3175755	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	12/12/2022	12/12/2022	12/12/2022	3A	Monitoring, Routine (RTCR)
VA3175860	CWS	GW	356	Private	Revised Total Coliform Rule	MON	SIF	6/30/2022	5/9/2022	5/9/2022	3A	Monitoring, Routine (RTCR)
VA3175860	CWS	GW	356	Private	Revised Total Coliform Rule	MON	SFJ	5/17/2022	5/9/2022	5/9/2022	3A	Monitoring, Routine (RTCR)

VA3175860	CWS	GW	356	Private	Revised Total Coliform Rule	MON	SIE	5/17/2022	5/9/2022	5/9/2022	3A	Monitoring, Routine (RTCR)
VA3175860	CWS	GW	356	Private	Revised Total Coliform Rule	MON	SOX	5/9/2022	5/9/2022	5/9/2022	3A	Monitoring, Routine (RTCR)
VA3181102	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	11/22/2022			3B	Monitoring, Additional Routine (RTCR)
VA3181102	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	11/22/2022			3B	Monitoring, Additional Routine (RTCR)
VA3181181	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	6/28/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA3181181	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	6/28/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA3181181	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	6/14/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA3183600	NTNCWS	GW	323	Private	Revised Total Coliform Rule	MON	SIF	9/8/2022	8/24/2022	8/24/2022	3A	Monitoring, Routine (RTCR)
VA3183600	NTNCWS	GW	323	Private	Revised Total Coliform Rule	MON	SOX	8/24/2022	8/24/2022	8/24/2022	3A	Monitoring, Routine (RTCR)
VA3183600	NTNCWS	GW	323	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022	8/24/2022	8/24/2022	3A	Monitoring, Routine (RTCR)
VA3183600	NTNCWS	GW	323	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022	8/24/2022	8/24/2022	3A	Monitoring, Routine (RTCR)
VA3199520	TNCWS	GW	100	Local government	Nitrate-Nitrite	MR						Monitoring, Regular
VA3199820	TNCWS	GW	250	Local government	Nitrate-Nitrite	MR						Monitoring, Regular
VA3550007	NTNCWS	GW	33	Private	Revised Total Coliform Rule	MON	SIF	4/1/2022	3/16/2022	3/16/2022	3A	Monitoring, Routine (RTCR)
VA3550007	NTNCWS	GW	33	Private	Revised Total Coliform Rule	MON	SIE	3/18/2022	3/16/2022	3/16/2022	3A	Monitoring, Routine (RTCR)
VA3550007	NTNCWS	GW	33	Private	Revised Total Coliform Rule	MON	SFJ	3/18/2022	3/16/2022	3/16/2022	3A	Monitoring, Routine (RTCR)
VA3550007	NTNCWS	GW	33	Private	Revised Total Coliform Rule	MON	SOX	3/16/2022	3/16/2022	3/16/2022	3A	Monitoring, Routine (RTCR)
VA3550335	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	10/14/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA3550335	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA3550335	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA3550335	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	9/6/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)

VA3550335	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	12/8/2022	11/7/2022	11/7/2022	3A	Monitoring, Routine (RTCR)
VA3550335	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	11/22/2022	11/7/2022	11/7/2022	3A	Monitoring, Routine (RTCR)
VA3550335	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	11/22/2022	11/7/2022	11/7/2022	3A	Monitoring, Routine (RTCR)
VA3550335	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	11/7/2022	11/7/2022	11/7/2022	3A	Monitoring, Routine (RTCR)
VA3550716	TNCWS	GW	132	Private	Revised Total Coliform Rule	MON	SOX	8/11/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA3550716	TNCWS	GW	132	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA3550716	TNCWS	GW	132	Private	Revised Total Coliform Rule	MON	SIE	7/26/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA3550718	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SOX	8/11/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA3550718	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA3550718	TNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SIE	7/26/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SFO	11/23/2022				Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SIF	10/9/2022				Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SFJ	10/4/2022				Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	TTHM	MCL	SIE	10/4/2022				Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	TTHM	MCL						Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SIF	8/2/2022				Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	6/23/2022				Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	6/23/2022				Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SIE	10/4/2022				Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL	SFJ	10/4/2022				Maximum Contaminant Level Violation, Average
VA3595250	CWS	SW	5600	Local government	Total Haloacetic Acids (HAA5)	MCL						Maximum Contaminant Level Violation, Average

VA3800150	TNCWS	GW	180	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SFJ	5/9/2022				Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SFJ	5/9/2022				Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Public Notice	Other	SFJ	5/9/2022				Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Public Notice	Other						Public Notification Violation for NPDWR Violation
VA3800150	TNCWS	GW	180	Private	Revised Total Coliform Rule	MON	SOX	9/28/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA3800150	TNCWS	GW	180	Private	Revised Total Coliform Rule	MON	SFJ	8/26/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA3800150	TNCWS	GW	180	Private	Revised Total Coliform Rule	MON	SIE	8/26/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA3800150	TNCWS	GW	180	Private	Revised Total Coliform Rule	MON	SOX	9/28/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA3800150	TNCWS	GW	180	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA3800150	TNCWS	GW	180	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA3800303	TNCWS	GW	25	Private	Public Notice	Other	SFJ	2/23/2021				Public Notification Violation for NPDWR Violation
VA3800303	TNCWS	GW	25	Private	Public Notice	Other	SFJ	5/9/2022				Public Notification Violation for NPDWR Violation
VA3800830	NTNCWS	GW	50	Private	Groundwater Rule	TT	SOX	10/25/2022	10/25/2022	10/25/2022		Failure To Address Deficiency
VA3800830	NTNCWS	GW	50	Private	Groundwater Rule	TT	SFJ	6/11/2021	10/25/2022	10/25/2022		Failure To Address Deficiency
VA3800830	NTNCWS	GW	50	Private	Groundwater Rule	TT	SIE	6/11/2021	10/25/2022	10/25/2022		Failure To Address Deficiency
VA3800830	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	6/9/2022	5/4/2022	5/4/2022	3A	Monitoring, Routine (RTCR)
VA3800830	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	5/23/2022	5/4/2022	5/4/2022	3A	Monitoring, Routine (RTCR)
VA3800830	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	5/23/2022	5/4/2022	5/4/2022	3A	Monitoring, Routine (RTCR)
VA3800830	NTNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	5/4/2022	5/4/2022	5/4/2022	3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	11/2/2022			3A	Monitoring, Routine (RTCR)

VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	11/2/2022			3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	11/23/2022			3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	11/23/2022			3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SIE	12/22/2022			3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON	SFJ	12/22/2022			3A	Monitoring, Routine (RTCR)
VA3810016	NTNCWS	GW	55	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA3810110	NTNCWS	GW	326	Local government	Revised Total Coliform Rule	MON	SIE	12/22/2022			3A	Monitoring, Routine (RTCR)
VA3810110	NTNCWS	GW	326	Local government	Revised Total Coliform Rule	MON	SFJ	12/22/2022			3A	Monitoring, Routine (RTCR)
VA3810110	NTNCWS	GW	326	Local government	Revised Total Coliform Rule	MON	SIE	12/22/2022			3A	Monitoring, Routine (RTCR)
VA3810110	NTNCWS	GW	326	Local government	Revised Total Coliform Rule	MON	SFJ	12/22/2022			3A	Monitoring, Routine (RTCR)
VA3810110	NTNCWS	GW	326	Local government	Revised Total Coliform Rule	MON	SFJ	12/22/2022			3A	Monitoring, Routine (RTCR)
VA3810110	NTNCWS	GW	326	Local government	Revised Total Coliform Rule	MON	SIE	12/22/2022			3A	Monitoring, Routine (RTCR)
VA3810115	TNCWS	GW	120	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3810115	TNCWS	GW	120	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	2/22/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	2/22/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	3/22/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	3/22/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)

VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	4/21/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	4/21/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	5/23/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	5/23/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	6/17/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	6/17/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	7/26/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	8/29/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	11/2/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	11/2/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	10/12/2022	10/12/2022	10/12/2022	3A	Monitoring, Routine (RTCR)

VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	12/22/2022		3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	12/22/2022		3A	Monitoring, Routine (RTCR)
VA3810297	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3810425	TNCWS	GW	800	Local government	Revised Total Coliform Rule	MON	SFJ	11/2/2022		3A	Monitoring, Routine (RTCR)
VA3810425	TNCWS	GW	800	Local government	Revised Total Coliform Rule	MON	SIE	11/2/2022		3A	Monitoring, Routine (RTCR)
VA3810450	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3810507	TNCWS	GW	142	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3810870	TNCWS	GW	61	Private	Nitrate-Nitrite	MR					Monitoring, Regular
VA3810870	TNCWS	GW	61	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA3810890	TNCWS	GW	90	Local government	Revised Total Coliform Rule	MON	SIE	12/22/2022		3A	Monitoring, Routine (RTCR)
VA3810890	TNCWS	GW	90	Local government	Revised Total Coliform Rule	MON	SFJ	12/22/2022		3A	Monitoring, Routine (RTCR)
VA3810890	TNCWS	GW	90	Local government	Revised Total Coliform Rule	MON	SFJ	12/22/2022		3A	Monitoring, Routine (RTCR)
VA3810890	TNCWS	GW	90	Local government	Revised Total Coliform Rule	MON	SIE	12/22/2022		3A	Monitoring, Routine (RTCR)
VA4036030	TNCWS	GW	85	Private	Nitrate-Nitrite	MR					Monitoring, Regular
VA4036150	NTNCWS	GW	965	Local government	Lead and Copper Rule	MR	SOX	5/2/2022	5/2/2022	5/2/2022	Lead Consumer Notice
VA4036150	NTNCWS	GW	965	Local government	Lead and Copper Rule	MR	SFJ	4/25/2022	5/2/2022	5/2/2022	Lead Consumer Notice
VA4036180	TNCWS	GW	49	Private	Public Notice	Other	SOX	2/9/2022	2/9/2022	2/9/2022	Public Notification Violation for NPDWR Violation
VA4036180	TNCWS	GW	49	Private	Public Notice	Other	SFJ	7/30/2018	2/9/2022	2/9/2022	Public Notification Violation for NPDWR Violation
VA4036500	CWS	GW	243	Local government	1,1,1-Trichloroethane	MR					Monitoring, Regular
VA4036500	CWS	GW	243	Local government	1,1,2-Trichloroethane	MR					Monitoring, Regular
VA4036500	CWS	GW	243	Local government	1,1-Dichloroethylene	MR					Monitoring, Regular

VA4036500	CWS	GW	243	Local government	1,2,4-Trichlorobenzene	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	1,2-Dichloroethane	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	1,2-Dichloropropane	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	Benzene	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	CHLOROBENZENE	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	Carbon tetrachloride	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	DICHLOROMETHANE	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	Ethylbenzene	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	Styrene	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	Tetrachloroethylene	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	Toluene	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	Trichloroethylene	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	Vinyl chloride	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	Xylenes, Total	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	cis-1,2-Dichloroethylene	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	o-Dichlorobenzene	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	p-Dichlorobenzene	MR							Monitoring, Regular
VA4036500	CWS	GW	243	Local government	trans-1,2-Dichloroethylene	MR							Monitoring, Regular
VA4036850	NTNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SIF	10/11/2022	9/7/2022	9/7/2022	3A		Monitoring, Routine (RTCR)
VA4036850	NTNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SFJ	9/19/2022	9/7/2022	9/7/2022	3A		Monitoring, Routine (RTCR)
VA4036850	NTNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SIE	9/19/2022	9/7/2022	9/7/2022	3A		Monitoring, Routine (RTCR)

VA4036850	NTNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SOX	9/7/2022	9/7/2022	9/7/2022	3A	Monitoring, Routine (RTCR)
VA4036860	CWS	GW	48	Private	1,1,1-Trichloroethane	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	1,1,2-Trichloroethane	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	1,1-Dichloroethylene	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	1,2,4-Trichlorobenzene	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	1,2-Dichloroethane	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	1,2-Dichloropropane	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Benzene	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	CHLOROBENZENE	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Carbon tetrachloride	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Combined Radium (-226 and -228)	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Combined Radium (-226 and -228)	MR	SFJ	10/18/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Combined Radium (-226 and -228)	MR	SIE	10/18/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Combined Uranium	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Combined Uranium	MR	SIE	10/18/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Combined Uranium	MR	SFJ	10/18/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	DICHLOROMETHANE	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Ethylbenzene	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Gross Alpha, Excl. Radon and U	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Gross Alpha, Excl. Radon and U	MR	SFJ	10/18/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Gross Alpha, Excl. Radon and U	MR	SIE	10/18/2022	10/23/2022	10/23/2022		Monitoring, Regular

VA4036860	CWS	GW	48	Private	Revised Total Coliform Rule	MON	SOX	9/30/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4036860	CWS	GW	48	Private	Revised Total Coliform Rule	MON	SIE	8/16/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4036860	CWS	GW	48	Private	Revised Total Coliform Rule	MON	SFJ	8/16/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4036860	CWS	GW	48	Private	Revised Total Coliform Rule	MON	SOX	9/30/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4036860	CWS	GW	48	Private	Revised Total Coliform Rule	MON	SFJ	9/19/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4036860	CWS	GW	48	Private	Revised Total Coliform Rule	MON	SIE	9/19/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4036860	CWS	GW	48	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	9/30/2022	9/30/2022	9/30/2022		Treatment Technique No Certif. Operator
VA4036860	CWS	GW	48	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	9/30/2022	9/30/2022	9/30/2022		Treatment Technique No Certif. Operator
VA4036860	CWS	GW	48	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	8/1/2022	9/30/2022	9/30/2022		Treatment Technique No Certif. Operator
VA4036860	CWS	GW	48	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	8/1/2022	9/30/2022	9/30/2022		Treatment Technique No Certif. Operator
VA4036860	CWS	GW	48	Private	Styrene	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Tetrachloroethylene	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Toluene	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Trichloroethylene	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Vinyl chloride	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	Xylenes, Total	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	cis-1,2-Dichloroethylene	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular
VA4036860	CWS	GW	48	Private	o-Dichlorobenzene	MR	SOX	10/23/2022	10/23/2022	10/23/2022		Monitoring, Regular

VA4036860	CWS	GW	48	Private	p-Dichlorobenzene	MR	SOX	10/23/2022	10/23/2022	10/23/2022	Monitoring, Regular
VA4036860	CWS	GW	48	Private	trans-1,2-Dichloroethylene	MR	SOX	10/23/2022	10/23/2022	10/23/2022	Monitoring, Regular
VA4036870	TNCWS	GW	25	Private	Nitrate-Nitrite	MR					Monitoring, Regular
VA4036870	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA4036910	TNCWS	GW	82	Private	Public Notice	Other	SFJ	3/9/2022			Public Notification Violation for NPDWR Violation
VA4036910	TNCWS	GW	82	Private	Public Notice	Other	SFJ	8/16/2022			Public Notification Violation for NPDWR Violation
VA4036910	TNCWS	GW	82	Private	Revised Total Coliform Rule	MON	SFJ	11/21/2022		3A	Monitoring, Routine (RTCR)
VA4036910	TNCWS	GW	82	Private	Revised Total Coliform Rule	MON	SIE	11/21/2022		3A	Monitoring, Routine (RTCR)
VA4036910	TNCWS	GW	82	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA4041025	NTNCWS	GW	165	Private	Lead and Copper Rule	MR	SOX	1/10/2022	1/10/2022	1/10/2022	Lead Consumer Notice
VA4041025	NTNCWS	GW	165	Private	Lead and Copper Rule	MR	SFJ	1/10/2022	1/10/2022	1/10/2022	Lead Consumer Notice
VA4041736	TNCWS	GW	59	State government	Revised Total Coliform Rule	MON	SIF	12/30/2022	4/11/2022	4/11/2022	3A Monitoring, Routine (RTCR)
VA4041736	TNCWS	GW	59	State government	Revised Total Coliform Rule	MON	SIE	5/4/2022	4/11/2022	4/11/2022	3A Monitoring, Routine (RTCR)
VA4041736	TNCWS	GW	59	State government	Revised Total Coliform Rule	MON	SFJ	5/4/2022	4/11/2022	4/11/2022	3A Monitoring, Routine (RTCR)
VA4041736	TNCWS	GW	59	State government	Revised Total Coliform Rule	MON	SOX	4/11/2022	4/11/2022	4/11/2022	3A Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	E. COLI	MR	SOX	12/29/2022	12/29/2022	12/29/2022	Monitoring, Source Water (GWR)
VA4041950	TNCWS	GW	520	Private	E. COLI	MR	SIE	10/24/2022	12/29/2022	12/29/2022	Monitoring, Source Water (GWR)
VA4041950	TNCWS	GW	520	Private	E. COLI	MR	SFJ	10/24/2022	12/29/2022	12/29/2022	Monitoring, Source Water (GWR)
VA4041950	TNCWS	GW	520	Private	Nitrate-Nitrite	MR					Monitoring, Regular
VA4041950	TNCWS	GW	520	Private	Public Notice	Other	SFJ	12/13/2022			Public Notification Violation for NPDWR Violation
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SOX	8/31/2022	8/31/2022	8/31/2022	3A Monitoring, Routine (RTCR)

VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SFJ	5/17/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SIE	5/17/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SOX	8/31/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SIE	7/21/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SFJ	7/21/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SOX	8/31/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SFJ	8/16/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SIE	8/16/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SFJ	10/20/2022			3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SIE	10/20/2022			3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SIE	11/21/2022			3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SFJ	11/21/2022			3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SFJ	12/13/2022			3A	Monitoring, Routine (RTCR)
VA4041950	TNCWS	GW	520	Private	Revised Total Coliform Rule	MON	SIE	12/13/2022			3A	Monitoring, Routine (RTCR)
VA4057050	TNCWS	GW	50	Private	Public Notice	Other						Public Notification Violation for NPDWR Violation
VA4057050	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA4057450	TNCWS	GW	70	Private	Public Notice	Other						Public Notification Violation for NPDWR Violation
VA4057450	TNCWS	GW	70	Private	Public Notice	Other	SFJ	12/20/2022	1/4/2022	1/4/2022		Public Notification Violation for NPDWR Violation
VA4057450	TNCWS	GW	70	Private	Public Notice	Other	SIF	1/4/2022	1/4/2022	1/4/2022		Public Notification Violation for NPDWR Violation
VA4057450	TNCWS	GW	70	Private	Public Notice	Other	SOX	1/4/2022	1/4/2022	1/4/2022		Public Notification Violation for NPDWR Violation
VA4057450	TNCWS	GW	70	Private	Revised Total Coliform Rule	TT	SIF	3/8/2022	3/2/2022	3/2/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)

VA4057450	TNCWS	GW	70	Private	Revised Total Coliform Rule	TT	SOX	3/2/2022	3/2/2022	3/2/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4057450	TNCWS	GW	70	Private	Revised Total Coliform Rule	TT	SIE	2/23/2022	3/2/2022	3/2/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4057450	TNCWS	GW	70	Private	Revised Total Coliform Rule	TT	SFJ	2/23/2022	3/2/2022	3/2/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4057800	CWS	GW	2375	Local government	Lead and Copper Rule	MR	SFJ	5/2/2022				Lead Consumer Notice
VA4057900	CWS	GW	48	Private	Consumer Confidence Rule	Other	SFJ	8/9/2021				Consumer Confidence Report Complete Failure to Report
VA4073005	NTNCWS	GW	542	Local government	Nitrate-Nitrite	MR						Monitoring, Regular
VA4073005	NTNCWS	GW	542	Local government	TTHM	MR	SOX	6/13/2022	6/13/2022	6/13/2022		Monitoring, Routine (IDSE)
VA4073005	NTNCWS	GW	542	Local government	TTHM	MR	SFJ	5/10/2022	6/13/2022	6/13/2022		Monitoring, Routine (IDSE)
VA4073005	NTNCWS	GW	542	Local government	TTHM	MR	SIE	5/10/2022	6/13/2022	6/13/2022		Monitoring, Routine (IDSE)
VA4073005	NTNCWS	GW	542	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	6/13/2022	6/13/2022	6/13/2022		Monitoring, Routine (IDSE)
VA4073005	NTNCWS	GW	542	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	5/10/2022	6/13/2022	6/13/2022		Monitoring, Routine (IDSE)
VA4073005	NTNCWS	GW	542	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	5/10/2022	6/13/2022	6/13/2022		Monitoring, Routine (IDSE)
VA4073147	TNCWS	GW	50	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA4073150	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	4/22/2022	4/22/2022	4/22/2022	3A	Monitoring, Routine (RTCR)
VA4073250	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	4/22/2022	4/22/2022	4/22/2022	3A	Monitoring, Routine (RTCR)
VA4073300	TNCWS	GW	50	Private	Public Notice	Other	SFJ	2/2/2021				Public Notification Violation for NPDWR Violation
VA4073302	NTNCWS	GW	135	Private	Lead and Copper Rule	MR	SIE	11/3/2022				Follow-up Or Routine LCR Tap M/R
VA4073302	NTNCWS	GW	135	Private	Lead and Copper Rule	MR	SFJ	11/3/2022				Follow-up Or Routine LCR Tap M/R
VA4073302	NTNCWS	GW	135	Private	Revised Total Coliform Rule	MON	SIF	6/9/2022	5/10/2022	5/10/2022	3A	Monitoring, Routine (RTCR)

VA4073302	NTNCWS	GW	135	Private	Revised Total Coliform Rule	MON	SIE	5/23/2022	5/10/2022	5/10/2022	3A	Monitoring, Routine (RTCR)
VA4073302	NTNCWS	GW	135	Private	Revised Total Coliform Rule	MON	SFJ	5/23/2022	5/10/2022	5/10/2022	3A	Monitoring, Routine (RTCR)
VA4073302	NTNCWS	GW	135	Private	Revised Total Coliform Rule	MON	SOX	5/10/2022	5/10/2022	5/10/2022	3A	Monitoring, Routine (RTCR)
VA4073308	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SOX	5/16/2022	5/16/2022	5/16/2022	3A	Monitoring, Routine (RTCR)
VA4073308	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SIE	4/22/2022	5/16/2022	5/16/2022	3A	Monitoring, Routine (RTCR)
VA4073308	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SFJ	4/22/2022	5/16/2022	5/16/2022	3A	Monitoring, Routine (RTCR)
VA4073308	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SOX	10/27/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA4073308	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SIF	10/11/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA4073308	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SFJ	9/2/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA4073308	TNCWS	GW	250	Private	Revised Total Coliform Rule	MON	SIE	9/2/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA4073335	NTNCWS	GW	119	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA4073335	NTNCWS	GW	119	Private	Revised Total Coliform Rule	MON	SIF	8/29/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA4073335	NTNCWS	GW	119	Private	Revised Total Coliform Rule	MON	SIE	7/26/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA4073335	NTNCWS	GW	119	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA4073335	NTNCWS	GW	119	Private	Revised Total Coliform Rule	MON	SOX	7/12/2022	7/12/2022	7/12/2022	3A	Monitoring, Routine (RTCR)
VA4073510	CWS	GW	210	Private	Consumer Confidence Rule	Other	SIE	8/30/2022				Consumer Confidence Report Complete Failure to Report
VA4073510	CWS	GW	210	Private	Consumer Confidence Rule	Other	SFJ	8/30/2022				Consumer Confidence Report Complete Failure to Report
VA4073510	CWS	GW	210	Private	E. COLI	MR	SOX	5/4/2022	5/4/2022	5/4/2022		Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SFO	3/1/2022	5/4/2022	5/4/2022		Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SFJ	8/24/2021	5/4/2022	5/4/2022		Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SIE	8/24/2021	5/4/2022	5/4/2022		Monitoring, Source Water (GWR)

VA4073510	CWS	GW	210	Private	E. COLI	MR	SOX	5/4/2022	5/4/2022	5/4/2022	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SFO	3/1/2022	5/4/2022	5/4/2022	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SFJ	8/24/2021	5/4/2022	5/4/2022	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SIE	8/24/2021	5/4/2022	5/4/2022	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SIE	3/7/2022	2/28/2022	2/28/2022	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SFJ	3/7/2022	2/28/2022	2/28/2022	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR	SOX	2/28/2022	2/28/2022	2/28/2022	Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	E. COLI	MR					Monitoring, Source Water (GWR)
VA4073510	CWS	GW	210	Private	Public Notice	Other	SFJ	5/9/2022			Public Notification Violation for NPDWR Violation
VA4073510	CWS	GW	210	Private	Revised Total Coliform Rule	MON	SOX	8/31/2022	8/31/2022	8/31/2022	3A Monitoring, Routine (RTCR)
VA4073510	CWS	GW	210	Private	Revised Total Coliform Rule	MON	SFJ	8/26/2022	8/31/2022	8/31/2022	3A Monitoring, Routine (RTCR)
VA4073510	CWS	GW	210	Private	Revised Total Coliform Rule	MON	SIE	8/26/2022	8/31/2022	8/31/2022	3A Monitoring, Routine (RTCR)
VA4073860	TNCWS	GW	120	Local government	Nitrate-Nitrite	MR					Monitoring, Regular
VA4073860	TNCWS	GW	120	Local government	Revised Total Coliform Rule	MON	SIF	11/30/2022	11/9/2022	11/9/2022	3A Monitoring, Routine (RTCR)
VA4073860	TNCWS	GW	120	Local government	Revised Total Coliform Rule	MON	SOX	11/9/2022	11/9/2022	11/9/2022	3A Monitoring, Routine (RTCR)
VA4073860	TNCWS	GW	120	Local government	Revised Total Coliform Rule	MON	SFJ	11/1/2022	11/9/2022	11/9/2022	3A Monitoring, Routine (RTCR)
VA4073860	TNCWS	GW	120	Local government	Revised Total Coliform Rule	MON	SIE	11/1/2022	11/9/2022	11/9/2022	3A Monitoring, Routine (RTCR)
VA4073861	TNCWS	GW	400	Private	Nitrate-Nitrite	MR					Monitoring, Regular
VA4073861	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SIF	11/30/2022	11/9/2022	11/9/2022	3A Monitoring, Routine (RTCR)
VA4073861	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SOX	11/9/2022	11/9/2022	11/9/2022	3A Monitoring, Routine (RTCR)
VA4073861	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SIE	11/1/2022	11/9/2022	11/9/2022	3A Monitoring, Routine (RTCR)

VA4073861	TNCWS	GW	400	Private	Revised Total Coliform Rule	MON	SFJ	11/1/2022	11/9/2022	11/9/2022	3A	Monitoring, Routine (RTCR)
VA4073970	TNCWS	GW	103	Private	Public Notice	Other	SFJ	2/2/2021				Public Notification Violation for NPDWR Violation
VA4073970	TNCWS	GW	103	Private	Public Notice	Other	SFJ	5/9/2022				Public Notification Violation for NPDWR Violation
VA4073970	TNCWS	GW	103	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA4073970	TNCWS	GW	103	Private	Revised Total Coliform Rule	MON	SFJ	11/1/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA4073970	TNCWS	GW	103	Private	Revised Total Coliform Rule	MON	SIE	11/1/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA4075030	TNCWS	GW	62	Private	Public Notice	Other	SFJ	12/20/2022				Public Notification Violation for NPDWR Violation
VA4075030	TNCWS	GW	62	Private	Revised Total Coliform Rule	MON	SIE	10/20/2022			3A	Monitoring, Routine (RTCR)
VA4075030	TNCWS	GW	62	Private	Revised Total Coliform Rule	MON	SFJ	10/20/2022			3A	Monitoring, Routine (RTCR)
VA4075049	TNCWS	GW	270	Private	Revised Total Coliform Rule	MON	SFJ	11/7/2022	10/20/2022	10/20/2022	3A	Monitoring, Routine (RTCR)
VA4075049	TNCWS	GW	270	Private	Revised Total Coliform Rule	MON	SIE	11/7/2022	10/20/2022	10/20/2022	3A	Monitoring, Routine (RTCR)
VA4075049	TNCWS	GW	270	Private	Revised Total Coliform Rule	MON	SOX	10/20/2022	10/20/2022	10/20/2022	3A	Monitoring, Routine (RTCR)
VA4075150	TNCWS	GW	47	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA4075280	CWS	SWP	2916	Local government	Revised Total Coliform Rule	MON	SIE	8/23/2022	8/16/2022	8/16/2022	3A	Monitoring, Routine (RTCR)
VA4075280	CWS	SWP	2916	Local government	Revised Total Coliform Rule	MON	SFJ	8/23/2022	8/16/2022	8/16/2022	3A	Monitoring, Routine (RTCR)
VA4075280	CWS	SWP	2916	Local government	Revised Total Coliform Rule	MON	SOX	8/16/2022	8/16/2022	8/16/2022	3A	Monitoring, Routine (RTCR)
VA4075281	TNCWS	GW	512	Private	Revised Total Coliform Rule	MON	SFJ	8/10/2022			3A	Monitoring, Routine (RTCR)
VA4075281	TNCWS	GW	512	Private	Revised Total Coliform Rule	MON	SIE	8/10/2022			3A	Monitoring, Routine (RTCR)
VA4075281	TNCWS	GW	512	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA4075283	CWS	SWP	19500	Local government	Revised Total Coliform Rule	MON	SIE	8/23/2022			3A	Monitoring, Routine (RTCR)
VA4075283	CWS	SWP	19500	Local government	Revised Total Coliform Rule	MON	SFJ	8/23/2022			3A	Monitoring, Routine (RTCR)

VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIE	3/29/2022			3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SFJ	3/29/2022			3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIE	5/4/2022	4/19/2022	4/19/2022	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SFJ	5/4/2022	4/19/2022	4/19/2022	3A	Monitoring, Routine (RTCR)
VA4075368	TNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SOX	4/19/2022	4/19/2022	4/19/2022	3A	Monitoring, Routine (RTCR)
VA4075462	TNCWS	GW	110	Private	E. COLI	MR	SIE	9/19/2022				Monitoring, Source Water (GWR)
VA4075462	TNCWS	GW	110	Private	E. COLI	MR	SFJ	9/19/2022				Monitoring, Source Water (GWR)
VA4075462	TNCWS	GW	110	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA4075462	TNCWS	GW	110	Private	Revised Total Coliform Rule	MON	SIE	9/19/2022			3A	Monitoring, Routine (RTCR)
VA4075462	TNCWS	GW	110	Private	Revised Total Coliform Rule	MON	SFJ	9/19/2022			3A	Monitoring, Routine (RTCR)
VA4075462	TNCWS	GW	110	Private	Revised Total Coliform Rule	MON	SIE	10/20/2022			3A	Monitoring, Routine (RTCR)
VA4075462	TNCWS	GW	110	Private	Revised Total Coliform Rule	MON	SFJ	10/20/2022			3A	Monitoring, Routine (RTCR)
VA4075520	CWS	GW	184	Private	Revised Total Coliform Rule	MON	SIF	6/29/2022			3A	Monitoring, Routine (RTCR)
VA4075520	CWS	GW	184	Private	Revised Total Coliform Rule	MON	SIE	6/21/2022			3A	Monitoring, Routine (RTCR)
VA4075520	CWS	GW	184	Private	Revised Total Coliform Rule	MON	SFJ	6/21/2022			3A	Monitoring, Routine (RTCR)
VA4075650	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	7/29/2019	1/12/2023		3A	Monitoring, Routine (RTCR)
VA4075650	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	7/29/2019	1/12/2023		3A	Monitoring, Routine (RTCR)
VA4075650	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	11/8/2019	1/12/2023		3A	Monitoring, Routine (RTCR)
VA4075650	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	11/8/2019	1/12/2023		3A	Monitoring, Routine (RTCR)
VA4075703	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	11/7/2022	2/2/2023		3A	Monitoring, Routine (RTCR)
VA4075703	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	11/7/2022	2/2/2023		3A	Monitoring, Routine (RTCR)

VA4075705	TNCWS	GW	52	Private	Public Notice	Other	SIF	5/12/2022	Public Notification Violation for NPDWR Violation			
VA4075705	TNCWS	GW	52	Private	Public Notice	Other	SFJ	4/25/2022	Public Notification Violation for NPDWR Violation			
VA4085292	TNCWS	GW	26	Private	Public Notice	Other	SFJ	6/1/2022	Public Notification Violation for NPDWR Violation			
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	6/27/2022	6/2/2022	6/2/2022	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	6/27/2022	6/2/2022	6/2/2022	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	6/2/2022	6/2/2022	6/2/2022	3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022			3A	Monitoring, Routine (RTCR)
VA4085411	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022			3A	Monitoring, Routine (RTCR)
VA4085562	TNCWS	GW	510	Private	E. COLI	MR						Monitoring, Source Water (GWR)
VA4085562	TNCWS	GW	510	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022	7/13/2022	7/13/2022	3A	Monitoring, Routine (RTCR)
VA4085562	TNCWS	GW	510	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022	7/13/2022	7/13/2022	3A	Monitoring, Routine (RTCR)
VA4085562	TNCWS	GW	510	Private	Revised Total Coliform Rule	MON	SOX	7/13/2022	7/13/2022	7/13/2022	3A	Monitoring, Routine (RTCR)
VA4087098	TNCWS	GW	42	Private	Revised Total Coliform Rule	MON	SFJ	5/4/2022			3A	Monitoring, Routine (RTCR)
VA4087098	TNCWS	GW	42	Private	Revised Total Coliform Rule	MON	SIE	5/4/2022			3A	Monitoring, Routine (RTCR)
VA4087720	TNCWS	GW	50	Local government	Revised Total Coliform Rule	MON	SIF	5/19/2022	2/22/2022	2/22/2022	3B	Monitoring, Additional Routine (RTCR)
VA4087720	TNCWS	GW	50	Local government	Revised Total Coliform Rule	MON	SIE	3/29/2022	2/22/2022	2/22/2022	3B	Monitoring, Additional Routine (RTCR)
VA4087720	TNCWS	GW	50	Local government	Revised Total Coliform Rule	MON	SFJ	3/29/2022	2/22/2022	2/22/2022	3B	Monitoring, Additional Routine (RTCR)
VA4087720	TNCWS	GW	50	Local government	Revised Total Coliform Rule	MON	SOX	2/22/2022	2/22/2022	2/22/2022	3B	Monitoring, Additional Routine (RTCR)
VA4087815	TNCWS	GW	60	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA4097210	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	5/3/2022			3A	Monitoring, Routine (RTCR)
VA4097210	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	5/3/2022			3A	Monitoring, Routine (RTCR)

VA4097400	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	5/5/2022	3/23/2022	3/23/2022	3A	Monitoring, Routine (RTCR)
VA4097400	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	5/5/2022	3/23/2022	3/23/2022	3A	Monitoring, Routine (RTCR)
VA4097400	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	3/23/2022	3/23/2022	3/23/2022	3A	Monitoring, Routine (RTCR)
VA4097400	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	3/23/2022	3/23/2022	3/23/2022	3A	Monitoring, Routine (RTCR)
VA4101085	TNCWS	GW	220	Private	Revised Total Coliform Rule	MON	SIF	6/3/2022	4/20/2022	4/20/2022	3A	Monitoring, Routine (RTCR)
VA4101085	TNCWS	GW	220	Private	Revised Total Coliform Rule	MON	SIE	5/5/2022	4/20/2022	4/20/2022	3A	Monitoring, Routine (RTCR)
VA4101085	TNCWS	GW	220	Private	Revised Total Coliform Rule	MON	SFJ	5/5/2022	4/20/2022	4/20/2022	3A	Monitoring, Routine (RTCR)
VA4101085	TNCWS	GW	220	Private	Revised Total Coliform Rule	MON	SOX	4/20/2022	4/20/2022	4/20/2022	3A	Monitoring, Routine (RTCR)
VA4101086	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	6/3/2022	4/20/2022	4/20/2022	3A	Monitoring, Routine (RTCR)
VA4101086	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	5/5/2022	4/20/2022	4/20/2022	3A	Monitoring, Routine (RTCR)
VA4101086	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	5/5/2022	4/20/2022	4/20/2022	3A	Monitoring, Routine (RTCR)
VA4101086	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	4/20/2022	4/20/2022	4/20/2022	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SFJ	8/22/2022	8/8/2022	8/8/2022	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIE	8/22/2022	8/8/2022	8/8/2022	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SOX	8/8/2022	8/8/2022	8/8/2022	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SFJ	12/28/2022	11/28/2022	11/28/2022	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SIE	12/28/2022	11/28/2022	11/28/2022	3A	Monitoring, Routine (RTCR)
VA4101125	NTNCWS	GW	112	Private	Revised Total Coliform Rule	MON	SOX	11/28/2022	11/28/2022	11/28/2022	3A	Monitoring, Routine (RTCR)
VA4103365	TNCWS	GW	64	Private	Revised Total Coliform Rule	MON	SIE	7/22/2022	7/13/2022	7/13/2022	3A	Monitoring, Routine (RTCR)
VA4103365	TNCWS	GW	64	Private	Revised Total Coliform Rule	MON	SFJ	7/22/2022	7/13/2022	7/13/2022	3A	Monitoring, Routine (RTCR)
VA4103365	TNCWS	GW	64	Private	Revised Total Coliform Rule	MON	SOX	7/13/2022	7/13/2022	7/13/2022	3A	Monitoring, Routine (RTCR)

VA4103687	NTNCWS	GW	448	Local government	Lead and Copper Rule	MR	SOX	6/21/2022	6/21/2022	6/21/2022		Follow-up Or Routine LCR Tap M/R
VA4103687	NTNCWS	GW	448	Local government	Lead and Copper Rule	MR	SIE	12/2/2021	6/21/2022	6/21/2022		Follow-up Or Routine LCR Tap M/R
VA4103687	NTNCWS	GW	448	Local government	Lead and Copper Rule	MR	SIF	12/2/2021	6/21/2022	6/21/2022		Follow-up Or Routine LCR Tap M/R
VA4103687	NTNCWS	GW	448	Local government	Lead and Copper Rule	MR	SFJ	12/2/2021	6/21/2022	6/21/2022		Follow-up Or Routine LCR Tap M/R
VA4103725	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	5/16/2022	5/16/2022	5/16/2022	3A	Monitoring, Routine (RTCR)
VA4103725	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	5/3/2022	5/16/2022	5/16/2022	3A	Monitoring, Routine (RTCR)
VA4103725	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	5/3/2022	5/16/2022	5/16/2022	3A	Monitoring, Routine (RTCR)
VA4103870	CWS	GW	451	Private	Revised Total Coliform Rule	MON	SFJ	12/21/2022	12/7/2022	12/7/2022	3A	Monitoring, Routine (RTCR)
VA4103870	CWS	GW	451	Private	Revised Total Coliform Rule	MON	SIE	12/21/2022	12/7/2022	12/7/2022	3A	Monitoring, Routine (RTCR)
VA4103870	CWS	GW	451	Private	Revised Total Coliform Rule	MON	SOX	12/7/2022	12/7/2022	12/7/2022	3A	Monitoring, Routine (RTCR)
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SIF	12/14/2022				Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SIE	11/15/2022				Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SFJ	11/15/2022				Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SIF	12/14/2022				Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SFJ	11/15/2022				Failure To Address Deficiency
VA4103985	CWS	GW	146	Private	Groundwater Rule	TT	SIE	11/15/2022				Failure To Address Deficiency
VA4115002	TNCWS	GW	32	Local government	Public Notice	Other						Public Notification Violation for NPDWR Violation
VA4115455	CWS	GW	88	Private	Consumer Confidence Rule	Other	SOX	9/9/2022	9/9/2022	9/9/2022		Consumer Confidence Report Complete Failure to Report
VA4115455	CWS	GW	88	Private	Consumer Confidence Rule	Other	SIE	8/30/2022	9/9/2022	9/9/2022		Consumer Confidence Report Complete Failure to Report
VA4115455	CWS	GW	88	Private	Consumer Confidence Rule	Other	SFJ	8/30/2022	9/9/2022	9/9/2022		Consumer Confidence Report Complete Failure to Report
VA4115475	TNCWS	GW	100	Private	Nitrate-Nitrite	MR						Monitoring, Regular

VA4115505	TNCWS	GW	72	Private	E. COLI	MR	SOX	7/14/2022	7/14/2022	7/14/2022		Monitoring, Source Water (GWR)
VA4115505	TNCWS	GW	72	Private	E. COLI	MR	SIE	7/7/2022	7/14/2022	7/14/2022		Monitoring, Source Water (GWR)
VA4115505	TNCWS	GW	72	Private	E. COLI	MR	SFJ	7/7/2022	7/14/2022	7/14/2022		Monitoring, Source Water (GWR)
VA4115655	TNCWS	GW	50	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA4115655	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	11/1/2022	10/20/2022	10/20/2022	3A	Monitoring, Routine (RTCR)
VA4115655	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	11/1/2022	10/20/2022	10/20/2022	3A	Monitoring, Routine (RTCR)
VA4115655	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/20/2022	10/20/2022	10/20/2022	3A	Monitoring, Routine (RTCR)
VA4115720	TNCWS	GW	25	Private	E. COLI	MR						Monitoring, Source Water (GWR)
VA4115851	TNCWS	GW	100	Private	Public Notice	Other	SFJ	5/9/2022				Public Notification Violation for NPDWR Violation
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	2/22/2022	2/10/2022	2/10/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	2/22/2022	2/10/2022	2/10/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	2/10/2022	2/10/2022	2/10/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	8/28/2022	8/28/2022	8/28/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	7/26/2022	8/28/2022	8/28/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	7/26/2022	8/28/2022	8/28/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	8/28/2022	8/28/2022	8/28/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	8/26/2022	8/28/2022	8/28/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	8/26/2022	8/28/2022	8/28/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	11/1/2022	10/6/2022	10/6/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	11/1/2022	10/6/2022	10/6/2022	3A	Monitoring, Routine (RTCR)
VA4115950	NTNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	10/6/2022	10/6/2022	10/6/2022	3A	Monitoring, Routine (RTCR)

VA4119235	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	12/8/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA4119235	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	8/29/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA4119235	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA4119235	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	7/5/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA4119403	TNCWS	GW	128	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022	10/3/2022	10/3/2022	3A	Monitoring, Routine (RTCR)
VA4119403	TNCWS	GW	128	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022	10/3/2022	10/3/2022	3A	Monitoring, Routine (RTCR)
VA4119403	TNCWS	GW	128	Private	Revised Total Coliform Rule	MON	SOX	10/3/2022	10/3/2022	10/3/2022	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	9/28/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA4119412	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	8/29/2022	9/28/2022	9/28/2022	3A	Monitoring, Routine (RTCR)
VA4119418	TNCWS	GW	48	Private	Revised Total Coliform Rule	Other	SOX	2/1/2022	2/1/2022	2/1/2022	5A	Sample Siting Plan Errors (RTCR)
VA4119418	TNCWS	GW	48	Private	Revised Total Coliform Rule	Other	SFJ	1/12/2022	2/1/2022	2/1/2022	5A	Sample Siting Plan Errors (RTCR)
VA4119459	TNCWS	GW	320	Private	Revised Total Coliform Rule	MON	SIE	6/27/2022			3B	Monitoring, Additional Routine (RTCR)
VA4119459	TNCWS	GW	320	Private	Revised Total Coliform Rule	MON	SFJ	6/27/2022			3B	Monitoring, Additional Routine (RTCR)
VA4119475	TNCWS	GW	30	Private	Coliform (TCR)	MCL	SIF	12/18/1999	1/3/2023			Maximum Contaminant Level Violation, Monthly (TCR)
VA4119475	TNCWS	GW	30	Private	Coliform (TCR)	MCL	SFJ	11/29/1999	1/3/2023			Maximum Contaminant Level Violation, Monthly (TCR)
VA4119475	TNCWS	GW	30	Private	Coliform (TCR)	MCL	SIE	11/29/1999	1/3/2023			Maximum Contaminant Level Violation, Monthly (TCR)
VA4119515	CWS	GW	66	Private	Revised Total Coliform Rule	MON	SIF	5/5/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)
VA4119515	CWS	GW	66	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)
VA4119515	CWS	GW	66	Private	Revised Total Coliform Rule	MON	SIE	4/27/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)
VA4119515	CWS	GW	66	Private	Revised Total Coliform Rule	MON	SOX	4/11/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)

VA4119536	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	4/27/2022	4/4/2022	4/4/2022	3A	Monitoring, Routine (RTCR)
VA4119536	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2022	4/4/2022	4/4/2022	3A	Monitoring, Routine (RTCR)
VA4119536	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	4/4/2022	4/4/2022	4/4/2022	3A	Monitoring, Routine (RTCR)
VA4119536	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2022	7/28/2022	7/28/2022	3A	Monitoring, Routine (RTCR)
VA4119536	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	8/29/2022	7/28/2022	7/28/2022	3A	Monitoring, Routine (RTCR)
VA4119536	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	7/28/2022	7/28/2022	7/28/2022	3A	Monitoring, Routine (RTCR)
VA4119565	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	12/5/2022	10/5/2022	10/5/2022	3A	Monitoring, Routine (RTCR)
VA4119565	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022	10/5/2022	10/5/2022	3A	Monitoring, Routine (RTCR)
VA4119565	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022	10/5/2022	10/5/2022	3A	Monitoring, Routine (RTCR)
VA4119565	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	10/5/2022	10/5/2022	10/5/2022	3A	Monitoring, Routine (RTCR)
VA4119570	TNCWS	GW	100	Private	E. COLI	MR	SFJ	7/21/2022				Monitoring, Source Water (GWR)
VA4119570	TNCWS	GW	100	Private	E. COLI	MR	SIE	7/21/2022				Monitoring, Source Water (GWR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2022	8/2/2022	8/2/2022	3B	Monitoring, Additional Routine (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/29/2022	8/2/2022	8/2/2022	3B	Monitoring, Additional Routine (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/2/2022	8/2/2022	8/2/2022	3B	Monitoring, Additional Routine (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SFJ	10/5/2022			2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	TT	SIE	10/5/2022			2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	12/13/2022	12/13/2022	12/13/2022	3A	Monitoring, Routine (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	11/21/2022	12/13/2022	12/13/2022	3A	Monitoring, Routine (RTCR)
VA4119570	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	11/21/2022	12/13/2022	12/13/2022	3A	Monitoring, Routine (RTCR)
VA4119577	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	8/29/2022			3A	Monitoring, Routine (RTCR)

VA4119577	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2022			3A	Monitoring, Routine (RTCR)
VA4119577	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	11/22/2022			3A	Monitoring, Routine (RTCR)
VA4119577	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	11/22/2022			3A	Monitoring, Routine (RTCR)
VA4119581	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	4/27/2022	4/4/2022	4/4/2022	3A	Monitoring, Routine (RTCR)
VA4119581	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2022	4/4/2022	4/4/2022	3A	Monitoring, Routine (RTCR)
VA4119581	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	4/4/2022	4/4/2022	4/4/2022	3A	Monitoring, Routine (RTCR)
VA4119581	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022			3A	Monitoring, Routine (RTCR)
VA4119581	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022			3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022			3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022			3A	Monitoring, Routine (RTCR)
VA4119582	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA4119587	CWS	GW	1000	Private	Combined Radium (-226 and -228)	MR						Monitoring, Regular
VA4119587	CWS	GW	1000	Private	Combined Radium (-226 and -228)	MR						Monitoring, Regular
VA4119587	CWS	GW	1000	Private	Combined Uranium	MR						Monitoring, Regular
VA4119587	CWS	GW	1000	Private	Combined Uranium	MR						Monitoring, Regular
VA4119587	CWS	GW	1000	Private	Gross Alpha, Excl. Radon and U	MR						Monitoring, Regular
VA4119587	CWS	GW	1000	Private	Gross Alpha, Excl. Radon and U	MR						Monitoring, Regular
VA4119670	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2022			3A	Monitoring, Routine (RTCR)
VA4119670	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	4/27/2022			3A	Monitoring, Routine (RTCR)
VA4119670	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022			3A	Monitoring, Routine (RTCR)
VA4119670	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022			3A	Monitoring, Routine (RTCR)

VA4119720	TNCWS	GW	140	Private	Revised Total Coliform Rule	MON	SIE	3/28/2022	3/14/2022	3/14/2022	3A	Monitoring, Routine (RTCR)
VA4119720	TNCWS	GW	140	Private	Revised Total Coliform Rule	MON	SFJ	3/28/2022	3/14/2022	3/14/2022	3A	Monitoring, Routine (RTCR)
VA4119720	TNCWS	GW	140	Private	Revised Total Coliform Rule	MON	SOX	3/14/2022	3/14/2022	3/14/2022	3A	Monitoring, Routine (RTCR)
VA4119745	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SIF	12/2/2022	11/15/2022	11/15/2022	3A	Monitoring, Routine (RTCR)
VA4119745	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022	11/15/2022	11/15/2022	3A	Monitoring, Routine (RTCR)
VA4119745	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SOX	11/15/2022	11/15/2022	11/15/2022	3A	Monitoring, Routine (RTCR)
VA4119745	TNCWS	GW	37	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022	11/15/2022	11/15/2022	3A	Monitoring, Routine (RTCR)
VA4119790	CWS	GW	58	Private	Revised Total Coliform Rule	MON	SIE	4/27/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)
VA4119790	CWS	GW	58	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)
VA4119790	CWS	GW	58	Private	Revised Total Coliform Rule	MON	SOX	4/11/2022	4/11/2022	4/11/2022	3A	Monitoring, Routine (RTCR)
VA4119810	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIF	12/8/2022			3A	Monitoring, Routine (RTCR)
VA4119810	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022			3A	Monitoring, Routine (RTCR)
VA4119810	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022			3A	Monitoring, Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SIE	11/21/2022	11/9/2022	11/9/2022	3B	Monitoring, Additional Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SFJ	11/21/2022	11/9/2022	11/9/2022	3B	Monitoring, Additional Routine (RTCR)
VA4119840	TNCWS	GW	65	Private	Revised Total Coliform Rule	MON	SOX	11/9/2022	11/9/2022	11/9/2022	3B	Monitoring, Additional Routine (RTCR)
VA4127025	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIF	9/30/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)
VA4127025	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	9/19/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)
VA4127025	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	9/19/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)
VA4127025	NTNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SOX	9/8/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SFJ	4/25/2022				Public Notification Violation for NPDWR Violation

VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SFJ	4/25/2022									Public Notification Violation for NPDWR Violation
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SFJ	6/21/2022									Public Notification Violation for NPDWR Violation
VA4127060	TNCWS	GW	75	Private	Public Notice	Other	SFJ	12/20/2022									Public Notification Violation for NPDWR Violation
VA4127075	CWS	GW	375	Private	Consumer Confidence Rule	Other	SFJ	8/1/2022									Consumer Confidence Report Complete Failure to Report
VA4127145	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SIE	12/13/2022						3A			Monitoring, Routine (RTCR)
VA4127145	TNCWS	GW	63	Private	Revised Total Coliform Rule	MON	SFJ	12/13/2022						3A			Monitoring, Routine (RTCR)
VA4127400	TNCWS	GW	33	Private	Nitrate-Nitrite	MR											Monitoring, Regular
VA4127400	TNCWS	GW	33	Private	Revised Total Coliform Rule	MON	SFJ	7/21/2022						3A			Monitoring, Routine (RTCR)
VA4127400	TNCWS	GW	33	Private	Revised Total Coliform Rule	MON	SIE	7/21/2022						3A			Monitoring, Routine (RTCR)
VA4127400	TNCWS	GW	33	Private	Revised Total Coliform Rule	MON	SIE	8/16/2022						3A			Monitoring, Routine (RTCR)
VA4127400	TNCWS	GW	33	Private	Revised Total Coliform Rule	MON	SFJ	8/16/2022						3A			Monitoring, Routine (RTCR)
VA4127400	TNCWS	GW	33	Private	Revised Total Coliform Rule	MON	SOX	12/9/2022	12/9/2022	12/9/2022				3A			Monitoring, Routine (RTCR)
VA4127440	TNCWS	GW	85	Private	Public Notice	Other	SFJ	3/9/2022									Public Notification Violation for NPDWR Violation
VA4127440	TNCWS	GW	85	Private	Public Notice	Other	SIF	10/20/2022									Public Notification Violation for NPDWR Violation
VA4127440	TNCWS	GW	85	Private	Public Notice	Other	SFJ	10/5/2022									Public Notification Violation for NPDWR Violation
VA4127655	TNCWS	GW	95	Private	Revised Total Coliform Rule	MON	SFJ	5/4/2022						3A			Monitoring, Routine (RTCR)
VA4127655	TNCWS	GW	95	Private	Revised Total Coliform Rule	MON	SIE	5/4/2022						3A			Monitoring, Routine (RTCR)
VA4127820	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIF	6/1/2022	4/27/2022	4/27/2022				3A			Monitoring, Routine (RTCR)
VA4127820	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SFJ	5/23/2022	4/27/2022	4/27/2022				3A			Monitoring, Routine (RTCR)
VA4127820	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SIE	5/23/2022	4/27/2022	4/27/2022				3A			Monitoring, Routine (RTCR)
VA4127820	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	4/27/2022	4/27/2022	4/27/2022				3A			Monitoring, Routine (RTCR)

VA4127860	TNCWS	GW	108	Private	Revised Total Coliform Rule	MON	SIF	10/31/2022	10/3/2022	10/3/2022	3A	Monitoring, Routine (RTCR)
VA4127860	TNCWS	GW	108	Private	Revised Total Coliform Rule	MON	SIE	10/20/2022	10/3/2022	10/3/2022	3A	Monitoring, Routine (RTCR)
VA4127860	TNCWS	GW	108	Private	Revised Total Coliform Rule	MON	SFJ	10/20/2022	10/3/2022	10/3/2022	3A	Monitoring, Routine (RTCR)
VA4127860	TNCWS	GW	108	Private	Revised Total Coliform Rule	MON	SOX	10/3/2022	10/3/2022	10/3/2022	3A	Monitoring, Routine (RTCR)
VA4127925	CWS	GW	1440	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA4133020	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SFJ	11/21/2022			3B	Monitoring, Additional Routine (RTCR)
VA4133020	TNCWS	GW	75	Private	Revised Total Coliform Rule	MON	SIE	11/21/2022			3B	Monitoring, Additional Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	TT	SIF	1/12/2022	1/10/2022	1/10/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	TT	SOX	1/10/2022	1/10/2022	1/10/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	TT	SIE	12/14/2021	1/10/2022	1/10/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	TT	SFJ	12/14/2021	1/10/2022	1/10/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIF	8/1/2022	3/28/2022	3/28/2022	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	3/28/2022	3/28/2022	3/28/2022	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	3/28/2022	3/28/2022	3/28/2022	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	3/28/2022	3/28/2022	3/28/2022	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIF	8/1/2022	5/17/2022	5/17/2022	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	5/25/2022	5/17/2022	5/17/2022	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	5/25/2022	5/17/2022	5/17/2022	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	5/17/2022	5/17/2022	5/17/2022	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	Other	SOX	8/23/2022	8/23/2022	8/23/2022	5A	Sample Siting Plan Errors (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	Other	SFJ	7/7/2022	8/23/2022	8/23/2022	5A	Sample Siting Plan Errors (RTCR)

VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	11/21/2022	11/8/2022	11/8/2022	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	11/21/2022	11/8/2022	11/8/2022	3A	Monitoring, Routine (RTCR)
VA4133140	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	11/8/2022	11/8/2022	11/8/2022	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Public Notice	Other	SOX	1/11/2022	1/11/2022	1/11/2022		Public Notification Violation for NPDWR Violation
VA4133175	TNCWS	GW	500	Private	Public Notice	Other	SIF	1/11/2022	1/11/2022	1/11/2022		Public Notification Violation for NPDWR Violation
VA4133175	TNCWS	GW	500	Private	Public Notice	Other	SFJ	9/24/2018	1/11/2022	1/11/2022		Public Notification Violation for NPDWR Violation
VA4133175	TNCWS	GW	500	Private	Public Notice	Other	SIE	9/24/2018	1/11/2022	1/11/2022		Public Notification Violation for NPDWR Violation
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	9/30/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	8/29/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	10/5/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	10/5/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	9/30/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	11/21/2022			3A	Monitoring, Routine (RTCR)
VA4133175	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	11/21/2022			3A	Monitoring, Routine (RTCR)
VA4133207	TNCWS	GW	25	Private	Public Notice	Other	SOX	7/18/2022	7/18/2022	7/18/2022		Public Notification Violation for NPDWR Violation
VA4133207	TNCWS	GW	25	Private	Public Notice	Other	SFJ	7/7/2022	7/18/2022	7/18/2022		Public Notification Violation for NPDWR Violation
VA4133345	CWS	GW	48	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133345	CWS	GW	48	Private	Lead and Copper Rule	MR	SIF	4/27/2022	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133345	CWS	GW	48	Private	Lead and Copper Rule	MR	SFJ	7/19/2021	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133345	CWS	GW	48	Private	Lead and Copper Rule	MR	SIE	7/19/2021	4/27/2022	4/27/2022		Lead Consumer Notice

VA4133346	CWS	GW	43	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133346	CWS	GW	43	Private	Lead and Copper Rule	MR	SIF	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133346	CWS	GW	43	Private	Lead and Copper Rule	MR	SFJ	7/19/2021	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133346	CWS	GW	43	Private	Lead and Copper Rule	MR	SIE	7/19/2021	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133346	CWS	GW	43	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133346	CWS	GW	43	Private	Lead and Copper Rule	MR	SFJ	4/6/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133413	TNCWS	GW	30	Private	E. COLI	MR	SIF	12/8/2022	7/12/2022	7/12/2022	Monitoring, Source Water (GWR)
VA4133413	TNCWS	GW	30	Private	E. COLI	MR	SIE	7/21/2022	7/12/2022	7/12/2022	Monitoring, Source Water (GWR)
VA4133413	TNCWS	GW	30	Private	E. COLI	MR	SFJ	7/21/2022	7/12/2022	7/12/2022	Monitoring, Source Water (GWR)
VA4133413	TNCWS	GW	30	Private	E. COLI	MR	SOX	7/12/2022	7/12/2022	7/12/2022	Monitoring, Source Water (GWR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIF	12/8/2022	9/14/2022	9/14/2022	3B Monitoring, Additional Routine (RTCR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/5/2022	9/14/2022	9/14/2022	3B Monitoring, Additional Routine (RTCR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/5/2022	9/14/2022	9/14/2022	3B Monitoring, Additional Routine (RTCR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	9/14/2022	9/14/2022	9/14/2022	3B Monitoring, Additional Routine (RTCR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIF	12/8/2022	8/25/2022	8/25/2022	3B Monitoring, Additional Routine (RTCR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	8/29/2022	8/25/2022	8/25/2022	3B Monitoring, Additional Routine (RTCR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2022	8/25/2022	8/25/2022	3B Monitoring, Additional Routine (RTCR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	8/25/2022	8/25/2022	8/25/2022	3B Monitoring, Additional Routine (RTCR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	TT	SOX	12/8/2022	12/8/2022	12/8/2022	2A Treatment Technique, Level 1 Assessment (RTCR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	TT	SIF	11/15/2022	12/8/2022	12/8/2022	2A Treatment Technique, Level 1 Assessment (RTCR)
VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	TT	SFJ	10/31/2022	12/8/2022	12/8/2022	2A Treatment Technique, Level 1 Assessment (RTCR)

VA4133413	TNCWS	GW	30	Private	Revised Total Coliform Rule	TT	SIE	10/31/2022	12/8/2022	12/8/2022	2A	Treatment Technique, Level 1 Assessment (RTCR)
VA4133420	CWS	GW	25	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133420	CWS	GW	25	Private	Lead and Copper Rule	MR	SIF	4/27/2022	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133420	CWS	GW	25	Private	Lead and Copper Rule	MR	SIE	7/19/2021	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133420	CWS	GW	25	Private	Lead and Copper Rule	MR	SFJ	7/19/2021	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133420	CWS	GW	25	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133420	CWS	GW	25	Private	Lead and Copper Rule	MR	SFJ	12/15/2021	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133420	CWS	GW	25	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133420	CWS	GW	25	Private	Lead and Copper Rule	MR	SFJ	4/6/2022	4/27/2022	4/27/2022		Lead Consumer Notice
VA4133445	TNCWS	GW	27	Private	Public Notice	Other	SIF	12/8/2022				Public Notification Violation for NPDWR Violation
VA4133445	TNCWS	GW	27	Private	Public Notice	Other	SFJ	10/31/2022				Public Notification Violation for NPDWR Violation
VA4133485	TNCWS	GW	82	Private	Public Notice	Other	SOX	9/8/2022	9/8/2022	9/8/2022		Public Notification Violation for NPDWR Violation
VA4133485	TNCWS	GW	82	Private	Public Notice	Other	SIF	9/2/2022	9/8/2022	9/8/2022		Public Notification Violation for NPDWR Violation
VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	MON	SIF	6/22/2022	3/29/2022	3/29/2022	3A	Monitoring, Routine (RTCR)
VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	MON	SIE	4/27/2022	3/29/2022	3/29/2022	3A	Monitoring, Routine (RTCR)
VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	MON	SFJ	4/27/2022	3/29/2022	3/29/2022	3A	Monitoring, Routine (RTCR)
VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	MON	SOX	3/29/2022	3/29/2022	3/29/2022	3A	Monitoring, Routine (RTCR)
VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	TT	SIF	9/2/2022	8/16/2022	8/16/2022	2D	Treatment Technique Startup Procedures (RTCR)
VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	TT	SOX	8/16/2022	8/16/2022	8/16/2022	2D	Treatment Technique Startup Procedures (RTCR)
VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	TT	SFJ	8/3/2022	8/16/2022	8/16/2022	2D	Treatment Technique Startup Procedures (RTCR)
VA4133485	TNCWS	GW	82	Private	Revised Total Coliform Rule	TT	SIE	8/3/2022	8/16/2022	8/16/2022	2D	Treatment Technique Startup Procedures (RTCR)

VA4133580	TNCWS	GW	130	Private	E. COLI	MR	SOX	12/30/2022	12/30/2022	12/30/2022	Monitoring, Source Water (GWR)
VA4133580	TNCWS	GW	130	Private	E. COLI	MR	SIE	11/21/2022	12/30/2022	12/30/2022	Monitoring, Source Water (GWR)
VA4133580	TNCWS	GW	130	Private	E. COLI	MR	SFJ	11/21/2022	12/30/2022	12/30/2022	Monitoring, Source Water (GWR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SOX	9/28/2022	9/28/2022	9/28/2022	3A Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SIE	8/29/2022	9/28/2022	9/28/2022	3A Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SFJ	8/29/2022	9/28/2022	9/28/2022	3A Monitoring, Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SIE	11/21/2022			3B Monitoring, Additional Routine (RTCR)
VA4133580	TNCWS	GW	130	Private	Revised Total Coliform Rule	MON	SFJ	11/21/2022			3B Monitoring, Additional Routine (RTCR)
VA4133600	CWS	GW	90	Private	Lead and Copper Rule	MR	SIF	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133600	CWS	GW	90	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133600	CWS	GW	90	Private	Lead and Copper Rule	MR	SFJ	7/19/2021	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133600	CWS	GW	90	Private	Lead and Copper Rule	MR	SIE	7/19/2021	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133600	CWS	GW	90	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133600	CWS	GW	90	Private	Lead and Copper Rule	MR	SFJ	4/6/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133822	CWS	GW	30	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133822	CWS	GW	30	Private	Lead and Copper Rule	MR	SIF	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133822	CWS	GW	30	Private	Lead and Copper Rule	MR	SFJ	7/19/2021	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133822	CWS	GW	30	Private	Lead and Copper Rule	MR	SIE	7/19/2021	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133822	CWS	GW	30	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133822	CWS	GW	30	Private	Lead and Copper Rule	MR	SFJ	4/6/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133865	CWS	GW	35	Private	Lead and Copper Rule	MR	SOX	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice

VA4133865	CWS	GW	35	Private	Lead and Copper Rule	MR	SIF	4/27/2022	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133865	CWS	GW	35	Private	Lead and Copper Rule	MR	SFJ	7/19/2021	4/27/2022	4/27/2022	Lead Consumer Notice
VA4133865	CWS	GW	35	Private	Lead and Copper Rule	MR	SIE	7/19/2021	4/27/2022	4/27/2022	Lead Consumer Notice
VA4145075	TNCWS	GW	29	Private	Revised Total Coliform Rule	MON	SIF	6/13/2022		3A	Monitoring, Routine (RTCR)
VA4145075	TNCWS	GW	29	Private	Revised Total Coliform Rule	MON	SIE	5/4/2022		3A	Monitoring, Routine (RTCR)
VA4145075	TNCWS	GW	29	Private	Revised Total Coliform Rule	MON	SFJ	5/4/2022		3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Lead and Copper Rule	MR	SFJ	4/25/2022			Lead Consumer Notice
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SIF	9/9/2022		3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SIE	8/16/2022		3A	Monitoring, Routine (RTCR)
VA4145150	CWS	GW	33	Private	Revised Total Coliform Rule	MON	SFJ	8/16/2022		3A	Monitoring, Routine (RTCR)
VA4145540	TNCWS	GW	307	Private	Revised Total Coliform Rule	MON	SFJ	10/20/2022		3A	Monitoring, Routine (RTCR)
VA4145540	TNCWS	GW	307	Private	Revised Total Coliform Rule	MON	SIE	10/20/2022		3A	Monitoring, Routine (RTCR)
VA4145655	TNCWS	GW	500	Private	Nitrate-Nitrite	MR					Monitoring, Regular
VA4145655	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIF	9/2/2022		3A	Monitoring, Routine (RTCR)
VA4145655	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	8/10/2022		3A	Monitoring, Routine (RTCR)
VA4145655	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	8/10/2022		3A	Monitoring, Routine (RTCR)
VA4145655	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	11/21/2022		3B	Monitoring, Additional Routine (RTCR)
VA4145655	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	11/21/2022		3B	Monitoring, Additional Routine (RTCR)
VA4145667	TNCWS	GW	60	Private	Nitrate-Nitrite	MR					Monitoring, Regular
VA4145667	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIF	5/31/2022		3A	Monitoring, Routine (RTCR)
VA4145667	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	5/4/2022		3A	Monitoring, Routine (RTCR)

VA4145667	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	5/4/2022			3A	Monitoring, Routine (RTCR)
VA4145667	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	5/17/2022			3A	Monitoring, Routine (RTCR)
VA4145667	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	5/17/2022			3A	Monitoring, Routine (RTCR)
VA4159600	TNCWS	GW	47	Private	Revised Total Coliform Rule	MCL	SOX	4/26/2022	4/26/2022	4/26/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4159600	TNCWS	GW	47	Private	Revised Total Coliform Rule	MCL	SFJ	4/20/2022	4/26/2022	4/26/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4159600	TNCWS	GW	47	Private	Revised Total Coliform Rule	MCL	SIF	4/10/2022	4/26/2022	4/26/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4159600	TNCWS	GW	47	Private	Revised Total Coliform Rule	MCL	SFH	4/7/2022	4/26/2022	4/26/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4159600	TNCWS	GW	47	Private	Revised Total Coliform Rule	MCL	SIE	4/7/2022	4/26/2022	4/26/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA4193280	CWS	GW	3875	Local government	Revised Total Coliform Rule	MON	SIE	5/3/2022	4/15/2022	4/15/2022	3A	Monitoring, Routine (RTCR)
VA4193280	CWS	GW	3875	Local government	Revised Total Coliform Rule	MON	SFJ	5/3/2022	4/15/2022	4/15/2022	3A	Monitoring, Routine (RTCR)
VA4193280	CWS	GW	3875	Local government	Revised Total Coliform Rule	MON	SOX	4/15/2022	4/15/2022	4/15/2022	3A	Monitoring, Routine (RTCR)
VA4193702	NTNCWS	GW	192	Private	Revised Total Coliform Rule	MON	SOX	9/26/2022	9/26/2022	9/26/2022	3A	Monitoring, Routine (RTCR)
VA4193702	NTNCWS	GW	192	Private	Revised Total Coliform Rule	MON	SIF	9/9/2022	9/26/2022	9/26/2022	3A	Monitoring, Routine (RTCR)
VA4193702	NTNCWS	GW	192	Private	Revised Total Coliform Rule	MON	SFJ	8/22/2022	9/26/2022	9/26/2022	3A	Monitoring, Routine (RTCR)
VA4193702	NTNCWS	GW	192	Private	Revised Total Coliform Rule	MON	SIE	8/22/2022	9/26/2022	9/26/2022	3A	Monitoring, Routine (RTCR)
VA4193702	NTNCWS	GW	192	Private	Revised Total Coliform Rule	MON	SIF	11/15/2022	9/26/2022	9/26/2022	3A	Monitoring, Routine (RTCR)
VA4193702	NTNCWS	GW	192	Private	Revised Total Coliform Rule	MON	SOX	9/26/2022	9/26/2022	9/26/2022	3A	Monitoring, Routine (RTCR)
VA4193702	NTNCWS	GW	192	Private	Revised Total Coliform Rule	MON	SFJ	9/23/2022	9/26/2022	9/26/2022	3A	Monitoring, Routine (RTCR)
VA4193702	NTNCWS	GW	192	Private	Revised Total Coliform Rule	MON	SIE	9/23/2022	9/26/2022	9/26/2022	3A	Monitoring, Routine (RTCR)
VA4193985	TNCWS	GW	83	Private	Revised Total Coliform Rule	MON	SIF	7/19/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA4193985	TNCWS	GW	83	Private	Revised Total Coliform Rule	MON	SOX	7/5/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)

VA4193985	TNCWS	GW	83	Private	Revised Total Coliform Rule	MON	SIE	5/5/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA4193985	TNCWS	GW	83	Private	Revised Total Coliform Rule	MON	SFJ	5/5/2022	7/5/2022	7/5/2022	3A	Monitoring, Routine (RTCR)
VA5007015	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	9/19/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)
VA5007015	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIF	7/18/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)
VA5007015	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)
VA5007015	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	7/14/2022	9/19/2022	9/19/2022	3A	Monitoring, Routine (RTCR)
VA5007150	TNCWS	GW	53	Private	Revised Total Coliform Rule	MON	SIF	11/17/2022	10/24/2022	10/24/2022	3A	Monitoring, Routine (RTCR)
VA5007150	TNCWS	GW	53	Private	Revised Total Coliform Rule	MON	SIE	10/25/2022	10/24/2022	10/24/2022	3A	Monitoring, Routine (RTCR)
VA5007150	TNCWS	GW	53	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2022	10/24/2022	10/24/2022	3A	Monitoring, Routine (RTCR)
VA5007150	TNCWS	GW	53	Private	Revised Total Coliform Rule	MON	SOX	10/24/2022	10/24/2022	10/24/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	8/31/2022	3/23/2022	3/23/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	3/23/2022	3/23/2022	3/23/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	3/21/2022	3/23/2022	3/23/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	3/21/2022	3/23/2022	3/23/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	8/31/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	8/24/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	8/24/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	8/11/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	12/20/2022	12/15/2022	12/15/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	12/20/2022	12/15/2022	12/15/2022	3A	Monitoring, Routine (RTCR)
VA5009340	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	12/15/2022	12/15/2022	12/15/2022	3A	Monitoring, Routine (RTCR)

VA5011047	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SIF	5/12/2022	4/28/2022	4/28/2022		Lead Consumer Notice
VA5011047	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SOX	4/28/2022	4/28/2022	4/28/2022		Lead Consumer Notice
VA5011047	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SIE	1/11/2022	4/28/2022	4/28/2022		Lead Consumer Notice
VA5011047	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SFJ	1/11/2022	4/28/2022	4/28/2022		Lead Consumer Notice
VA5011047	NTNCWS	GW	80	Private	Public Notice	Other	SOX	3/1/2022	3/1/2022	3/1/2022		Public Notification Violation for NPDWR Violation
VA5011047	NTNCWS	GW	80	Private	Public Notice	Other	SFJ	2/10/2022	3/1/2022	3/1/2022		Public Notification Violation for NPDWR Violation
VA5019012	TNCWS	GW	100	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA5019012	TNCWS	GW	100	Private	Public Notice	Other	SFJ	12/1/2022				Public Notification Violation for NPDWR Violation
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/11/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	7/28/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	7/28/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	8/25/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	8/25/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/11/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	4/21/2022	4/21/2022	4/21/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	4/21/2022	4/21/2022	4/21/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	4/21/2022	4/21/2022	4/21/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/11/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	6/23/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5019012	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	6/23/2022	8/11/2022	8/11/2022	3A	Monitoring, Routine (RTCR)
VA5019365	TNCWS	GW	100	Private	Nitrate-Nitrite	MR						Monitoring, Regular

VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFL	6/25/2020					Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFJ	12/6/2017					Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SIE	12/6/2017					Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFL	6/25/2020					Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SIE	12/6/2017					Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFJ	12/6/2017					Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFL	6/25/2020					Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SFJ	9/19/2019					Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Groundwater Rule	TT	SIE	9/19/2019					Failure To Address Deficiency
VA5019379	CWS	GW	200	Private	Lead and Copper Rule	MR	SOX	1/28/2022	1/28/2022	1/28/2022			Lead Consumer Notice
VA5019379	CWS	GW	200	Private	Lead and Copper Rule	MR	SFJ	1/27/2022	1/28/2022	1/28/2022			Lead Consumer Notice
VA5019379	CWS	GW	200	Private	Lead and Copper Rule	MR	SIE	1/27/2022	1/28/2022	1/28/2022			Lead Consumer Notice
VA5019430	CWS	GW	54	Private	Revised Total Coliform Rule	MON	SFJ	8/25/2022	8/2/2022	8/2/2022	3A		Monitoring, Routine (RTCR)
VA5019430	CWS	GW	54	Private	Revised Total Coliform Rule	MON	SIE	8/25/2022	8/2/2022	8/2/2022	3A		Monitoring, Routine (RTCR)
VA5019430	CWS	GW	54	Private	Revised Total Coliform Rule	MON	SOX	8/2/2022	8/2/2022	8/2/2022	3A		Monitoring, Routine (RTCR)
VA5019468	TNCWS	GW	100	Private	Nitrate-Nitrite	MR							Monitoring, Regular
VA5019468	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/25/2022			3A		Monitoring, Routine (RTCR)
VA5019468	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2022			3A		Monitoring, Routine (RTCR)
VA5019468	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON					3A		Monitoring, Routine (RTCR)
VA5019605	CWS	GW	62	Private	Lead and Copper Rule	MR	SOX	7/1/2022	7/1/2022	7/1/2022			Follow-up Or Routine LCR Tap M/R
VA5019605	CWS	GW	62	Private	Lead and Copper Rule	MR	SIF	5/4/2022	7/1/2022	7/1/2022			Follow-up Or Routine LCR Tap M/R

VA5019605	CWS	GW	62	Private	Lead and Copper Rule	MR	SFJ	11/22/2021	7/1/2022	7/1/2022	Follow-up Or Routine LCR Tap M/R
VA5019605	CWS	GW	62	Private	Lead and Copper Rule	MR	SIE	11/22/2021	7/1/2022	7/1/2022	Follow-up Or Routine LCR Tap M/R
VA5019612	TNCWS	GW	26	Private	Nitrate-Nitrite	MR					Monitoring, Regular
VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SFJ	10/27/2022			Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Public Notice	Other	SFJ	12/1/2022			Public Notification Violation for NPDWR Violation
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SFJ	6/30/2022		3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SIE	6/30/2022		3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SFJ	7/28/2022		3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SIE	7/28/2022		3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SFJ	8/25/2022		3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SIE	8/25/2022		3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022		3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022		3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2022		3A	Monitoring, Routine (RTCR)
VA5019612	TNCWS	GW	26	Private	Revised Total Coliform Rule	MON	SIE	10/25/2022		3A	Monitoring, Routine (RTCR)
VA5019628	TNCWS	GW	100	Private	Nitrate-Nitrite	MR					Monitoring, Regular
VA5019628	TNCWS	GW	100	Private	Public Notice	Other	SFJ	2/28/2022			Public Notification Violation for NPDWR Violation
VA5019628	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)
VA5019675	CWS	GW	698	Private	Consumer Confidence Rule	Other	SFJ	12/5/2022			Consumer Confidence Report Complete Failure to Report
VA5019675	CWS	GW	698	Private	Lead and Copper Rule	MR	SIE	1/27/2022			Lead Consumer Notice
VA5019675	CWS	GW	698	Private	Lead and Copper Rule	MR	SFJ	1/27/2022			Lead Consumer Notice

VA5019765	TNCWS	GW	50	Private	Public Notice	Other	SFJ	2/28/2022				Public Notification Violation for NPDWR Violation	
VA5019765	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/27/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)	
VA5019765	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)	
VA5019765	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	10/25/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)	
VA5019800	CWS	GW	110	Private	Lead and Copper Rule	MR	SOX	2/2/2022	2/2/2022	2/2/2022	Lead Consumer Notice		
VA5019800	CWS	GW	110	Private	Lead and Copper Rule	MR	SIF	2/2/2022	2/2/2022	2/2/2022	Lead Consumer Notice		
VA5019800	CWS	GW	110	Private	Lead and Copper Rule	MR	SFJ	1/27/2022	2/2/2022	2/2/2022	Lead Consumer Notice		
VA5019800	CWS	GW	110	Private	Lead and Copper Rule	MR	SIE	1/27/2022	2/2/2022	2/2/2022	Lead Consumer Notice		
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIF	8/1/2022				3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	7/28/2022				3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	7/28/2022				3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	8/25/2022				3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	8/25/2022				3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	9/20/2022				3A	Monitoring, Routine (RTCR)
VA5019809	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	9/20/2022				3A	Monitoring, Routine (RTCR)
VA5019878	CWS	GW	180	Private	Nitrate-Nitrite	MR							Monitoring, Regular
VA5019885	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	10/27/2022	10/4/2022	10/4/2022	3A	Monitoring, Routine (RTCR)	
VA5019885	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	10/27/2022	10/4/2022	10/4/2022	3A	Monitoring, Routine (RTCR)	
VA5019885	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	10/4/2022	10/4/2022	10/4/2022	3A	Monitoring, Routine (RTCR)	
VA5019924	CWS	GW	75	Private	Lead and Copper Rule	MR	SFJ	1/27/2022	1/27/2022	1/27/2022	Lead Consumer Notice		
VA5019924	CWS	GW	75	Private	Lead and Copper Rule	MR	SIF	1/27/2022	1/27/2022	1/27/2022	Lead Consumer Notice		

VA5019924	CWS	GW	75	Private	Lead and Copper Rule	MR	SOX	1/27/2022	1/27/2022	1/27/2022	Lead Consumer Notice
VA5019924	CWS	GW	75	Private	Lead and Copper Rule	MR	SIE	1/27/2022	1/27/2022	1/27/2022	Lead Consumer Notice
VA5025050	CWS	SWP	300	Local government	Lead and Copper Rule	MR	SIF	6/30/2022	3/20/2022	3/20/2022	Follow-up Or Routine LCR Tap M/R
VA5025050	CWS	SWP	300	Local government	Lead and Copper Rule	MR	SOX	3/20/2022	3/20/2022	3/20/2022	Follow-up Or Routine LCR Tap M/R
VA5025050	CWS	SWP	300	Local government	Lead and Copper Rule	MR	SFJ	11/18/2021	3/20/2022	3/20/2022	Follow-up Or Routine LCR Tap M/R
VA5025050	CWS	SWP	300	Local government	Lead and Copper Rule	MR	SIE	11/18/2021	3/20/2022	3/20/2022	Follow-up Or Routine LCR Tap M/R
VA5025485	NTNCWS	GW	400	Local government	Lead and Copper Rule	MR	SIF	1/25/2022	1/18/2022	1/18/2022	Lead Consumer Notice
VA5025485	NTNCWS	GW	400	Local government	Lead and Copper Rule	MR	SFJ	1/24/2022	1/18/2022	1/18/2022	Lead Consumer Notice
VA5025485	NTNCWS	GW	400	Local government	Lead and Copper Rule	MR	SIE	1/24/2022	1/18/2022	1/18/2022	Lead Consumer Notice
VA5025485	NTNCWS	GW	400	Local government	Lead and Copper Rule	MR	SOX	1/18/2022	1/18/2022	1/18/2022	Lead Consumer Notice
VA5025645	NTNCWS	GW	40	Local government	Lead and Copper Rule	MR	SIF	1/25/2022	1/18/2022	1/18/2022	Lead Consumer Notice
VA5025645	NTNCWS	GW	40	Local government	Lead and Copper Rule	MR	SFJ	1/24/2022	1/18/2022	1/18/2022	Lead Consumer Notice
VA5025645	NTNCWS	GW	40	Local government	Lead and Copper Rule	MR	SIE	1/24/2022	1/18/2022	1/18/2022	Lead Consumer Notice
VA5025645	NTNCWS	GW	40	Local government	Lead and Copper Rule	MR	SOX	1/18/2022	1/18/2022	1/18/2022	Lead Consumer Notice
VA5029182	TNCWS	GW	100	Private	Public Notice	Other	SFJ	2/28/2022			Public Notification Violation for NPDWR Violation
VA5029200	CWS	GW	22	Private	Consumer Confidence Rule	Other	SFJ	9/2/2022	8/1/2022	8/1/2022	Consumer Confidence Report Complete Failure to Report
VA5029200	CWS	GW	22	Private	Consumer Confidence Rule	Other	SOX	8/1/2022	8/1/2022	8/1/2022	Consumer Confidence Report Complete Failure to Report
VA5029225	TNCWS	GW	500	Private	Public Notice	Other	SFJ	12/1/2022			Public Notification Violation for NPDWR Violation
VA5029225	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	2/24/2022	2/3/2022	2/3/2022	3A Monitoring, Routine (RTCR)
VA5029225	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	2/24/2022	2/3/2022	2/3/2022	3A Monitoring, Routine (RTCR)
VA5029225	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	2/3/2022	2/3/2022	2/3/2022	3A Monitoring, Routine (RTCR)

VA5029225	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	7/28/2022	7/20/2022	7/20/2022	3A	Monitoring, Routine (RTCR)
VA5029225	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	7/28/2022	7/20/2022	7/20/2022	3A	Monitoring, Routine (RTCR)
VA5029225	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	7/20/2022	7/20/2022	7/20/2022	3A	Monitoring, Routine (RTCR)
VA5029225	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SOX	12/21/2022	12/21/2022	12/21/2022	3A	Monitoring, Routine (RTCR)
VA5029225	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SIE	12/19/2022	12/21/2022	12/21/2022	3A	Monitoring, Routine (RTCR)
VA5029225	TNCWS	GW	500	Private	Revised Total Coliform Rule	MON	SFJ	12/19/2022	12/21/2022	12/21/2022	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	7/22/2022	7/19/2022	7/19/2022	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	7/22/2022	7/19/2022	7/19/2022	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	7/19/2022	7/19/2022	7/19/2022	3A	Monitoring, Routine (RTCR)
VA5031046	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA5031312	NTNCWS	GW	42	Private	1,1,1-Trichloroethane	MR						Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	1,1,2-Trichloroethane	MR						Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	1,1-Dichloroethylene	MR						Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	1,2,4-Trichlorobenzene	MR						Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	1,2-Dichloroethane	MR						Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	1,2-Dichloropropane	MR						Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	Benzene	MR						Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	CHLOROBENZENE	MR						Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	Carbon tetrachloride	MR						Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	DICHLOROMETHANE	MR						Monitoring, Regular

VA5031312	NTNCWS	GW	42	Private	Ethylbenzene	MR					Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	Lead and Copper Rule	MR	SOX	9/15/2022	9/15/2022	9/15/2022	Follow-up Or Routine LCR Tap M/R
VA5031312	NTNCWS	GW	42	Private	Lead and Copper Rule	MR	SIF	9/14/2022	9/15/2022	9/15/2022	Follow-up Or Routine LCR Tap M/R
VA5031312	NTNCWS	GW	42	Private	Lead and Copper Rule	MR	SFJ	10/12/2021	9/15/2022	9/15/2022	Follow-up Or Routine LCR Tap M/R
VA5031312	NTNCWS	GW	42	Private	Lead and Copper Rule	MR	SIE	10/12/2021	9/15/2022	9/15/2022	Follow-up Or Routine LCR Tap M/R
VA5031312	NTNCWS	GW	42	Private	Public Notice	Other	SOX	9/2/2022	9/2/2022	9/2/2022	Public Notification Violation for NPDWR Violation
VA5031312	NTNCWS	GW	42	Private	Public Notice	Other	SFJ	8/9/2022	9/2/2022	9/2/2022	Public Notification Violation for NPDWR Violation
VA5031312	NTNCWS	GW	42	Private	Styrene	MR					Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	Tetrachloroethylene	MR					Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	Toluene	MR					Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	Trichloroethylene	MR					Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	Vinyl chloride	MR					Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	Xylenes, Total	MR					Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	cis-1,2-Dichloroethylene	MR					Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	o-Dichlorobenzene	MR					Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	p-Dichlorobenzene	MR					Monitoring, Regular
VA5031312	NTNCWS	GW	42	Private	trans-1,2-Dichloroethylene	MR					Monitoring, Regular
VA5031500	CWS	GW	360	Private	Lead and Copper Rule	TT	SIF	4/8/2021			OCCT/SOWT Treatment Installation/Demonstration
VA5031500	CWS	GW	360	Private	Lead and Copper Rule	TT	SIE	7/9/2020			OCCT/SOWT Treatment Installation/Demonstration
VA5031500	CWS	GW	360	Private	Lead and Copper Rule	TT	SFJ	7/9/2020			OCCT/SOWT Treatment Installation/Demonstration
VA5031568	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON				3A	Monitoring, Routine (RTCR)

VA5031799	TNCWS	GW	30	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA5031799	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	9/6/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA5031799	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	7/22/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA5031799	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	7/22/2022	9/6/2022	9/6/2022	3A	Monitoring, Routine (RTCR)
VA5031799	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA5031898	TNCWS	GW	100	Private	Public Notice	Other	SFJ	2/10/2022	2/2/2022	2/2/2022		Public Notification Violation for NPDWR Violation
VA5031898	TNCWS	GW	100	Private	Public Notice	Other	SOX	2/2/2022	2/2/2022	2/2/2022		Public Notification Violation for NPDWR Violation
VA5031898	TNCWS	GW	100	Private	Public Notice	Other	SFJ	2/16/2022	2/2/2022	2/2/2022		Public Notification Violation for NPDWR Violation
VA5031898	TNCWS	GW	100	Private	Public Notice	Other	SOX	2/2/2022	2/2/2022	2/2/2022		Public Notification Violation for NPDWR Violation
VA5031898	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA5037029	TNCWS	GW	35	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA5037300	CWS	SW	800	Local government	TTHM	MR						Monitoring, Routine (IDSE)
VA5037300	CWS	SW	800	Local government	Total Haloacetic Acids (HAA5)	MR						Monitoring, Routine (IDSE)
VA5037800	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	3/24/2022	3/8/2022	3/8/2022	3A	Monitoring, Routine (RTCR)
VA5037800	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	3/24/2022	3/8/2022	3/8/2022	3A	Monitoring, Routine (RTCR)
VA5037800	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	3/8/2022	3/8/2022	3/8/2022	3A	Monitoring, Routine (RTCR)
VA5037800	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA5067035	CWS	GW	500	Private	Combined Radium (-226 and -228)	MR	SIF	10/28/2022	9/26/2022	9/26/2022		Monitoring, Regular
VA5067035	CWS	GW	500	Private	Combined Radium (-226 and -228)	MR	SOX	9/26/2022	9/26/2022	9/26/2022		Monitoring, Regular
VA5067035	CWS	GW	500	Private	Combined Radium (-226 and -228)	MR	SIE	9/23/2022	9/26/2022	9/26/2022		Monitoring, Regular
VA5067035	CWS	GW	500	Private	Combined Radium (-226 and -228)	MR	SFJ	9/23/2022	9/26/2022	9/26/2022		Monitoring, Regular

VA5067035	CWS	GW	500	Private	Combined Radium (-226 and -228)	MCL	SIF	10/26/2022					Maximum Contaminant Level Violation, Average	
VA5067035	CWS	GW	500	Private	Combined Radium (-226 and -228)	MCL	SIE	9/23/2022					Maximum Contaminant Level Violation, Average	
VA5067035	CWS	GW	500	Private	Combined Radium (-226 and -228)	MCL	SFJ	9/23/2022					Maximum Contaminant Level Violation, Average	
VA5067035	CWS	GW	500	Private	Combined Radium (-226 and -228)	MCL	SIF	12/5/2022					Maximum Contaminant Level Violation, Average	
VA5067035	CWS	GW	500	Private	Combined Radium (-226 and -228)	MCL	SFJ	11/4/2022					Maximum Contaminant Level Violation, Average	
VA5067035	CWS	GW	500	Private	Combined Radium (-226 and -228)	MCL	SIE	11/4/2022					Maximum Contaminant Level Violation, Average	
VA5067035	CWS	GW	500	Private	Combined Uranium	MR	SIF	10/28/2022	9/26/2022	9/26/2022			Monitoring, Regular	
VA5067035	CWS	GW	500	Private	Combined Uranium	MR	SOX	9/26/2022	9/26/2022	9/26/2022			Monitoring, Regular	
VA5067035	CWS	GW	500	Private	Combined Uranium	MR	SIE	9/23/2022	9/26/2022	9/26/2022			Monitoring, Regular	
VA5067035	CWS	GW	500	Private	Combined Uranium	MR	SFJ	9/23/2022	9/26/2022	9/26/2022			Monitoring, Regular	
VA5067035	CWS	GW	500	Private	Gross Alpha, Excl. Radon and U	MR	SIF	10/28/2022	9/26/2022	9/26/2022			Monitoring, Regular	
VA5067035	CWS	GW	500	Private	Gross Alpha, Excl. Radon and U	MR	SOX	9/26/2022	9/26/2022	9/26/2022			Monitoring, Regular	
VA5067035	CWS	GW	500	Private	Gross Alpha, Excl. Radon and U	MR	SFJ	9/23/2022	9/26/2022	9/26/2022			Monitoring, Regular	
VA5067035	CWS	GW	500	Private	Gross Alpha, Excl. Radon and U	MR	SIE	9/23/2022	9/26/2022	9/26/2022			Monitoring, Regular	
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	9/27/2022	9/27/2022	9/27/2022	3A		Monitoring, Routine (RTCR)	
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	7/14/2022	9/27/2022	9/27/2022	3A		Monitoring, Routine (RTCR)	
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2022	9/27/2022	9/27/2022	3A		Monitoring, Routine (RTCR)	
VA5067349	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON					3A		Monitoring, Routine (RTCR)	
VA5067500	TNCWS	GW	35	Private	Nitrate-Nitrite	MR								Monitoring, Regular
VA5067576	TNCWS	GW	35	Private	Revised Total Coliform Rule	MON						3A		Monitoring, Routine (RTCR)
VA5067701	TNCWS	GW	30	Private	Public Notice	Other	SFJ	4/12/2022	3/18/2022	3/18/2022				Public Notification Violation for NPDWR Violation

VA5067701	TNCWS	GW	30	Private	Public Notice	Other	SOX	3/18/2022	3/18/2022	3/18/2022	Public Notification Violation for NPDWR Violation	
VA5067788	CWS	GW	28	Private	Revised Total Coliform Rule	MON	SFJ	6/23/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA5067788	CWS	GW	28	Private	Revised Total Coliform Rule	MON	SIE	6/23/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA5067788	CWS	GW	28	Private	Revised Total Coliform Rule	MON	SOX	6/14/2022	6/14/2022	6/14/2022	3A	Monitoring, Routine (RTCR)
VA5067788	CWS	GW	28	Private	Revised Total Coliform Rule	MON	SIE	12/15/2022	12/6/2022	12/6/2022	3A	Monitoring, Routine (RTCR)
VA5067788	CWS	GW	28	Private	Revised Total Coliform Rule	MON	SFJ	12/15/2022	12/6/2022	12/6/2022	3A	Monitoring, Routine (RTCR)
VA5067788	CWS	GW	28	Private	Revised Total Coliform Rule	MON	SOX	12/6/2022	12/6/2022	12/6/2022	3A	Monitoring, Routine (RTCR)
VA5067935	NTNCWS	GW	40	Private	Lead and Copper Rule	MR	SIF	12/20/2022	7/1/2022	7/1/2022	Follow-up Or Routine LCR Tap M/R	
VA5067935	NTNCWS	GW	40	Private	Lead and Copper Rule	MR	SOX	7/1/2022	7/1/2022	7/1/2022	Follow-up Or Routine LCR Tap M/R	
VA5067935	NTNCWS	GW	40	Private	Lead and Copper Rule	MR	SFJ	11/19/2021	7/1/2022	7/1/2022	Follow-up Or Routine LCR Tap M/R	
VA5067935	NTNCWS	GW	40	Private	Lead and Copper Rule	MR	SIE	11/19/2021	7/1/2022	7/1/2022	Follow-up Or Routine LCR Tap M/R	
VA5067990	CWS	GW	40	Private	Lead and Copper Rule	MR	SOX	9/5/2022	9/5/2022	9/5/2022	Follow-up Or Routine LCR Tap M/R	
VA5067990	CWS	GW	40	Private	Lead and Copper Rule	MR	SIF	4/18/2022	9/5/2022	9/5/2022	Follow-up Or Routine LCR Tap M/R	
VA5067990	CWS	GW	40	Private	Lead and Copper Rule	MR	SFJ	11/19/2021	9/5/2022	9/5/2022	Follow-up Or Routine LCR Tap M/R	
VA5067990	CWS	GW	40	Private	Lead and Copper Rule	MR	SIE	11/19/2021	9/5/2022	9/5/2022	Follow-up Or Routine LCR Tap M/R	
VA5083270	NTNCWS	GW	25	Private	Lead and Copper Rule	MR	SIF	1/31/2022	1/26/2022	1/26/2022	Lead Consumer Notice	
VA5083270	NTNCWS	GW	25	Private	Lead and Copper Rule	MR	SIE	1/31/2022	1/26/2022	1/26/2022	Lead Consumer Notice	
VA5083270	NTNCWS	GW	25	Private	Lead and Copper Rule	MR	SFJ	1/31/2022	1/26/2022	1/26/2022	Lead Consumer Notice	
VA5083270	NTNCWS	GW	25	Private	Lead and Copper Rule	MR	SOX	1/26/2022	1/26/2022	1/26/2022	Lead Consumer Notice	
VA5083330	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIF	11/7/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA5083330	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SFJ	10/27/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)

VA5083330	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SOX	10/27/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA5083330	TNCWS	GW	150	Private	Revised Total Coliform Rule	MON	SIE	10/27/2022	10/27/2022	10/27/2022	3A	Monitoring, Routine (RTCR)
VA5083651	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIF	8/29/2022	8/1/2022	8/1/2022	3A	Monitoring, Routine (RTCR)
VA5083651	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	8/16/2022	8/1/2022	8/1/2022	3A	Monitoring, Routine (RTCR)
VA5083651	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	8/16/2022	8/1/2022	8/1/2022	3A	Monitoring, Routine (RTCR)
VA5083651	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	8/1/2022	8/1/2022	8/1/2022	3A	Monitoring, Routine (RTCR)
VA5089075	NTNCWS	GW	75	Private	1,1,1-Trichloroethane	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	1,1,2-Trichloroethane	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	1,1-Dichloroethylene	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	1,2,4-Trichlorobenzene	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	1,2-Dichloroethane	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	1,2-Dichloropropane	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	Benzene	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	CHLOROBENZENE	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	Carbon tetrachloride	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	DICHLOROMETHANE	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	Ethylbenzene	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	Styrene	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	Tetrachloroethylene	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	Toluene	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	Trichloroethylene	MR						Monitoring, Regular

VA5089075	NTNCWS	GW	75	Private	Vinyl chloride	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	Xylenes, Total	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	cis-1,2-Dichloroethylene	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	o-Dichlorobenzene	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	p-Dichlorobenzene	MR						Monitoring, Regular
VA5089075	NTNCWS	GW	75	Private	trans-1,2-Dichloroethylene	MR						Monitoring, Regular
VA5089115	CWS	GW	42	Private	Lead and Copper Rule	MR	SIF	3/3/2022	1/28/2022	1/28/2022		Lead Consumer Notice
VA5089115	CWS	GW	42	Private	Lead and Copper Rule	MR	SFJ	2/3/2022	1/28/2022	1/28/2022		Lead Consumer Notice
VA5089115	CWS	GW	42	Private	Lead and Copper Rule	MR	SIE	2/3/2022	1/28/2022	1/28/2022		Lead Consumer Notice
VA5089115	CWS	GW	42	Private	Lead and Copper Rule	MR	SOX	1/28/2022	1/28/2022	1/28/2022		Lead Consumer Notice
VA5089571	CWS	GW	100	Private	Antimony, Total	MR						Monitoring, Regular
VA5089571	CWS	GW	100	Private	Arsenic	MR						Monitoring, Regular
VA5089571	CWS	GW	100	Private	Barium	MR						Monitoring, Regular
VA5089571	CWS	GW	100	Private	Beryllium, Total	MR						Monitoring, Regular
VA5089571	CWS	GW	100	Private	Cadmium	MR						Monitoring, Regular
VA5089571	CWS	GW	100	Private	Chlorine	MR	SIF	6/29/2022	5/4/2022	5/4/2022		Monitoring and Reporting (DBP)
VA5089571	CWS	GW	100	Private	Chlorine	MR	SIE	5/16/2022	5/4/2022	5/4/2022		Monitoring and Reporting (DBP)
VA5089571	CWS	GW	100	Private	Chlorine	MR	SFJ	5/16/2022	5/4/2022	5/4/2022		Monitoring and Reporting (DBP)
VA5089571	CWS	GW	100	Private	Chlorine	MR	SOX	5/4/2022	5/4/2022	5/4/2022		Monitoring and Reporting (DBP)
VA5089571	CWS	GW	100	Private	Chromium	MR						Monitoring, Regular
VA5089571	CWS	GW	100	Private	Fluoride	MR						Monitoring, Regular

VA5089571	CWS	GW	100	Private	Lead and Copper Rule	MR	SOX	6/29/2022	6/29/2022	6/29/2022	Lead Consumer Notice
VA5089571	CWS	GW	100	Private	Lead and Copper Rule	MR	SIF	6/29/2022	6/29/2022	6/29/2022	Lead Consumer Notice
VA5089571	CWS	GW	100	Private	Lead and Copper Rule	MR	SIE	2/1/2022	6/29/2022	6/29/2022	Lead Consumer Notice
VA5089571	CWS	GW	100	Private	Lead and Copper Rule	MR	SFJ	2/1/2022	6/29/2022	6/29/2022	Lead Consumer Notice
VA5089571	CWS	GW	100	Private	Mercury	MR					Monitoring, Regular
VA5089571	CWS	GW	100	Private	Nickel	MR					Monitoring, Regular
VA5089571	CWS	GW	100	Private	Selenium	MR					Monitoring, Regular
VA5089571	CWS	GW	100	Private	Thallium, Total	MR					Monitoring, Regular
VA5089770	CWS	GW	60	Private	Lead and Copper Rule	MR	SIF	3/3/2022	1/28/2022	1/28/2022	Lead Consumer Notice
VA5089770	CWS	GW	60	Private	Lead and Copper Rule	MR	SFJ	2/3/2022	1/28/2022	1/28/2022	Lead Consumer Notice
VA5089770	CWS	GW	60	Private	Lead and Copper Rule	MR	SIE	2/3/2022	1/28/2022	1/28/2022	Lead Consumer Notice
VA5089770	CWS	GW	60	Private	Lead and Copper Rule	MR	SOX	1/28/2022	1/28/2022	1/28/2022	Lead Consumer Notice
VA5089853	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SFJ	2/17/2022	2/10/2022	2/10/2022	Lead Consumer Notice
VA5089853	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SIE	2/17/2022	2/10/2022	2/10/2022	Lead Consumer Notice
VA5089853	NTNCWS	GW	80	Private	Lead and Copper Rule	MR	SOX	2/10/2022	2/10/2022	2/10/2022	Lead Consumer Notice
VA5111430	NTNCWS	GW	95	Local government	E. COLI	MR	SOX	6/7/2022	6/7/2022	6/7/2022	Monitoring, Source Water (GWR)
VA5111430	NTNCWS	GW	95	Local government	E. COLI	MR	SIF	5/20/2022	6/7/2022	6/7/2022	Monitoring, Source Water (GWR)
VA5111430	NTNCWS	GW	95	Local government	E. COLI	MR	SFJ	5/19/2022	6/7/2022	6/7/2022	Monitoring, Source Water (GWR)
VA5111430	NTNCWS	GW	95	Local government	E. COLI	MR	SIE	5/19/2022	6/7/2022	6/7/2022	Monitoring, Source Water (GWR)
VA5111520	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	8/22/2022	8/22/2022	8/22/2022	3B Monitoring, Additional Routine (RTCR)
VA5111520	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	8/16/2022	8/22/2022	8/22/2022	3B Monitoring, Additional Routine (RTCR)

VA5111520	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	8/16/2022	8/22/2022	8/22/2022	3B	Monitoring, Additional Routine (RTCR)
VA5117200	CWS	SWP	2242	Local government	Revised Total Coliform Rule	MON	SIF	3/10/2022	2/28/2022	2/28/2022	3A	Monitoring, Routine (RTCR)
VA5117200	CWS	SWP	2242	Local government	Revised Total Coliform Rule	MON	SOX	2/28/2022	2/28/2022	2/28/2022	3A	Monitoring, Routine (RTCR)
VA5117200	CWS	SWP	2242	Local government	Revised Total Coliform Rule	MON	SIE	2/24/2022	2/28/2022	2/28/2022	3A	Monitoring, Routine (RTCR)
VA5117200	CWS	SWP	2242	Local government	Revised Total Coliform Rule	MON	SFJ	2/24/2022	2/28/2022	2/28/2022	3A	Monitoring, Routine (RTCR)
VA5117200	CWS	SWP	2242	Local government	TTHM	MR	SOX	11/9/2022	11/9/2022	11/9/2022		Monitoring, Routine (IDSE)
VA5117200	CWS	SWP	2242	Local government	TTHM	MR	SFJ	10/21/2022	11/9/2022	11/9/2022		Monitoring, Routine (IDSE)
VA5117200	CWS	SWP	2242	Local government	TTHM	MR	SIE	10/21/2022	11/9/2022	11/9/2022		Monitoring, Routine (IDSE)
VA5117200	CWS	SWP	2242	Local government	Total Haloacetic Acids (HAA5)	MR	SOX	11/9/2022	11/9/2022	11/9/2022		Monitoring, Routine (IDSE)
VA5117200	CWS	SWP	2242	Local government	Total Haloacetic Acids (HAA5)	MR	SIE	10/21/2022	11/9/2022	11/9/2022		Monitoring, Routine (IDSE)
VA5117200	CWS	SWP	2242	Local government	Total Haloacetic Acids (HAA5)	MR	SFJ	10/21/2022	11/9/2022	11/9/2022		Monitoring, Routine (IDSE)
VA5117310	CWS	SW	1400	Local government	Lead and Copper Rule	MR	SIF	4/15/2022	1/20/2022	1/20/2022		Lead Consumer Notice
VA5117310	CWS	SW	1400	Local government	Lead and Copper Rule	MR	SFJ	2/1/2022	1/20/2022	1/20/2022		Lead Consumer Notice
VA5117310	CWS	SW	1400	Local government	Lead and Copper Rule	MR	SIE	2/1/2022	1/20/2022	1/20/2022		Lead Consumer Notice
VA5117310	CWS	SW	1400	Local government	Lead and Copper Rule	MR	SOX	1/20/2022	1/20/2022	1/20/2022		Lead Consumer Notice
VA5117338	TNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SFJ	7/22/2022	7/11/2022	7/11/2022	3A	Monitoring, Routine (RTCR)
VA5117338	TNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SIE	7/22/2022	7/11/2022	7/11/2022	3A	Monitoring, Routine (RTCR)
VA5117338	TNCWS	GW	70	Private	Revised Total Coliform Rule	MON	SOX	7/11/2022	7/11/2022	7/11/2022	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	3/24/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	3/9/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	2/15/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)

VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	2/15/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIF	3/22/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	3/22/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	3/22/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	3/9/2022	3/9/2022	3/9/2022	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	11/18/2022	11/9/2022	11/9/2022	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	11/18/2022	11/9/2022	11/9/2022	3A	Monitoring, Routine (RTCR)
VA5117382	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	11/9/2022	11/9/2022	11/9/2022	3A	Monitoring, Routine (RTCR)
VA5117420	CWS	GW	55	Private	Lead and Copper Rule	MR	SOX	9/19/2022	9/19/2022	9/19/2022		Follow-up Or Routine LCR Tap M/R
VA5117420	CWS	GW	55	Private	Lead and Copper Rule	MR	SIF	6/28/2022	9/19/2022	9/19/2022		Follow-up Or Routine LCR Tap M/R
VA5117420	CWS	GW	55	Private	Lead and Copper Rule	MR	SFJ	11/9/2021	9/19/2022	9/19/2022		Follow-up Or Routine LCR Tap M/R
VA5117420	CWS	GW	55	Private	Lead and Copper Rule	MR	SIE	11/9/2021	9/19/2022	9/19/2022		Follow-up Or Routine LCR Tap M/R
VA5135100	CWS	SW	6345	Local government	Revised Total Coliform Rule	MON	SIE	11/1/2022	10/18/2022	10/18/2022	3A	Monitoring, Routine (RTCR)
VA5135100	CWS	SW	6345	Local government	Revised Total Coliform Rule	MON	SFJ	11/1/2022	10/18/2022	10/18/2022	3A	Monitoring, Routine (RTCR)
VA5135100	CWS	SW	6345	Local government	Revised Total Coliform Rule	MON	SOX	10/18/2022	10/18/2022	10/18/2022	3A	Monitoring, Routine (RTCR)
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SIF	12/8/2022				Maximum Contaminant Level Violation, Average
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SFJ	11/1/2022				Maximum Contaminant Level Violation, Average
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SIE	11/1/2022				Maximum Contaminant Level Violation, Average
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SFJ	12/21/2022				Maximum Contaminant Level Violation, Average
VA5135100	CWS	SW	6345	Local government	TTHM	MCL	SIE	12/21/2022				Maximum Contaminant Level Violation, Average
VA5135110	CWS	GW	432	Local government	Consumer Confidence Rule	Other	SFJ	9/19/2022	9/13/2022	9/13/2022		Consumer Confidence Report Complete Failure to Report

VA5135110	CWS	GW	432	Local government	Consumer Confidence Rule	Other	SOX	9/13/2022	9/13/2022	9/13/2022	Consumer Confidence Report Complete Failure to Report
VA5141270	TNCWS	GW	25	Private	Nitrate-Nitrite	MR					Monitoring, Regular
VA5141270	TNCWS	GW	25	Private	Public Notice	Other	SOX	3/1/2022	3/1/2022	3/1/2022	Public Notification Violation for NPDWR Violation
VA5141270	TNCWS	GW	25	Private	Public Notice	Other	SOX	3/1/2022	3/1/2022	3/1/2022	Public Notification Violation for NPDWR Violation
VA5141270	TNCWS	GW	25	Private	Public Notice	Other	SFJ	2/28/2022	3/1/2022	3/1/2022	Public Notification Violation for NPDWR Violation
VA5141270	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	11/8/2022	11/8/2022	11/8/2022	3A Monitoring, Routine (RTCR)
VA5141270	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2022	11/8/2022	11/8/2022	3A Monitoring, Routine (RTCR)
VA5141270	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/25/2022	11/8/2022	11/8/2022	3A Monitoring, Routine (RTCR)
VA5141365	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	6/14/2022	6/14/2022	6/14/2022	3A Monitoring, Routine (RTCR)
VA5141365	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	5/2/2022	6/14/2022	6/14/2022	3A Monitoring, Routine (RTCR)
VA5141365	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	5/2/2022	6/14/2022	6/14/2022	3A Monitoring, Routine (RTCR)
VA5141370	NTNCWS	GW	148	Private	Lead and Copper Rule	MR	SOX	9/8/2022	9/8/2022	9/8/2022	Follow-up Or Routine LCR Tap M/R
VA5141370	NTNCWS	GW	148	Private	Lead and Copper Rule	MR	SIF	12/2/2021	9/8/2022	9/8/2022	Follow-up Or Routine LCR Tap M/R
VA5141370	NTNCWS	GW	148	Private	Lead and Copper Rule	MR	SIE	11/22/2021	9/8/2022	9/8/2022	Follow-up Or Routine LCR Tap M/R
VA5141370	NTNCWS	GW	148	Private	Lead and Copper Rule	MR	SFJ	11/22/2021	9/8/2022	9/8/2022	Follow-up Or Routine LCR Tap M/R
VA5141499	TNCWS	GW	227	Private	Revised Total Coliform Rule	MON	SIF	7/18/2022	4/5/2022	4/5/2022	3A Monitoring, Routine (RTCR)
VA5141499	TNCWS	GW	227	Private	Revised Total Coliform Rule	MON	SIE	5/23/2022	4/5/2022	4/5/2022	3A Monitoring, Routine (RTCR)
VA5141499	TNCWS	GW	227	Private	Revised Total Coliform Rule	MON	SFJ	5/23/2022	4/5/2022	4/5/2022	3A Monitoring, Routine (RTCR)
VA5141499	TNCWS	GW	227	Private	Revised Total Coliform Rule	MON	SOX	4/5/2022	4/5/2022	4/5/2022	3A Monitoring, Routine (RTCR)
VA5141536	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIF	5/9/2022	5/3/2022	5/3/2022	3A Monitoring, Routine (RTCR)
VA5141536	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	5/3/2022	5/3/2022	5/3/2022	3A Monitoring, Routine (RTCR)

VA5141536	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	5/2/2022	5/3/2022	5/3/2022	3A	Monitoring, Routine (RTCR)
VA5141536	TNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	5/2/2022	5/3/2022	5/3/2022	3A	Monitoring, Routine (RTCR)
VA5141539	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SFJ	4/21/2022	4/6/2022	4/6/2022	3A	Monitoring, Routine (RTCR)
VA5141539	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SIE	4/21/2022	4/6/2022	4/6/2022	3A	Monitoring, Routine (RTCR)
VA5141539	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SOX	4/6/2022	4/6/2022	4/6/2022	3A	Monitoring, Routine (RTCR)
VA5141546	NTNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIF	5/24/2022	5/20/2022	5/20/2022	3A	Monitoring, Routine (RTCR)
VA5141546	NTNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SIE	5/23/2022	5/20/2022	5/20/2022	3A	Monitoring, Routine (RTCR)
VA5141546	NTNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SFJ	5/23/2022	5/20/2022	5/20/2022	3A	Monitoring, Routine (RTCR)
VA5141546	NTNCWS	GW	30	Private	Revised Total Coliform Rule	MON	SOX	5/20/2022	5/20/2022	5/20/2022	3A	Monitoring, Routine (RTCR)
VA5141700	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	8/24/2022	8/17/2022	8/17/2022	3A	Monitoring, Routine (RTCR)
VA5141700	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	8/17/2022	8/17/2022	8/17/2022	3A	Monitoring, Routine (RTCR)
VA5141700	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	7/14/2022	8/17/2022	8/17/2022	3A	Monitoring, Routine (RTCR)
VA5141700	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	7/14/2022	8/17/2022	8/17/2022	3A	Monitoring, Routine (RTCR)
VA5141700	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA5141900	NTNCWS	GW	75	Private	Public Notice	Other	SFJ	10/27/2022				Public Notification Violation for NPDWR Violation
VA5143034	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2022	10/24/2022	10/24/2022	3A	Monitoring, Routine (RTCR)
VA5143034	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	10/25/2022	10/24/2022	10/24/2022	3A	Monitoring, Routine (RTCR)
VA5143034	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	10/24/2022	10/24/2022	10/24/2022	3A	Monitoring, Routine (RTCR)
VA5143090	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIF	8/18/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA5143090	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SIE	7/22/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA5143090	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SFJ	7/22/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)

VA5143090	TNCWS	GW	60	Private	Revised Total Coliform Rule	MON	SOX	7/6/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Consumer Confidence Rule	Other	SOX	6/30/2022	6/30/2022	6/30/2022		Consumer Confidence Report Complete Failure to Report
VA5143150	CWS	GW	40	Private	Consumer Confidence Rule	Other	SFJ	7/13/2021	6/30/2022	6/30/2022		Consumer Confidence Report Complete Failure to Report
VA5143150	CWS	GW	40	Private	Lead and Copper Rule	MR	SOX	8/12/2022	8/12/2022	8/12/2022		Lead Consumer Notice
VA5143150	CWS	GW	40	Private	Lead and Copper Rule	MR	SIF	8/12/2022	8/12/2022	8/12/2022		Lead Consumer Notice
VA5143150	CWS	GW	40	Private	Lead and Copper Rule	MR	SFJ	1/11/2022	8/12/2022	8/12/2022		Lead Consumer Notice
VA5143150	CWS	GW	40	Private	Lead and Copper Rule	MR	SIE	1/11/2022	8/12/2022	8/12/2022		Lead Consumer Notice
VA5143150	CWS	GW	40	Private	Public Notice	Other	SOX	8/12/2022	8/12/2022	8/12/2022		Public Notification Violation for NPDWR Violation
VA5143150	CWS	GW	40	Private	Public Notice	Other	SFJ	5/13/2022	8/12/2022	8/12/2022		Public Notification Violation for NPDWR Violation
VA5143150	CWS	GW	40	Private	Public Notice	Other	SOX	8/12/2022	8/12/2022	8/12/2022		Public Notification Violation for NPDWR Violation
VA5143150	CWS	GW	40	Private	Public Notice	Other	SFJ	6/14/2022	8/12/2022	8/12/2022		Public Notification Violation for NPDWR Violation
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	6/28/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	2/15/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	2/15/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	6/28/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	3/22/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	3/22/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	6/28/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	4/14/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	4/14/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	6/28/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)

VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	5/13/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	5/13/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	6/28/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	6/14/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	6/14/2022	6/28/2022	6/28/2022	3A	Monitoring, Routine (RTCR)
VA5143150	CWS	GW	40	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA5143161	NTNCWS	GW	670	Local government	Lead and Copper Rule	MR	SIF	12/23/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143161	NTNCWS	GW	670	Local government	Lead and Copper Rule	MR	SFJ	12/9/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143161	NTNCWS	GW	670	Local government	Lead and Copper Rule	MR	SIE	12/9/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143161	NTNCWS	GW	670	Local government	Lead and Copper Rule	MR	SOX	12/2/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143192	NTNCWS	GW	550	Local government	Lead and Copper Rule	MR	SIF	1/14/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143192	NTNCWS	GW	550	Local government	Lead and Copper Rule	MR	SOX	1/13/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143192	NTNCWS	GW	550	Local government	Lead and Copper Rule	MR	SFJ	1/11/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143192	NTNCWS	GW	550	Local government	Lead and Copper Rule	MR	SIE	1/11/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143192	NTNCWS	GW	550	Local government	Lead and Copper Rule	MR	SIF	12/23/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143192	NTNCWS	GW	550	Local government	Lead and Copper Rule	MR	SFJ	12/9/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143192	NTNCWS	GW	550	Local government	Lead and Copper Rule	MR	SIE	12/9/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143192	NTNCWS	GW	550	Local government	Lead and Copper Rule	MR	SOX	12/2/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143197	TNCWS	GW	50	Private	Public Notice	Other	SFJ	12/30/2022				Public Notification Violation for NPDWR Violation
VA5143214	CWS	SWP	210	Local government	Lead and Copper Rule	MR	SFJ	12/8/2022	11/27/2022	11/27/2022		Lead Consumer Notice
VA5143214	CWS	SWP	210	Local government	Lead and Copper Rule	MR	SIE	12/8/2022	11/27/2022	11/27/2022		Lead Consumer Notice

VA5143214	CWS	SWP	210	Local government	Lead and Copper Rule	MR	SOX	11/27/2022	11/27/2022	11/27/2022	Lead Consumer Notice
VA5143246	CWS	SWP	1300	Local government	Lead and Copper Rule	MR	SIF	4/14/2022	4/13/2022	4/13/2022	Lead Consumer Notice
VA5143246	CWS	SWP	1300	Local government	Lead and Copper Rule	MR	SOX	4/13/2022	4/13/2022	4/13/2022	Lead Consumer Notice
VA5143246	CWS	SWP	1300	Local government	Lead and Copper Rule	MR	SFJ	9/23/2021	4/13/2022	4/13/2022	Lead Consumer Notice
VA5143246	CWS	SWP	1300	Local government	Lead and Copper Rule	MR	SIE	9/23/2021	4/13/2022	4/13/2022	Lead Consumer Notice
VA5143300	NTNCWS	GW	562	Local government	Lead and Copper Rule	TT	SIF	2/24/2022	2/19/2022	2/19/2022	Public Education
VA5143300	NTNCWS	GW	562	Local government	Lead and Copper Rule	TT	SOX	2/19/2022	2/19/2022	2/19/2022	Public Education
VA5143300	NTNCWS	GW	562	Local government	Lead and Copper Rule	TT	SIE	1/20/2022	2/19/2022	2/19/2022	Public Education
VA5143300	NTNCWS	GW	562	Local government	Lead and Copper Rule	TT	SFJ	1/20/2022	2/19/2022	2/19/2022	Public Education
VA5143365	CWS	GW	100	Private	Lead and Copper Rule	MR	SIF	5/9/2022	5/4/2022	5/4/2022	Lead Consumer Notice
VA5143365	CWS	GW	100	Private	Lead and Copper Rule	MR	SOX	5/4/2022	5/4/2022	5/4/2022	Lead Consumer Notice
VA5143365	CWS	GW	100	Private	Lead and Copper Rule	MR	SIE	1/11/2022	5/4/2022	5/4/2022	Lead Consumer Notice
VA5143365	CWS	GW	100	Private	Lead and Copper Rule	MR	SFJ	1/11/2022	5/4/2022	5/4/2022	Lead Consumer Notice
VA5143393	NTNCWS	GW	250	Local government	Lead and Copper Rule	MR	SFJ	12/9/2022	12/2/2022	12/2/2022	Lead Consumer Notice
VA5143393	NTNCWS	GW	250	Local government	Lead and Copper Rule	MR	SIE	12/9/2022	12/2/2022	12/2/2022	Lead Consumer Notice
VA5143393	NTNCWS	GW	250	Local government	Lead and Copper Rule	MR	SOX	12/2/2022	12/2/2022	12/2/2022	Lead Consumer Notice
VA5143585	TNCWS	GW	103	Private	Public Notice	Other	SFJ	12/1/2022	Public Notification Violation for NPDWR Violation		
VA5143585	TNCWS	GW	103	Private	Revised Total Coliform Rule	MON	SIF	7/29/2022	7/11/2022	7/11/2022	3A Monitoring, Routine (RTCR)
VA5143585	TNCWS	GW	103	Private	Revised Total Coliform Rule	MON	SFJ	7/22/2022	7/11/2022	7/11/2022	3A Monitoring, Routine (RTCR)
VA5143585	TNCWS	GW	103	Private	Revised Total Coliform Rule	MON	SIE	7/22/2022	7/11/2022	7/11/2022	3A Monitoring, Routine (RTCR)
VA5143585	TNCWS	GW	103	Private	Revised Total Coliform Rule	MON	SOX	7/11/2022	7/11/2022	7/11/2022	3A Monitoring, Routine (RTCR)

VA5143655	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SOX	12/19/2022	12/19/2022	12/19/2022	3A	Monitoring, Routine (RTCR)
VA5143655	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2022	12/19/2022	12/19/2022	3A	Monitoring, Routine (RTCR)
VA5143655	TNCWS	GW	40	Private	Revised Total Coliform Rule	MON	SIE	10/25/2022	12/19/2022	12/19/2022	3A	Monitoring, Routine (RTCR)
VA5143809	CWS	SWP	209	Local government	Lead and Copper Rule	MR	SOX	1/13/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143809	CWS	SWP	209	Local government	Lead and Copper Rule	MR	SIF	1/13/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143809	CWS	SWP	209	Local government	Lead and Copper Rule	MR	SIE	1/11/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143809	CWS	SWP	209	Local government	Lead and Copper Rule	MR	SFJ	1/11/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143813	TNCWS	GW	100	Private	Public Notice	Other	SFJ	12/30/2022				Public Notification Violation for NPDWR Violation
VA5143820	NTNCWS	GW	964	Local government	Lead and Copper Rule	MR	SIF	1/14/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143820	NTNCWS	GW	964	Local government	Lead and Copper Rule	MR	SOX	1/13/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143820	NTNCWS	GW	964	Local government	Lead and Copper Rule	MR	SIE	1/11/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143820	NTNCWS	GW	964	Local government	Lead and Copper Rule	MR	SFJ	1/11/2022	1/13/2022	1/13/2022		Lead Consumer Notice
VA5143820	NTNCWS	GW	964	Local government	Lead and Copper Rule	MR	SIF	12/23/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143820	NTNCWS	GW	964	Local government	Lead and Copper Rule	MR	SIE	12/9/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143820	NTNCWS	GW	964	Local government	Lead and Copper Rule	MR	SFJ	12/9/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143820	NTNCWS	GW	964	Local government	Lead and Copper Rule	MR	SOX	12/2/2022	12/2/2022	12/2/2022		Lead Consumer Notice
VA5143940	CWS	GW	80	Private	Consumer Confidence Rule	Other	SOX	6/29/2022	6/29/2022	6/29/2022		Consumer Confidence Report Complete Failure to Report
VA5143940	CWS	GW	80	Private	Consumer Confidence Rule	Other	SFJ	7/13/2021	6/29/2022	6/29/2022		Consumer Confidence Report Complete Failure to Report
VA5143940	CWS	GW	80	Private	Consumer Confidence Rule	Other	SFO	6/5/2021	6/29/2022	6/29/2022		Consumer Confidence Report Complete Failure to Report
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SOX	8/5/2022	8/5/2022	8/5/2022		Lead Consumer Notice
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SFO	6/5/2021	8/5/2022	8/5/2022		Lead Consumer Notice

VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SFJ	1/5/2021	8/5/2022	8/5/2022	Lead Consumer Notice
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SIE	1/5/2021	8/5/2022	8/5/2022	Lead Consumer Notice
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SOX	9/9/2022	9/9/2022	9/9/2022	Follow-up Or Routine LCR Tap M/R
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SIF	3/17/2022	9/9/2022	9/9/2022	Follow-up Or Routine LCR Tap M/R
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SFJ	11/9/2021	9/9/2022	9/9/2022	Follow-up Or Routine LCR Tap M/R
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SIE	11/9/2021	9/9/2022	9/9/2022	Follow-up Or Routine LCR Tap M/R
VA5143940	CWS	GW	80	Private	Lead and Copper Rule	MR	SFO	6/5/2021	9/9/2022	9/9/2022	Follow-up Or Routine LCR Tap M/R
VA5143940	CWS	GW	80	Private	Public Notice	Other	SOX	3/8/2022	3/8/2022	3/8/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Public Notice	Other	SFJ	2/16/2022	3/8/2022	3/8/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Public Notice	Other	SFO	6/5/2021	3/8/2022	3/8/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Public Notice	Other	SOX	3/8/2022	3/8/2022	3/8/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Public Notice	Other	SFJ	2/16/2022	3/8/2022	3/8/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Public Notice	Other	SFO	6/5/2021	3/8/2022	3/8/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Public Notice	Other	SOX	8/5/2022	8/5/2022	8/5/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Public Notice	Other	SFJ	2/16/2022	8/5/2022	8/5/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Public Notice	Other	SFO	6/5/2021	8/5/2022	8/5/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Public Notice	Other	SFJ	3/22/2022	3/8/2022	3/8/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Public Notice	Other	SOX	3/8/2022	3/8/2022	3/8/2022	Public Notification Violation for NPDWR Violation
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	TT	SFO	6/5/2021		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	TT	SFJ	7/24/2020		2A	Treatment Technique, Level 1 Assessment (RTCR)
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	TT	SIE	7/24/2020		2A	Treatment Technique, Level 1 Assessment (RTCR)

VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SIF	3/17/2022	2/24/2022	2/24/2022	3A	Monitoring, Routine (RTCR)
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	2/24/2022	2/24/2022	2/24/2022	3A	Monitoring, Routine (RTCR)
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	2/15/2022	2/24/2022	2/24/2022	3A	Monitoring, Routine (RTCR)
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	2/15/2022	2/24/2022	2/24/2022	3A	Monitoring, Routine (RTCR)
VA5143940	CWS	GW	80	Private	Revised Total Coliform Rule	MON	SFO	6/5/2021	2/24/2022	2/24/2022	3A	Monitoring, Routine (RTCR)
VA5143975	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIF	3/18/2022	3/7/2022	3/7/2022	3B	Monitoring, Additional Routine (RTCR)
VA5143975	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	3/7/2022	3/7/2022	3/7/2022	3B	Monitoring, Additional Routine (RTCR)
VA5143975	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	2/18/2022	3/7/2022	3/7/2022	3B	Monitoring, Additional Routine (RTCR)
VA5143975	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	2/18/2022	3/7/2022	3/7/2022	3B	Monitoring, Additional Routine (RTCR)
VA5147280	CWS	GW	1027	Private	Lead and Copper Rule	MR	SOX	2/1/2022	2/1/2022	2/1/2022		Lead Consumer Notice
VA5147280	CWS	GW	1027	Private	Lead and Copper Rule	MR	SIF	2/1/2022	2/1/2022	2/1/2022		Lead Consumer Notice
VA5147280	CWS	GW	1027	Private	Lead and Copper Rule	MR	SFJ	1/27/2022	2/1/2022	2/1/2022		Lead Consumer Notice
VA5147280	CWS	GW	1027	Private	Lead and Copper Rule	MR	SIE	1/27/2022	2/1/2022	2/1/2022		Lead Consumer Notice
VA5590100	CWS	SW	43055	Local government	TTHM	MCL	SIE	12/19/2022				Maximum Contaminant Level Violation, Average
VA5590100	CWS	SW	43055	Local government	TTHM	MCL	SFJ	12/19/2022				Maximum Contaminant Level Violation, Average
VA6033165	TNCWS	GW	80	Private	Revised Total Coliform Rule	TT	SIF	5/10/2022	4/25/2022	4/25/2022	2C	Treatment Technique, Corrective/Expedited Actions (RTCR)
VA6033165	TNCWS	GW	80	Private	Revised Total Coliform Rule	TT	SOX	4/25/2022	4/25/2022	4/25/2022	2C	Treatment Technique, Corrective/Expedited Actions (RTCR)
VA6033165	TNCWS	GW	80	Private	Revised Total Coliform Rule	TT	SIE	4/4/2022	4/25/2022	4/25/2022	2C	Treatment Technique, Corrective/Expedited Actions (RTCR)
VA6033165	TNCWS	GW	80	Private	Revised Total Coliform Rule	TT	SFJ	4/4/2022	4/25/2022	4/25/2022	2C	Treatment Technique, Corrective/Expedited Actions (RTCR)
VA6033165	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIF	5/10/2022	3/27/2022	3/27/2022	3A	Monitoring, Routine (RTCR)

VA6033165	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	4/4/2022	3/27/2022	3/27/2022	3A	Monitoring, Routine (RTCR)
VA6033165	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	4/4/2022	3/27/2022	3/27/2022	3A	Monitoring, Routine (RTCR)
VA6033165	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	3/27/2022	3/27/2022	3/27/2022	3A	Monitoring, Routine (RTCR)
VA6033350	TNCWS	GW	135	Private	E. COLI	MR	SOX	8/10/2022	8/10/2022	8/10/2022		Monitoring, Source Water (GWR)
VA6033350	TNCWS	GW	135	Private	E. COLI	MR	SIE	7/18/2022	8/10/2022	8/10/2022		Monitoring, Source Water (GWR)
VA6033350	TNCWS	GW	135	Private	E. COLI	MR	SFJ	7/18/2022	8/10/2022	8/10/2022		Monitoring, Source Water (GWR)
VA6033350	TNCWS	GW	135	Private	Revised Total Coliform Rule	MON	SFJ	8/22/2022			3B	Monitoring, Additional Routine (RTCR)
VA6033350	TNCWS	GW	135	Private	Revised Total Coliform Rule	MON	SIE	8/22/2022			3B	Monitoring, Additional Routine (RTCR)
VA6033495	NTNCWS	GW	150	Private	Lead and Copper Rule	MR	SOX	4/11/2022	4/11/2022	4/11/2022		Lead Consumer Notice
VA6033495	NTNCWS	GW	150	Private	Lead and Copper Rule	MR	SFJ	4/4/2022	4/11/2022	4/11/2022		Lead Consumer Notice
VA6047371	TNCWS	GW	25	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA6047372	TNCWS	GW	25	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA6047805	TNCWS	GW	253	Private	Revised Total Coliform Rule	MON	SOX	7/29/2022	7/29/2022	7/29/2022	3A	Monitoring, Routine (RTCR)
VA6047805	TNCWS	GW	253	Private	Revised Total Coliform Rule	MON	SIE	4/26/2022	7/29/2022	7/29/2022	3A	Monitoring, Routine (RTCR)
VA6047805	TNCWS	GW	253	Private	Revised Total Coliform Rule	MON	SFJ	4/26/2022	7/29/2022	7/29/2022	3A	Monitoring, Routine (RTCR)
VA6059388	TNCWS	GW	3500	Private	Revised Total Coliform Rule	MON	SOX	9/30/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA6059388	TNCWS	GW	3500	Private	Revised Total Coliform Rule	MON	SIE	9/29/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA6059388	TNCWS	GW	3500	Private	Revised Total Coliform Rule	MON	SFJ	9/29/2022	9/30/2022	9/30/2022	3A	Monitoring, Routine (RTCR)
VA6059505	TNCWS	GW	31	Private	Public Notice	Other	SFJ	11/16/2012				Public Notification Violation for NPDWR Violation
VA6059505	TNCWS	GW	31	Private	Public Notice	Other	SFJ	11/16/2012				Public Notification Violation for NPDWR Violation
VA6059505	TNCWS	GW	31	Private	Public Notice	Other	SFJ	11/16/2012				Public Notification Violation for NPDWR Violation

VA6059505	TNCWS	GW	31	Private	Public Notice	Other	SFJ	11/16/2012				Public Notification Violation for NPDWR Violation
VA6059523	TNCWS	GW	1800	Federal government	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTRC)
VA6059624	NTNCWS	GW	3000	Private	Chlorine	MR	SIE	4/18/2022	3/31/2022	3/31/2022		Monitoring and Reporting (DBP)
VA6059624	NTNCWS	GW	3000	Private	Chlorine	MR	SFJ	4/18/2022	3/31/2022	3/31/2022		Monitoring and Reporting (DBP)
VA6059624	NTNCWS	GW	3000	Private	Chlorine	MR	SOX	3/31/2022	3/31/2022	3/31/2022		Monitoring and Reporting (DBP)
VA6059624	NTNCWS	GW	3000	Private	Chlorine	MR						Monitoring and Reporting (DBP)
VA6059624	NTNCWS	GW	3000	Private	Revised Total Coliform Rule	MON	SIF	3/4/2022	3/3/2022	3/3/2022	3A	Monitoring, Routine (RTRC)
VA6059624	NTNCWS	GW	3000	Private	Revised Total Coliform Rule	MON	SOX	3/3/2022	3/3/2022	3/3/2022	3A	Monitoring, Routine (RTRC)
VA6059624	NTNCWS	GW	3000	Private	Revised Total Coliform Rule	MON	SFJ	2/22/2022	3/3/2022	3/3/2022	3A	Monitoring, Routine (RTRC)
VA6059624	NTNCWS	GW	3000	Private	Revised Total Coliform Rule	MON	SIE	2/22/2022	3/3/2022	3/3/2022	3A	Monitoring, Routine (RTRC)
VA6059624	NTNCWS	GW	3000	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTRC)
VA6059671	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	7/26/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTRC)
VA6059671	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	7/19/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTRC)
VA6059671	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	7/19/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTRC)
VA6059685	NTNCWS	GW	600	Private	Public Notice	Other	SFJ	4/1/2010				Public Notification Violation for NPDWR Violation
VA6061005	NTNCWS	GW	300	Private	Chlorine	MR	SFJ	10/20/2022	10/13/2022	10/13/2022		Monitoring and Reporting (DBP)
VA6061005	NTNCWS	GW	300	Private	Chlorine	MR	SIE	10/20/2022	10/13/2022	10/13/2022		Monitoring and Reporting (DBP)
VA6061005	NTNCWS	GW	300	Private	Chlorine	MR	SOX	10/13/2022	10/13/2022	10/13/2022		Monitoring and Reporting (DBP)
VA6061005	NTNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SFJ	10/20/2022	10/13/2022	10/13/2022	3A	Monitoring, Routine (RTRC)
VA6061005	NTNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SIE	10/20/2022	10/13/2022	10/13/2022	3A	Monitoring, Routine (RTRC)
VA6061005	NTNCWS	GW	300	Private	Revised Total Coliform Rule	MON	SOX	10/13/2022	10/13/2022	10/13/2022	3A	Monitoring, Routine (RTRC)

VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SOX	5/6/2022	5/6/2022	5/6/2022	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SIE	4/29/2022	5/6/2022	5/6/2022	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SFJ	4/29/2022	5/6/2022	5/6/2022	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SOX	11/3/2022	11/3/2022	11/3/2022	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SIE	10/20/2022	11/3/2022	11/3/2022	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON	SFJ	10/20/2022	11/3/2022	11/3/2022	3A	Monitoring, Routine (RTCR)
VA6061006	TNCWS	GW	67	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA6061035	TNCWS	GW	30	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA6061114	CWS	GW	160	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA6061136	TNCWS	GW	96	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA6061380	TNCWS	GW	45	Private	Public Notice	Other	SFJ	7/7/2022	5/2/2022	5/2/2022		Public Notification Violation for NPDWR Violation
VA6061380	TNCWS	GW	45	Private	Public Notice	Other	SOX	5/2/2022	5/2/2022	5/2/2022		Public Notification Violation for NPDWR Violation
VA6061380	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SOX	6/11/2022	6/11/2022	6/11/2022	3A	Monitoring, Routine (RTCR)
VA6061380	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SIE	4/29/2022	6/11/2022	6/11/2022	3A	Monitoring, Routine (RTCR)
VA6061380	TNCWS	GW	45	Private	Revised Total Coliform Rule	MON	SFJ	4/29/2022	6/11/2022	6/11/2022	3A	Monitoring, Routine (RTCR)
VA6061407	NTNCWS	GW	441	Local government	Chlorine	MR						Monitoring and Reporting (DBP)
VA6061407	NTNCWS	GW	441	Local government	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA6099066	TNCWS	GW	34	Private	Revised Total Coliform Rule	MON	SOX	11/14/2022	11/14/2022	11/14/2022	3B	Monitoring, Additional Routine (RTCR)
VA6099110	CWS	GW	50	Private	Revised Total Coliform Rule	Other	SOX	12/12/2022	12/12/2022	12/12/2022	5A	Sample Siting Plan Errors (RTCR)
VA6099110	CWS	GW	50	Private	Revised Total Coliform Rule	Other	SFJ	7/6/2022	12/12/2022	12/12/2022	5A	Sample Siting Plan Errors (RTCR)
VA6099285	CWS	GW	65	Private	Revised Total Coliform Rule	Other	SOX	12/12/2022	12/12/2022	12/12/2022	5A	Sample Siting Plan Errors (RTCR)

VA6099285	CWS	GW	65	Private	Revised Total Coliform Rule	Other	SFJ	7/6/2022	12/12/2022	12/12/2022	5A	Sample Siting Plan Errors (RTCR)
VA6099300	CWS	GW	97	Local government	Lead and Copper Rule	MR	SIF	12/5/2022	9/2/2022	9/2/2022		Follow-up Or Routine LCR Tap M/R
VA6099300	CWS	GW	97	Local government	Lead and Copper Rule	MR	SOX	9/2/2022	9/2/2022	9/2/2022		Follow-up Or Routine LCR Tap M/R
VA6099300	CWS	GW	97	Local government	Lead and Copper Rule	MR	SFJ	10/27/2021	9/2/2022	9/2/2022		Follow-up Or Routine LCR Tap M/R
VA6099300	CWS	GW	97	Local government	Lead and Copper Rule	MR	SIE	10/27/2021	9/2/2022	9/2/2022		Follow-up Or Routine LCR Tap M/R
VA6099555	CWS	GW	30	Private	Lead and Copper Rule	MR	SFJ	4/4/2022				Lead Consumer Notice
VA6099555	CWS	GW	30	Private	Revised Total Coliform Rule	Other	SOX	12/12/2022	12/12/2022	12/12/2022	5A	Sample Siting Plan Errors (RTCR)
VA6099555	CWS	GW	30	Private	Revised Total Coliform Rule	Other	SFJ	7/6/2022	12/12/2022	12/12/2022	5A	Sample Siting Plan Errors (RTCR)
VA6099590	CWS	GW	51	Private	Consumer Confidence Rule	Other	SOX	7/8/2022	7/8/2022	7/8/2022		Consumer Confidence Report Complete Failure to Report
VA6099590	CWS	GW	51	Private	Consumer Confidence Rule	Other	SFJ	5/23/2022	7/8/2022	7/8/2022		Consumer Confidence Report Complete Failure to Report
VA6099590	CWS	GW	51	Private	Consumer Confidence Rule	Other	SFJ	8/30/2021	7/8/2022	7/8/2022		Consumer Confidence Report Complete Failure to Report
VA6099590	CWS	GW	51	Private	E. COLI	MR	SFJ	8/31/2022	8/29/2022	8/29/2022		Monitoring, Source Water (GWR)
VA6099590	CWS	GW	51	Private	E. COLI	MR	SIE	8/31/2022	8/29/2022	8/29/2022		Monitoring, Source Water (GWR)
VA6099590	CWS	GW	51	Private	E. COLI	MR	SOX	8/29/2022	8/29/2022	8/29/2022		Monitoring, Source Water (GWR)
VA6099590	CWS	GW	51	Private	Lead and Copper Rule	MR	SOX	8/1/2022	8/1/2022	8/1/2022		Lead Consumer Notice
VA6099590	CWS	GW	51	Private	Lead and Copper Rule	MR	SFJ	5/23/2022	8/1/2022	8/1/2022		Lead Consumer Notice
VA6099590	CWS	GW	51	Private	Lead and Copper Rule	MR	SFJ	4/4/2022	8/1/2022	8/1/2022		Lead Consumer Notice
VA6099590	CWS	GW	51	Private	Revised Total Coliform Rule	MCL	SOX	9/23/2022	9/23/2022	9/23/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6099590	CWS	GW	51	Private	Revised Total Coliform Rule	MCL	SIF	9/7/2022	9/23/2022	9/23/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6099590	CWS	GW	51	Private	Revised Total Coliform Rule	MCL	SIE	8/30/2022	9/23/2022	9/23/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6099590	CWS	GW	51	Private	Revised Total Coliform Rule	MCL	SFJ	8/30/2022	9/23/2022	9/23/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)

VA6099590	CWS	GW	51	Private	Revised Total Coliform Rule	MCL	SFH	8/30/2022	9/23/2022	9/23/2022	1A	Maximum Contaminant Level Violation, E. coli (RTCR)
VA6107038	TNCWS	GW	168	Private	Revised Total Coliform Rule	MON	SIF	11/2/2022	10/6/2022	10/6/2022	3A	Monitoring, Routine (RTCR)
VA6107038	TNCWS	GW	168	Private	Revised Total Coliform Rule	MON	SIE	10/13/2022	10/6/2022	10/6/2022	3A	Monitoring, Routine (RTCR)
VA6107038	TNCWS	GW	168	Private	Revised Total Coliform Rule	MON	SFJ	10/13/2022	10/6/2022	10/6/2022	3A	Monitoring, Routine (RTCR)
VA6107038	TNCWS	GW	168	Private	Revised Total Coliform Rule	MON	SOX	10/6/2022	10/6/2022	10/6/2022	3A	Monitoring, Routine (RTCR)
VA6107067	TNCWS	GW	64	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA6107081	TNCWS	GW	86	Private	Revised Total Coliform Rule	MON	SIF	6/21/2022	5/2/2022	5/2/2022	3A	Monitoring, Routine (RTCR)
VA6107081	TNCWS	GW	86	Private	Revised Total Coliform Rule	MON	SOX	5/2/2022	5/2/2022	5/2/2022	3A	Monitoring, Routine (RTCR)
VA6107081	TNCWS	GW	86	Private	Revised Total Coliform Rule	MON	SFJ	4/26/2022	5/2/2022	5/2/2022	3A	Monitoring, Routine (RTCR)
VA6107081	TNCWS	GW	86	Private	Revised Total Coliform Rule	MON	SIE	4/26/2022	5/2/2022	5/2/2022	3A	Monitoring, Routine (RTCR)
VA6107085	TNCWS	GW	1001	Private	Revised Total Coliform Rule	MON	SIF	6/27/2022	6/20/2022	6/20/2022	3A	Monitoring, Routine (RTCR)
VA6107085	TNCWS	GW	1001	Private	Revised Total Coliform Rule	MON	SIE	6/22/2022	6/20/2022	6/20/2022	3A	Monitoring, Routine (RTCR)
VA6107085	TNCWS	GW	1001	Private	Revised Total Coliform Rule	MON	SFJ	6/22/2022	6/20/2022	6/20/2022	3A	Monitoring, Routine (RTCR)
VA6107085	TNCWS	GW	1001	Private	Revised Total Coliform Rule	MON	SOX	6/20/2022	6/20/2022	6/20/2022	3A	Monitoring, Routine (RTCR)
VA6107087	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	8/8/2022	8/8/2022	8/8/2022	3A	Monitoring, Routine (RTCR)
VA6107087	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	7/22/2022	8/8/2022	8/8/2022	3A	Monitoring, Routine (RTCR)
VA6107087	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	7/22/2022	8/8/2022	8/8/2022	3A	Monitoring, Routine (RTCR)
VA6107245	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIF	9/6/2022	7/18/2022	7/18/2022	3A	Monitoring, Routine (RTCR)
VA6107245	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	7/19/2022	7/18/2022	7/18/2022	3A	Monitoring, Routine (RTCR)
VA6107245	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	7/19/2022	7/18/2022	7/18/2022	3A	Monitoring, Routine (RTCR)
VA6107245	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	7/18/2022	7/18/2022	7/18/2022	3A	Monitoring, Routine (RTCR)

VA6107313	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SOX	11/29/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA6107313	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIF	11/4/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA6107313	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SFJ	10/13/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA6107313	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON	SIE	10/13/2022	11/29/2022	11/29/2022	3A	Monitoring, Routine (RTCR)
VA6107330	TNCWS	GW	58	Private	Revised Total Coliform Rule	MON	SOX	7/26/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA6107330	TNCWS	GW	58	Private	Revised Total Coliform Rule	MON	SFJ	7/19/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA6107330	TNCWS	GW	58	Private	Revised Total Coliform Rule	MON	SIE	7/19/2022	7/26/2022	7/26/2022	3A	Monitoring, Routine (RTCR)
VA6107420	CWS	GW	60	Private	Chlorine	MR						Monitoring and Reporting (DBP)
VA6107420	CWS	GW	60	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA6107707	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SIF	5/16/2022	4/26/2022	4/26/2022	3A	Monitoring, Routine (RTCR)
VA6107707	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SFJ	4/26/2022	4/26/2022	4/26/2022	3A	Monitoring, Routine (RTCR)
VA6107707	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SOX	4/26/2022	4/26/2022	4/26/2022	3A	Monitoring, Routine (RTCR)
VA6107707	TNCWS	GW	25	Local government	Revised Total Coliform Rule	MON	SIE	4/26/2022	4/26/2022	4/26/2022	3A	Monitoring, Routine (RTCR)
VA6107725	CWS	GU	225	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	10/5/2022	10/5/2022	10/5/2022		Treatment Technique No Certif. Operator
VA6107725	CWS	GU	225	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	4/5/2022	10/5/2022	10/5/2022		Treatment Technique No Certif. Operator
VA6107725	CWS	GU	225	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	3/10/2022	10/5/2022	10/5/2022		Treatment Technique No Certif. Operator
VA6107725	CWS	GU	225	Private	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	3/10/2022	10/5/2022	10/5/2022		Treatment Technique No Certif. Operator
VA6107797	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIF	5/3/2022	4/27/2022	4/27/2022	3A	Monitoring, Routine (RTCR)

VA6107797	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SOX	4/27/2022	4/27/2022	4/27/2022	3A	Monitoring, Routine (RTCR)
VA6107797	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SFJ	4/26/2022	4/27/2022	4/27/2022	3A	Monitoring, Routine (RTCR)
VA6107797	TNCWS	GW	125	Private	Revised Total Coliform Rule	MON	SIE	4/26/2022	4/27/2022	4/27/2022	3A	Monitoring, Routine (RTCR)
VA6113111	TNCWS	GW	135	Private	Nitrate-Nitrite	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Antimony, Total	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Arsenic	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Barium	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Beryllium, Total	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Cadmium	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Chromium	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Fluoride	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Mercury	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Nickel	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Selenium	MR						Monitoring, Regular
VA6113115	CWS	GW	25	Private	Thallium, Total	MR						Monitoring, Regular
VA6113189	TNCWS	GW	41	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA6113200	CWS	SW	784	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SOX	4/10/2022	4/10/2022	4/10/2022		Treatment Technique No Certif. Operator
VA6113200	CWS	SW	784	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	1/7/2022	4/10/2022	4/10/2022		Treatment Technique No Certif. Operator
VA6113200	CWS	SW	784	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	12/31/2021	4/10/2022	4/10/2022		Treatment Technique No Certif. Operator

VA6113200	CWS	SW	784	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIF	9/27/2021	4/10/2022	4/10/2022	Treatment Technique No Certif. Operator
VA6113200	CWS	SW	784	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SIE	8/30/2021	4/10/2022	4/10/2022	Treatment Technique No Certif. Operator
VA6113200	CWS	SW	784	Local government	Stage 1 Disinfectants and Disinfection Byproducts Rule	TT	SFJ	8/30/2021	4/10/2022	4/10/2022	Treatment Technique No Certif. Operator
VA6113265	CWS	GW	90	Private	Chlorine	MR	SFJ	10/25/2022	8/18/2022	8/18/2022	Monitoring and Reporting (DBP)
VA6113265	CWS	GW	90	Private	Chlorine	MR	SIE	10/25/2022	8/18/2022	8/18/2022	Monitoring and Reporting (DBP)
VA6113265	CWS	GW	90	Private	Chlorine	MR	SOX	8/18/2022	8/18/2022	8/18/2022	Monitoring and Reporting (DBP)
VA6113265	CWS	GW	90	Private	Revised Total Coliform Rule	MON	SIE	10/25/2022	8/18/2022	8/18/2022	3A Monitoring, Routine (RTCR)
VA6113265	CWS	GW	90	Private	Revised Total Coliform Rule	MON	SFJ	10/25/2022	8/18/2022	8/18/2022	3A Monitoring, Routine (RTCR)
VA6113265	CWS	GW	90	Private	Revised Total Coliform Rule	MON	SOX	8/18/2022	8/18/2022	8/18/2022	3A Monitoring, Routine (RTCR)
VA6137210	NTNCWS	GW	348	Local government	Revised Total Coliform Rule	MON	SIF	8/2/2022	7/6/2022	7/6/2022	3A Monitoring, Routine (RTCR)
VA6137210	NTNCWS	GW	348	Local government	Revised Total Coliform Rule	MON	SFJ	7/21/2022	7/6/2022	7/6/2022	3A Monitoring, Routine (RTCR)
VA6137210	NTNCWS	GW	348	Local government	Revised Total Coliform Rule	MON	SIE	7/21/2022	7/6/2022	7/6/2022	3A Monitoring, Routine (RTCR)
VA6137210	NTNCWS	GW	348	Local government	Revised Total Coliform Rule	MON	SOX	7/6/2022	7/6/2022	7/6/2022	3A Monitoring, Routine (RTCR)
VA6137212	NTNCWS	GW	951	Local government	Chlorine	MR	SIF	8/2/2022	7/6/2022	7/6/2022	Monitoring and Reporting (DBP)
VA6137212	NTNCWS	GW	951	Local government	Chlorine	MR	SIE	7/22/2022	7/6/2022	7/6/2022	Monitoring and Reporting (DBP)
VA6137212	NTNCWS	GW	951	Local government	Chlorine	MR	SFJ	7/22/2022	7/6/2022	7/6/2022	Monitoring and Reporting (DBP)
VA6137212	NTNCWS	GW	951	Local government	Chlorine	MR	SOX	7/6/2022	7/6/2022	7/6/2022	Monitoring and Reporting (DBP)
VA6137212	NTNCWS	GW	951	Local government	Revised Total Coliform Rule	MON	SIF	8/2/2022	7/6/2022	7/6/2022	3A Monitoring, Routine (RTCR)
VA6137212	NTNCWS	GW	951	Local government	Revised Total Coliform Rule	MON	SIE	7/21/2022	7/6/2022	7/6/2022	3A Monitoring, Routine (RTCR)

VA6137212	NTNCWS	GW	951	Local government	Revised Total Coliform Rule	MON	SFJ	7/21/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA6137212	NTNCWS	GW	951	Local government	Revised Total Coliform Rule	MON	SOX	7/6/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA6137370	NTNCWS	GW	385	Local government	Revised Total Coliform Rule	MON	SIF	8/2/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA6137370	NTNCWS	GW	385	Local government	Revised Total Coliform Rule	MON	SIE	7/21/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA6137370	NTNCWS	GW	385	Local government	Revised Total Coliform Rule	MON	SFJ	7/21/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA6137370	NTNCWS	GW	385	Local government	Revised Total Coliform Rule	MON	SOX	7/6/2022	7/6/2022	7/6/2022	3A	Monitoring, Routine (RTCR)
VA6153351	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SOX	8/31/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA6153351	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIF	8/2/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA6153351	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA6153351	TNCWS	GW	80	Private	Revised Total Coliform Rule	MON	SIE	7/25/2022	8/31/2022	8/31/2022	3A	Monitoring, Routine (RTCR)
VA6157205	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SFJ	10/20/2022	10/5/2022	10/5/2022	3A	Monitoring, Routine (RTCR)
VA6157205	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SIE	10/20/2022	10/5/2022	10/5/2022	3A	Monitoring, Routine (RTCR)
VA6157205	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON	SOX	10/5/2022	10/5/2022	10/5/2022	3A	Monitoring, Routine (RTCR)
VA6177005	TNCWS	GW	50	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA6177012	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SOX	11/4/2022	11/4/2022	11/4/2022	3A	Monitoring, Routine (RTCR)
VA6177012	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SFJ	10/18/2022	11/4/2022	11/4/2022	3A	Monitoring, Routine (RTCR)
VA6177012	TNCWS	GW	200	Private	Revised Total Coliform Rule	MON	SIE	10/18/2022	11/4/2022	11/4/2022	3A	Monitoring, Routine (RTCR)
VA6177105	CWS	GW	175	Private	Lead and Copper Rule	TT	SIE	3/10/2022	3/9/2022	3/9/2022		Public Education
VA6177105	CWS	GW	175	Private	Lead and Copper Rule	TT	SFJ	3/10/2022	3/9/2022	3/9/2022		Public Education
VA6177105	CWS	GW	175	Private	Lead and Copper Rule	TT	SOX	3/9/2022	3/9/2022	3/9/2022		Public Education
VA6177240	TNCWS	GW	815	State government	Revised Total Coliform Rule	MON	SOX	8/19/2022	8/19/2022	8/19/2022	3A	Monitoring, Routine (RTCR)

VA6177240	TNCWS	GW	815	State government	Revised Total Coliform Rule	MON	SIF	8/10/2022	8/19/2022	8/19/2022	3A	Monitoring, Routine (RTCR)
VA6177240	TNCWS	GW	815	State government	Revised Total Coliform Rule	MON	SFJ	7/29/2022	8/19/2022	8/19/2022	3A	Monitoring, Routine (RTCR)
VA6177240	TNCWS	GW	815	State government	Revised Total Coliform Rule	MON	SIE	7/29/2022	8/19/2022	8/19/2022	3A	Monitoring, Routine (RTCR)
VA6177241	TNCWS	GW	100	State government	Revised Total Coliform Rule	MON	SOX	8/19/2022	8/19/2022	8/19/2022	3A	Monitoring, Routine (RTCR)
VA6177241	TNCWS	GW	100	State government	Revised Total Coliform Rule	MON	SIF	8/10/2022	8/19/2022	8/19/2022	3A	Monitoring, Routine (RTCR)
VA6177241	TNCWS	GW	100	State government	Revised Total Coliform Rule	MON	SFJ	7/29/2022	8/19/2022	8/19/2022	3A	Monitoring, Routine (RTCR)
VA6177241	TNCWS	GW	100	State government	Revised Total Coliform Rule	MON	SIE	7/29/2022	8/19/2022	8/19/2022	3A	Monitoring, Routine (RTCR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SIF	10/12/2022	9/23/2022	9/23/2022	3A	Monitoring, Routine (RTCR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SIE	9/27/2022	9/23/2022	9/23/2022	3A	Monitoring, Routine (RTCR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SFJ	9/27/2022	9/23/2022	9/23/2022	3A	Monitoring, Routine (RTCR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SOX	9/23/2022	9/23/2022	9/23/2022	3A	Monitoring, Routine (RTCR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SIF	11/30/2022	11/22/2022	11/22/2022	3A	Monitoring, Routine (RTCR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SOX	11/22/2022	11/22/2022	11/22/2022	3A	Monitoring, Routine (RTCR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SIE	11/15/2022	11/22/2022	11/22/2022	3A	Monitoring, Routine (RTCR)
VA6177266	CWS	GW	120	Private	Revised Total Coliform Rule	MON	SFJ	11/15/2022	11/22/2022	11/22/2022	3A	Monitoring, Routine (RTCR)
VA6177357	TNCWS	GW	106	Private	Revised Total Coliform Rule	MON	SIF	6/29/2022	6/16/2022	6/16/2022	3A	Monitoring, Routine (RTCR)
VA6177357	TNCWS	GW	106	Private	Revised Total Coliform Rule	MON	SIE	6/22/2022	6/16/2022	6/16/2022	3A	Monitoring, Routine (RTCR)
VA6177357	TNCWS	GW	106	Private	Revised Total Coliform Rule	MON	SFJ	6/22/2022	6/16/2022	6/16/2022	3A	Monitoring, Routine (RTCR)
VA6177357	TNCWS	GW	106	Private	Revised Total Coliform Rule	MON	SOX	6/16/2022	6/16/2022	6/16/2022	3A	Monitoring, Routine (RTCR)
VA6177358	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIF	6/29/2022	6/16/2022	6/16/2022	3A	Monitoring, Routine (RTCR)
VA6177358	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SFJ	6/22/2022	6/16/2022	6/16/2022	3A	Monitoring, Routine (RTCR)

VA6177358	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SIE	6/22/2022	6/16/2022	6/16/2022	3A	Monitoring, Routine (RTCR)
VA6177358	TNCWS	GW	100	Private	Revised Total Coliform Rule	MON	SOX	6/16/2022	6/16/2022	6/16/2022	3A	Monitoring, Routine (RTCR)
VA6177380	TNCWS	GW	25	Private	Revised Total Coliform Rule	MON					3A	Monitoring, Routine (RTCR)
VA6179750	CWS	GW	110	Private	Chlorine	MR	SFJ	2/23/2022	2/22/2022	2/22/2022		Monitoring and Reporting (DBP)
VA6179750	CWS	GW	110	Private	Chlorine	MR	SIE	2/23/2022	2/22/2022	2/22/2022		Monitoring and Reporting (DBP)
VA6179750	CWS	GW	110	Private	Chlorine	MR	SOX	2/22/2022	2/22/2022	2/22/2022		Monitoring and Reporting (DBP)
VA6179750	CWS	GW	110	Private	Revised Total Coliform Rule	MON	SIF	3/2/2022	2/22/2022	2/22/2022	3A	Monitoring, Routine (RTCR)
VA6179750	CWS	GW	110	Private	Revised Total Coliform Rule	MON	SIE	2/23/2022	2/22/2022	2/22/2022	3A	Monitoring, Routine (RTCR)
VA6179750	CWS	GW	110	Private	Revised Total Coliform Rule	MON	SFJ	2/23/2022	2/22/2022	2/22/2022	3A	Monitoring, Routine (RTCR)
VA6179750	CWS	GW	110	Private	Revised Total Coliform Rule	MON	SOX	2/22/2022	2/22/2022	2/22/2022	3A	Monitoring, Routine (RTCR)
VA6179777	TNCWS	GW	29	Private	Revised Total Coliform Rule	MON	SOX	9/8/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)
VA6179777	TNCWS	GW	29	Private	Revised Total Coliform Rule	MON	SIE	7/25/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)
VA6179777	TNCWS	GW	29	Private	Revised Total Coliform Rule	MON	SFJ	7/25/2022	9/8/2022	9/8/2022	3A	Monitoring, Routine (RTCR)