

Virginia Department of Health  
Office of Environmental Health Services



**Application Checklist**

**GMP 147 WASTEWATER TREATMENT TECHNOLOGY LISTING**

<http://www.vdh.virginia.gov/EnvironmentalHealth/Onsite/GMP/index.htm>

Please supply all requested information (form will expand as information is entered). Incomplete applications will be returned to the applicant.

|  |  |
|--|--|
| Product Identification (Name and Model(s)): Ecopod N   |  |
| Is the Unit Generally Approved for Secondary Treatment in Virginia?: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No   |  |
| Application Request (Check One): <input type="checkbox"/> Evaluation Completed – Required data set included (see GMP #147)<br><input checked="" type="checkbox"/> Evaluation Ongoing – Required data set not included                |  |
| <b>APPLICANT CONTACT INFORMATION</b><br>Name and Title: Delta Environmental<br>Signature and Date: Sep 16, 2010<br><br>Address: PO Box 969, Denham Springs, La 70272<br>Telephone: 225-665-6162<br>Email: Mike.Catanzaro@PENTAIR.COM | <b>CERTIFYING ENGINEER INFORMATION</b><br>Name: D. Thomas Basham PE<br>Company Name: Nokesville Design, PLC<br><br>Address: PO Box 635 Nokesville, Va. 20182<br>Telephone: 703-594-2425 – ext 105<br>Email: tom@nokesvilledesign.com |

***If you checked 'Evaluation Completed' above, please supply the following information.***

- Technical plans and specifications for the product(s) proposed for GMP 147 listing.
- Data set with completed statistics (minimum of 20 units sampled quarterly for one year). ***Electronic submittal (Excel format) is required. All data must be submitted. Review GMP #147 for more information.***
- Discussion of data set validity, including data source(s), verification of independent 3<sup>rd</sup> party from residential units, sampling protocol, sample analytical methods, unit maintenance, justification for data exclusion, etc.
- Virginia-licensed P.E. certification that the unit is expected to comply with GMP 147 treatment standards.
- Operation and Maintenance (O&M) Manual. ***Electronic submittal (PDF or Word format) is required.***
- Virginia-licensed P.E. certification that the O&M Manual accurately reflects the service and maintenance requirements of the product.

***If you checked 'Evaluation Ongoing' above, please supply the following information.***

- Technical plans and specifications for the product(s) proposed for GMP 147 listing.
- Signed VDH "Manufacturer Agreement – Memorandum of Understanding and Agreement," including a copy of the 3<sup>rd</sup> party contract for sample collection and analysis.
- If partial data set included, discussion of data set validity, including data source(s), verification of independent 3<sup>rd</sup> party from residential units, sampling protocol, sample analytical methods, unit maintenance, justification for data exclusion, etc.
- Operation and Maintenance (O&M) Manual. ***Electronic submittal (PDF or Word format) is required.***
- Virginia-licensed P.E. certification that the O&M Manual accurately reflects the service and maintenance requirements of the product.
- Virginia-licensed P.E. certification that the unit is expected to comply with GMP 147 treatment standards.

**Submit completed form with all attachments to:** Allen Knapp, Director  
Onsite Water and Sewage, Marina, and Engineering Programs  
Virginia Department of Health  
109 Governor Street, 5th Floor  
Richmond, Virginia 23219  
[Allen.Knapp@vdh.virginia.gov](mailto:Allen.Knapp@vdh.virginia.gov)

**Electronic submittals are encouraged; electronic data and O&M Manual submittals are required.**