



## Indicator 13: Ever had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

Internal variable name: outc13\_arthritis

### Section 1: Definition

Definition: (Ever told) you have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia?

### Section 2: Predictive models

|   | Mixed, demos only      | Logit, no area effects | Mixed with area covariates |
|---|------------------------|------------------------|----------------------------|
|   | b/se                   | b/se                   | b/se                       |
| Outcome 13: Ever had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia |                        |                        |                            |
| Non-Hispanic Black vs. Non-Hispanic White   | -0.0211<br>(0.0971)    | 0.0077<br>(0.0895)     | 0.0078<br>(0.0958)         |
| Non-Hispanic Asian vs. Non-Hispanic White   | -0.3445<br>(0.2187)    | -0.2327<br>(0.2435)    | -0.2326<br>(0.2235)        |
| Non-Hispanic Other vs. Non-Hispanic White   | 0.2124<br>(0.1335)     | 0.2364<br>(0.1725)     | 0.2364<br>(0.1360)         |
| Hispanic vs. Non-Hispanic White   | -0.7367***<br>(0.1874) | -0.6608**<br>(0.2148)  | -0.6608***<br>(0.1786)     |
| Female  | 0.3728***<br>(0.0582)  | 0.3677***<br>(0.0651)  | 0.3677***<br>(0.0582)      |
| Age 18-24 vs. 65+   | -3.6002***<br>(0.3464) | -3.5830***<br>(0.2895) | -3.5827***<br>(0.3449)     |
| Age 25-34 vs. 65+   | -2.6753***<br>(0.1606) | -2.6533***<br>(0.1557) | -2.6532***<br>(0.1607)     |
| Age 35-44 vs. 65+   | -1.7826***<br>(0.1539) | -1.7561***<br>(0.1131) | -1.7561***<br>(0.1546)     |
| Age 45-54 vs. 65+   | -1.1164***<br>(0.0813) | -1.0854***<br>(0.0870) | -1.0854***<br>(0.0823)     |
| Age 55-64 vs. 65+   | -0.4624***<br>(0.0873) | -0.4551***<br>(0.0762) | -0.4551***<br>(0.0858)     |
| Crude mortality rate of septicemia per 10,000   |                        | 0.1836<br>(0.6238)     | 0.1837<br>(0.6631)         |
| Crude mortality rate of chronic lower respiratory per 10,000                                    |                        | 0.0488*<br>(0.0203)    | 0.0488*<br>(0.0220)        |

Indicator 13: Ever had some form of Arthritis,  
Rheumatoid Arthritis, Gout, Lupus, or Fibromyalgia.



|   |                     |                        |                        |
|---|---------------------|------------------------|------------------------|
| % HHs with children: non family   |                     | -0.1438**<br>(0.0466)  | -0.1438**<br>(0.0443)  |
| % moved past year, population 1+ years old  |                     | -0.0070<br>(0.0064)    | -0.0070<br>(0.0062)    |
| Historic SAE: mammogram screening   |                     | -0.0345***<br>(0.0089) | -0.0345***<br>(0.0094) |
| Historic SAE: current smoking rate  |                     | 0.0431*<br>(0.0219)    | 0.0431<br>(0.0228)     |
| {Historic SAE: current smoking rate}<br>interacted with {Crude mortality rate of septicemia<br>per 10,000}        |                     | -0.0015<br>(0.0077)    | -0.0015<br>(0.0082)    |
| Testis Cancer Male Rate   |                     | -0.0193<br>(0.0119)    | -0.0193<br>(0.0128)    |
| Crude mortality rate of nephritis nephrotic syndrome<br>per 10,000  |                     | 0.0811*<br>(0.0382)    | 0.0811*<br>(0.0357)    |
| {Testis Cancer Male Rate}<br>interacted with {Crude mortality rate of nephritis<br>nephrotic syndrome per 10,000} |                     | 0.0037<br>(0.0033)     | 0.0037<br>(0.0034)     |
| Intercept   | 0.0197<br>(0.0768)  | -1.3841<br>(1.7821)    | -1.3843<br>(1.8066)    |
| Area effect variance  | 0.0816*<br>(0.0403) |                        | 0.0000<br>(0.0000)     |

Number of alternative models used to estimate model error = 5.

Indicator 13: Ever had some form of Arthritis,  
Rheumatoid Arthritis, Gout, Lupus, or Fibromyalgia.



### Section 3: Results

| County name         | County FIPS | Direct estimate | Direct 95% CI  | SAE composite | SAE 95% CI     |
|---------------------|-------------|-----------------|----------------|---------------|----------------|
| Augusta County      | 51015       | 32.0%           | (24.1%, 41.1%) | 35.4%         | (32.1%, 38.9%) |
| Bath County         | 51017       | 45.0%           | (17.7%, 75.8%) | 35.2%         | (27.2%, 44.2%) |
| Caroline County     | 51033       | 35.6%           | (18.6%, 57.2%) | 27.6%         | (24.6%, 30.8%) |
| Clarke County       | 51043       | 6.0%            | (3.0%, 27.0%)  | 22.1%         | (18.8%, 25.8%) |
| Culpeper County     | 51047       | 29.9%           | (18.7%, 44.3%) | 27.9%         | (24.7%, 31.3%) |
| Fauquier County     | 51061       | 38.3%           | (26.9%, 51.0%) | 30.5%         | (27.2%, 34.1%) |
| Frederick County    | 51069       | 18.7%           | (12.6%, 26.9%) | 24.9%         | (22.5%, 27.4%) |
| Highland County     | 51091       | 27.8%           | (2.1%, 87.2%)  | 15.7%         | (9.9%, 23.9%)  |
| King George County  | 51099       | 32.1%           | (13.6%, 58.8%) | 25.2%         | (20.8%, 30.2%) |
| Madison County      | 51113       | 11.4%           | (5.8%, 32.4%)  | 29.2%         | (25.8%, 32.7%) |
| Orange County       | 51137       | 20.1%           | (11.0%, 33.7%) | 28.6%         | (24.4%, 33.2%) |
| Page County         | 51139       | 27.5%           | (10.2%, 55.8%) | 28.9%         | (24.2%, 34.1%) |
| Rappahannock County | 51157       | 27.2%           | (10.2%, 55.2%) | 22.7%         | (18.8%, 27.2%) |
| Rockbridge County   | 51163       | 43.5%           | (25.3%, 63.6%) | 41.8%         | (37.8%, 45.8%) |
| Rockingham County   | 51165       | 24.2%           | (16.1%, 34.7%) | 25.8%         | (23.4%, 28.4%) |
| Shenandoah County   | 51171       | 28.1%           | (16.0%, 44.5%) | 26.9%         | (23.9%, 30.2%) |
| Spotsylvania County | 51177       | 19.3%           | (12.2%, 29.4%) | 20.3%         | (18.1%, 22.6%) |
| Stafford County     | 51179       | 19.9%           | (13.5%, 28.3%) | 20.5%         | (18.6%, 22.6%) |
| Warren County       | 51187       | 19.3%           | (10.8%, 36.3%) | 31.3%         | (28.2%, 34.6%) |
| Buena Vista City    | 51530       | 0.0%            | (-0.0%, 89.6%) | 32.7%         | (27.5%, 38.5%) |
| Fredericksburg City | 51630       | 30.5%           | (13.5%, 55.3%) | 19.6%         | (15.6%, 24.4%) |
| Harrisonburg City   | 51660       | 5.2%            | (2.4%, 38.6%)  | 17.2%         | (13.6%, 21.4%) |
| Lexington City      | 51678       | 0.0%            | (0.0%, 99.4%)  | 32.6%         | (24.8%, 41.5%) |
| Staunton City       | 51790       | 23.6%           | (5.1%, 64.0%)  | 31.5%         | (29.1%, 34.0%) |
| Waynesboro City     | 51820       | 19.9%           | (5.6%, 51.3%)  | 30.3%         | (27.6%, 33.1%) |
| Winchester City     | 51840       | 22.1%           | (8.9%, 45.1%)  | 23.2%         | (19.0%, 28.1%) |

Indicator 13: Ever had some form of Arthritis,  
Rheumatoid Arthritis, Gout, Lupus, or Fibromyalgia.



| County name           | County FIPS | Direct estimate | Direct 95% CI  | SAE composite | SAE 95% CI     |
|-----------------------|-------------|-----------------|----------------|---------------|----------------|
| Albemarle County      | 51003       | 24.5%           | (16.9%, 34.2%) | 20.8%         | (18.4%, 23.5%) |
| Alleghany County      | 51005       | 38.8%           | (22.1%, 58.6%) | 40.9%         | (33.7%, 48.6%) |
| Amherst County        | 51009       | 33.9%           | (18.5%, 53.8%) | 32.8%         | (30.3%, 35.4%) |
| Appomattox County     | 51011       | 14.9%           | (6.9%, 35.6%)  | 25.5%         | (19.0%, 33.1%) |
| Arlington City        | 51013       | 14.5%           | (9.9%, 20.8%)  | 19.1%         | (16.7%, 21.7%) |
| Bedford County        | 51019       | 26.7%           | (18.0%, 37.7%) | 28.3%         | (24.7%, 32.2%) |
| Botetourt County      | 51023       | 35.9%           | (23.6%, 50.5%) | 32.7%         | (29.7%, 35.9%) |
| Campbell County       | 51031       | 33.2%           | (20.5%, 49.0%) | 26.3%         | (23.8%, 29.0%) |
| Craig County          | 51045       | 0.0%            | (0.0%, 73.6%)  | 40.7%         | (34.8%, 46.9%) |
| Fairfax County        | 51059       | 23.8%           | (19.3%, 28.9%) | 20.2%         | (17.8%, 22.8%) |
| Fluvanna County       | 51065       | 37.9%           | (18.0%, 62.9%) | 24.0%         | (20.5%, 27.9%) |
| Greene County         | 51079       | 16.9%           | (7.1%, 41.1%)  | 25.3%         | (21.4%, 29.7%) |
| Loudoun County        | 51107       | 16.4%           | (12.0%, 22.0%) | 20.6%         | (17.3%, 24.4%) |
| Louisa County         | 51109       | 36.6%           | (21.4%, 55.1%) | 26.8%         | (23.9%, 29.9%) |
| Nelson County         | 51125       | 16.8%           | (6.0%, 39.0%)  | 29.9%         | (25.5%, 34.7%) |
| Prince William County | 51153       | 16.8%           | (12.6%, 21.9%) | 16.8%         | (15.4%, 18.4%) |
| Roanoke County        | 51161       | 24.9%           | (18.7%, 32.5%) | 29.3%         | (27.3%, 31.5%) |
| Alexandria City       | 51510       | 16.1%           | (10.0%, 24.8%) | 17.3%         | (15.8%, 19.0%) |
| Charlottesville City  | 51540       | 11.8%           | (4.0%, 37.7%)  | 16.5%         | (12.5%, 21.5%) |
| Covington City        | 51580       | 0.0%            | (0.0%, 99.4%)  | 50.9%         | (36.9%, 64.8%) |
| Fairfax City          | 51600       | 15.4%           | (9.5%, 23.9%)  | 18.7%         | (16.2%, 21.5%) |
| Falls Church City     | 51610       | 2.5%            | (0.8%, 63.4%)  | 21.7%         | (18.3%, 25.6%) |
| Lynchburg City        | 51680       | 18.2%           | (10.1%, 30.7%) | 21.0%         | (18.1%, 24.1%) |
| Manassas City         | 51683       | 26.4%           | (8.7%, 57.4%)  | 20.3%         | (18.1%, 22.6%) |
| Manassas Park City    | 51685       | 0.0%            | (-0.0%, 96.8%) | 13.6%         | (10.0%, 18.1%) |
| Salem City            | 51775       | 28.3%           | (8.5%, 62.5%)  | 25.5%         | (22.0%, 29.4%) |

Indicator 13: Ever had some form of Arthritis,  
Rheumatoid Arthritis, Gout, Lupus, or Fibromyalgia.



| County name         | County FIPS | Direct estimate | Direct 95% CI  | SAE composite | SAE 95% CI     |
|---------------------|-------------|-----------------|----------------|---------------|----------------|
| Bland County        | 51021       | 40.2%           | (12.9%, 75.3%) | 39.4%         | (34.4%, 44.6%) |
| Buchanan County     | 51027       | 57.0%           | (41.0%, 71.6%) | 50.9%         | (44.2%, 57.6%) |
| Carroll County      | 51035       | 38.9%           | (24.3%, 55.7%) | 40.7%         | (36.0%, 45.5%) |
| Dickenson County    | 51051       | 53.0%           | (34.5%, 70.7%) | 49.3%         | (41.3%, 57.2%) |
| Floyd County        | 51063       | 29.1%           | (15.1%, 48.7%) | 19.8%         | (14.2%, 26.8%) |
| Franklin County     | 51067       | 36.2%           | (20.6%, 55.3%) | 33.6%         | (30.9%, 36.4%) |
| Giles County        | 51071       | 43.7%           | (23.0%, 67.0%) | 32.8%         | (27.4%, 38.7%) |
| Grayson County      | 51077       | 27.2%           | (12.3%, 49.9%) | 28.9%         | (21.2%, 37.9%) |
| Henry County        | 51089       | 48.4%           | (35.9%, 61.2%) | 36.8%         | (34.0%, 39.6%) |
| Lee County          | 51105       | 29.4%           | (16.6%, 46.6%) | 45.0%         | (40.2%, 49.8%) |
| Montgomery County   | 51121       | 19.9%           | (13.1%, 29.1%) | 23.2%         | (19.9%, 26.7%) |
| Patrick County      | 51141       | 29.3%           | (15.8%, 47.8%) | 33.4%         | (28.8%, 38.3%) |
| Pittsylvania County | 51143       | 34.6%           | (26.1%, 44.1%) | 35.5%         | (32.8%, 38.4%) |
| Pulaski County      | 51155       | 43.2%           | (28.9%, 58.8%) | 28.3%         | (25.0%, 31.9%) |
| Russell County      | 51167       | 46.8%           | (29.9%, 64.5%) | 43.0%         | (36.7%, 49.6%) |
| Scott County        | 51169       | 47.8%           | (33.8%, 62.1%) | 42.0%         | (38.2%, 45.9%) |
| Smyth County        | 51173       | 32.6%           | (19.4%, 49.3%) | 39.2%         | (35.3%, 43.2%) |
| Tazewell County     | 51185       | 47.9%           | (34.8%, 61.3%) | 40.8%         | (36.4%, 45.4%) |
| Washington County   | 51191       | 40.3%           | (27.9%, 54.1%) | 36.3%         | (32.2%, 40.7%) |
| Wise County         | 51195       | 56.9%           | (43.8%, 69.1%) | 45.0%         | (37.7%, 52.6%) |
| Wythe County        | 51197       | 50.4%           | (35.4%, 65.3%) | 42.7%         | (38.6%, 46.9%) |
| Bristol City        | 51520       | 26.7%           | (7.8%, 64.4%)  | 35.7%         | (30.3%, 41.4%) |
| Danville City       | 51590       | 23.7%           | (10.6%, 44.8%) | 30.1%         | (25.3%, 35.3%) |
| Galax City          | 51640       | 35.6%           | (5.2%, 86.4%)  | 43.7%         | (35.2%, 52.5%) |
| Martinsville City   | 51690       | 0.0%            | (0.0%, 53.9%)  | 34.4%         | (20.7%, 51.3%) |
| Norton City         | 51720       | 48.4%           | (7.9%, 91.2%)  | 36.4%         | (30.8%, 42.5%) |
| Radford City        | 51750       | 0.0%            | (0.0%, 56.8%)  | 14.0%         | (9.1%, 21.0%)  |
| Roanoke City        | 51770       | 27.9%           | (20.0%, 37.4%) | 25.6%         | (23.3%, 28.1%) |

Indicator 13: Ever had some form of Arthritis,  
Rheumatoid Arthritis, Gout, Lupus, or Fibromyalgia.



| County name           | County FIPS | Direct estimate | Direct 95% CI  | SAE composite | SAE 95% CI     |
|-----------------------|-------------|-----------------|----------------|---------------|----------------|
| Amelia County         | 51007       | 15.5%           | (8.2%, 38.9%)  | 29.3%         | (24.7%, 34.4%) |
| Brunswick County      | 51025       | 42.9%           | (22.1%, 66.7%) | 34.9%         | (30.9%, 39.2%) |
| Buckingham County     | 51029       | 34.7%           | (17.8%, 56.6%) | 29.5%         | (24.8%, 34.6%) |
| Charles City County   | 51036       | 80.3%           | (31.7%, 97.3%) | 29.5%         | (26.1%, 33.0%) |
| Charlotte County      | 51037       | 40.5%           | (16.3%, 70.5%) | 33.0%         | (27.5%, 39.1%) |
| Chesterfield County   | 51041       | 26.7%           | (21.4%, 32.9%) | 25.0%         | (23.0%, 27.1%) |
| Cumberland County     | 51049       | 38.4%           | (16.7%, 66.1%) | 38.5%         | (33.9%, 43.3%) |
| Dinwiddie County      | 51053       | 20.7%           | (11.4%, 34.7%) | 30.0%         | (26.0%, 34.4%) |
| Goochland County      | 51075       | 30.1%           | (14.8%, 51.6%) | 30.4%         | (27.0%, 34.1%) |
| Greensville County    | 51081       | 28.1%           | (9.1%, 60.4%)  | 41.0%         | (34.0%, 48.4%) |
| Halifax County        | 51083       | 29.7%           | (19.4%, 42.7%) | 32.4%         | (28.2%, 37.0%) |
| Hanover County        | 51085       | 24.5%           | (17.3%, 33.4%) | 26.6%         | (24.5%, 28.8%) |
| Henrico County        | 51087       | 22.7%           | (18.2%, 27.9%) | 25.1%         | (23.5%, 26.7%) |
| Lunenburg County      | 51111       | 56.5%           | (28.0%, 81.3%) | 33.2%         | (27.8%, 39.1%) |
| Mecklenburg County    | 51117       | 44.5%           | (29.1%, 60.9%) | 35.0%         | (31.2%, 38.9%) |
| New Kent County       | 51127       | 32.4%           | (15.0%, 56.5%) | 26.7%         | (23.7%, 29.9%) |
| Nottoway County       | 51135       | 14.6%           | (7.6%, 36.9%)  | 18.4%         | (12.9%, 25.6%) |
| Powhatan County       | 51145       | 46.7%           | (18.7%, 76.9%) | 26.2%         | (22.3%, 30.5%) |
| Prince Edward County  | 51147       | 26.5%           | (13.4%, 45.6%) | 35.2%         | (31.4%, 39.2%) |
| Prince George County  | 51149       | 24.4%           | (13.7%, 39.8%) | 29.4%         | (25.9%, 33.1%) |
| Surry County          | 51181       | 50.4%           | (15.6%, 84.9%) | 23.5%         | (18.7%, 29.2%) |
| Sussex County         | 51183       | 49.7%           | (24.4%, 75.1%) | 37.4%         | (32.6%, 42.4%) |
| Colonial Heights City | 51570       | 21.6%           | (6.7%, 59.0%)  | 33.4%         | (26.8%, 40.8%) |
| Emporia City          | 51595       | 40.9%           | (6.4%, 87.5%)  | 41.1%         | (29.1%, 54.3%) |
| Hopewell City         | 51670       | 25.6%           | (11.5%, 47.7%) | 31.8%         | (27.2%, 36.8%) |
| Petersburg City       | 51730       | 19.1%           | (10.6%, 32.0%) | 34.2%         | (29.2%, 39.6%) |
| Richmond City         | 51760       | 19.2%           | (13.6%, 26.4%) | 20.9%         | (19.1%, 22.8%) |

Indicator 13: Ever had some form of Arthritis,  
Rheumatoid Arthritis, Gout, Lupus, or Fibromyalgia.




| County name           | County FIPS | Direct estimate | Direct 95% CI  | SAE composite | SAE 95% CI     |
|-----------------------|-------------|-----------------|----------------|---------------|----------------|
| Accomack County       | 51001       | 26.4%           | (16.3%, 39.6%) | 40.6%         | (30.7%, 51.3%) |
| Essex County          | 51057       | 26.5%           | (10.9%, 51.6%) | 36.5%         | (31.8%, 41.3%) |
| Gloucester County     | 51073       | 19.2%           | (10.1%, 33.6%) | 33.5%         | (31.3%, 35.8%) |
| Isle of Wight County  | 51093       | 49.1%           | (33.8%, 64.7%) | 35.5%         | (32.3%, 38.8%) |
| James City County     | 51095       | 26.3%           | (16.5%, 39.3%) | 22.3%         | (19.7%, 25.2%) |
| King and Queen County | 51097       | 39.2%           | (8.5%, 81.7%)  | 31.9%         | (27.0%, 37.2%) |
| King William County   | 51101       | 39.9%           | (19.5%, 64.5%) | 39.0%         | (33.7%, 44.7%) |
| Lancaster County      | 51103       | 58.6%           | (32.5%, 80.6%) | 38.2%         | (30.3%, 46.8%) |
| Mathews County        | 51115       | 22.6%           | (9.6%, 44.6%)  | 23.8%         | (14.9%, 35.9%) |
| Middlesex County      | 51119       | 59.3%           | (20.8%, 89.0%) | 36.3%         | (23.6%, 51.3%) |
| Northampton County    | 51131       | 40.4%           | (23.1%, 60.5%) | 37.4%         | (27.4%, 48.5%) |
| Northumberland County | 51133       | 60.6%           | (35.2%, 81.3%) | 32.8%         | (23.9%, 43.2%) |
| Richmond County       | 51159       | 29.8%           | (16.7%, 47.4%) | 32.3%         | (28.4%, 36.5%) |
| Southampton County    | 51175       | 44.3%           | (19.7%, 71.9%) | 32.0%         | (28.8%, 35.4%) |
| Westmoreland County   | 51193       | 28.5%           | (12.8%, 52.1%) | 35.2%         | (29.2%, 41.6%) |
| York County           | 51199       | 24.3%           | (15.2%, 36.6%) | 25.0%         | (22.9%, 27.3%) |
| Chesapeake City       | 51550       | 27.7%           | (21.7%, 34.5%) | 22.9%         | (21.3%, 24.5%) |
| Franklin City         | 51620       | 27.9%           | (15.6%, 44.9%) | 29.7%         | (26.4%, 33.3%) |
| Hampton City          | 51650       | 24.9%           | (18.5%, 32.6%) | 23.0%         | (21.3%, 24.8%) |
| Newport News City     | 51700       | 23.7%           | (16.8%, 32.5%) | 21.8%         | (19.7%, 24.0%) |
| Norfolk City          | 51710       | 27.0%           | (20.5%, 34.7%) | 23.7%         | (21.1%, 26.6%) |
| Poquoson City         | 51735       | 41.5%           | (9.9%, 82.1%)  | 36.7%         | (31.1%, 42.8%) |
| Portsmouth City       | 51740       | 34.9%           | (24.9%, 46.4%) | 30.2%         | (27.6%, 33.0%) |
| Suffolk City          | 51800       | 34.9%           | (24.7%, 46.7%) | 25.7%         | (23.4%, 28.2%) |
| Virginia Beach City   | 51810       | 24.2%           | (19.3%, 29.9%) | 21.3%         | (19.9%, 22.9%) |
| Williamsburg City     | 51830       | 40.4%           | (9.3%, 81.8%)  | 17.1%         | (9.6%, 28.6%)  |



Section 4: Graphical representation

## Lifetime arthritis, gout, lupus, fibromyalgia Thomas Jefferson and Piedmont HDs




Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval



Indicator 13: Ever had some form of Arthritis,  
Rheumatoid Arthritis, Gout, Lupus, or Fibromyalgia.




### Lifetime arthritis, gout, lupus, fibromyalgia Alexandria, Fairfax, Arlington, Loudon, Prince William HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval




## Lifetime arthritis, gout, lupus, fibromyalgia New River and Mount Rogers HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval




### Lifetime arthritis, gout, lupus, fibromyalgia Norfolk, Portsmouth, Chesapeake, VA Beach, W. Tidewater HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval




## Lifetime arthritis, gout, lupus, fibromyalgia Central Shenandoah and Lord Fairfax HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval



## Lifetime arthritis, gout, lupus, fibromyalgia Alleghany, Roanoke and Central Virginia HDs




Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval

Indicator 13: Ever had some form of Arthritis,  
Rheumatoid Arthritis, Gout, Lupus, or Fibromyalgia.




### Lifetime arthritis, gout, lupus, fibromyalgia Cumberland Plateau and Lenowisco HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval




### Lifetime arthritis, gout, lupus, fibromyalgia Pittsylvania/Danville, Southside and West Piedmont HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval



### Lifetime arthritis, gout, lupus, fibromyalgia Chesterfield, Chickahominy, Henrico and Richmond HDs




Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval






## Lifetime arthritis, gout, lupus, fibromyalgia Rappahannock/Rapidan and Rappahannock HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval




## Lifetime arthritis, gout, lupus, fibromyalgia Crater, Peninsula and Hampton HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval



## Lifetime arthritis, gout, lupus, fibromyalgia Eastern Shore and Three Rivers HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB  
Gray markers: 90% confidence interval



## Section 5: Additional diagnostics

Direct estimate is inside the 95% SAE Wilson CI: 43 areas.

Direct estimate is outside the 95% SAE Wilson CI: 90 areas.

SAE estimate is inside the 95% direct Wilson CI: 128 areas.

SAE estimate is outside the 95% direct Wilson CI: 5 areas.

SAE Wilson 95% CI is fully inside the 95% direct Wilson CI: 113 areas.

SAE Wilson 95% CI partially overlaps with the 95% direct Wilson CI: 20 areas.

SAE Wilson 95% CI and the 95% direct Wilson CI do not overlap: 0 areas.

SAE standard error is less than the direct standard error: 126 areas.

SAE standard error is greater than the (nonzero) direct standard error: 0 areas.

Direct standard error is zero: 7 areas.

Proportion of SAE variance due to ACS sampling error: min = 0.32%; med = 5.17%; max = 25.17%.

Proportion of SAE variance to sampling error in regression coefficient estimates: min = 73.83%; med = 92.92%; max = 99.22%.

Proportion of SAE variance due to model selection: min = 0.08%; med = 1.06%; max = 9.99%.