



Indicator 25: Tetanus Diphtheria (Tdap)

Internal variable name: outc25_tdap_vacc

Section 1: Definition

Definition: Since 2005, have you had a tetanus shot? (If yes, ask: "Was this Tdap, the tetanus shot that also has pertussis or whooping cough vaccine?")

Section 2: Predictive models

	Mixed, demos only	Logit, no area effects	Mixed with area covariates
	b/se	b/se	b/se
Outcome 25: Tetanus Diphtheria (Tdap)			
Non-Hispanic Black vs. Non-Hispanic White	-0.1338 (0.1059)	-0.1051 (0.1096)	-0.1051 (0.1124)
Non-Hispanic Asian vs. Non-Hispanic White	0.0338 (0.1906)	-0.0287 (0.2335)	-0.0287 (0.1968)
Non-Hispanic Other vs. Non-Hispanic White	-0.3658 (0.1968)	-0.3680 (0.2024)	-0.3680 (0.1943)
Hispanic vs. Non-Hispanic White	-0.2963 (0.1851)	-0.3406 (0.1869)	-0.3406 (0.1875)
Female	0.4645*** (0.0604)	0.4769*** (0.0756)	0.4769*** (0.0620)
Age 18-24 vs. 65+	0.9006*** (0.1835)	0.9019*** (0.1532)	0.9019*** (0.1853)
Age 25-34 vs. 65+	0.9090*** (0.1124)	0.9040*** (0.1217)	0.9040*** (0.1126)
Age 35-44 vs. 65+	0.7263*** (0.1022)	0.7167*** (0.1141)	0.7166*** (0.1031)
Age 45-54 vs. 65+	0.5139*** (0.1330)	0.4965*** (0.1050)	0.4965*** (0.1362)
Age 55-64 vs. 65+	0.3561*** (0.0877)	0.3501*** (0.1009)	0.3501*** (0.0890)
% age 65-74		-0.6489 (0.8843)	-0.6485 (0.9658)
Non-stratified sociodemographic domain index		0.1324* (0.0571)	0.1324* (0.0586)
Esophagus Cancer Male Rate		-0.0139 (0.0074)	-0.0139 (0.0079)
% Non-Hispanic minority among adults 18 to 64		-0.0093*	-0.0093*

Indicator 25: Tetanus Diphtheria (Tdap)



Liver Cancer Male Rate		(0.0047) -0.0316** (0.0103)	(0.0045) -0.0316** (0.0096)
{% Non-Hispanic minority among adults 18 to 64}		0.0007*	0.0007*
interacted with {Liver Cancer Male Rate}		(0.0003)	(0.0003)
Historic SAE: current smoking rate		0.8778** (0.3179)	0.8778** (0.2907)
Square of {Historic SAE: current smoking rate}		-0.0054** (0.0019)	-0.0054** (0.0018)
Intercept	-1.9007*** (0.0759)	-37.2568** (12.9653)	-37.2571** (11.8980)
Area effect variance	0.0292 (0.0180)		0.0000 (0.0000)

Number of alternative models used to estimate model error = 15.



Section 3: Results

County name	County FIPS	Direct estimate	Direct 95% CI	SAE composite	SAE 95% CI
Augusta County	51015	33.8%	(24.9%, 44.1%)	29.4%	(26.1%, 32.9%)
Bath County	51017	8.3%	(2.1%, 48.6%)	26.6%	(17.2%, 38.8%)
Caroline County	51033	30.1%	(12.1%, 57.4%)	20.6%	(15.2%, 27.2%)
Clarke County	51043	2.3%	(1.2%, 26.0%)	22.9%	(17.8%, 28.9%)
Culpeper County	51047	17.0%	(9.1%, 29.4%)	23.5%	(21.1%, 26.1%)
Fauquier County	51061	21.3%	(12.1%, 34.8%)	21.6%	(18.0%, 25.6%)
Frederick County	51069	24.0%	(15.4%, 35.4%)	30.0%	(25.8%, 34.6%)
Highland County	51091	0.0%	(0.0%, 83.2%)	18.9%	(3.4%, 60.5%)
King George County	51099	16.0%	(3.8%, 48.1%)	21.2%	(17.9%, 24.9%)
Madison County	51113	28.1%	(10.5%, 56.6%)	21.9%	(18.4%, 25.9%)
Orange County	51137	17.2%	(8.2%, 32.6%)	25.8%	(21.9%, 30.1%)
Page County	51139	19.2%	(5.8%, 47.9%)	20.9%	(18.1%, 23.9%)
Rappahannock County	51157	30.6%	(11.2%, 60.7%)	19.9%	(14.4%, 26.8%)
Rockbridge County	51163	25.6%	(10.9%, 49.1%)	28.7%	(24.8%, 32.9%)
Rockingham County	51165	26.1%	(15.6%, 40.2%)	29.2%	(25.3%, 33.5%)
Shenandoah County	51171	26.8%	(14.2%, 44.6%)	27.0%	(23.4%, 31.1%)
Spotsylvania County	51177	31.1%	(19.7%, 45.3%)	25.9%	(23.4%, 28.7%)
Stafford County	51179	19.7%	(12.8%, 29.0%)	26.6%	(23.7%, 29.8%)
Warren County	51187	32.6%	(16.6%, 53.9%)	26.8%	(23.8%, 30.0%)
Buena Vista City	51530	0.0%	(0.0%, 99.4%)	10.7%	(6.5%, 17.1%)
Fredericksburg City	51630	11.0%	(3.3%, 30.9%)	25.4%	(21.7%, 29.5%)
Harrisonburg City	51660	10.4%	(2.9%, 47.9%)	15.0%	(10.5%, 21.0%)
Lexington City	51678	0.0%	(0.0%, 99.4%)	16.7%	(12.3%, 22.2%)
Staunton City	51790	39.5%	(10.6%, 78.1%)	21.5%	(19.0%, 24.2%)
Waynesboro City	51820	23.2%	(6.8%, 55.7%)	14.9%	(10.6%, 20.4%)
Winchester City	51840	28.7%	(11.5%, 55.6%)	17.0%	(12.7%, 22.3%)

Indicator 25: Tetanus Diphtheria (Tdap)



County name	County FIPS	Direct estimate	Direct 95% CI	SAE composite	SAE 95% CI
Albemarle County	51003	37.2%	(26.4%, 49.4%)	31.5%	(28.0%, 35.1%)
Alleghany County	51005	37.6%	(20.4%, 58.6%)	24.1%	(19.4%, 29.6%)
Amherst County	51009	25.6%	(12.2%, 46.1%)	24.6%	(22.2%, 27.1%)
Appomattox County	51011	17.1%	(5.9%, 40.4%)	19.3%	(16.4%, 22.5%)
Arlington City	51013	28.3%	(19.9%, 38.6%)	28.3%	(25.8%, 30.9%)
Bedford County	51019	25.0%	(14.7%, 39.2%)	25.8%	(23.3%, 28.6%)
Botetourt County	51023	32.3%	(19.1%, 49.2%)	27.0%	(23.7%, 30.7%)
Campbell County	51031	13.9%	(5.3%, 31.9%)	28.9%	(25.1%, 33.0%)
Craig County	51045	80.7%	(17.4%, 97.2%)	28.5%	(20.9%, 37.6%)
Fairfax County	51059	32.6%	(26.6%, 39.3%)	29.7%	(26.5%, 33.0%)
Fluvanna County	51065	13.8%	(5.4%, 38.1%)	23.8%	(19.9%, 28.2%)
Greene County	51079	16.6%	(4.1%, 48.5%)	25.3%	(21.6%, 29.4%)
Loudoun County	51107	28.0%	(20.6%, 36.8%)	28.6%	(25.7%, 31.7%)
Louisa County	51109	38.2%	(19.7%, 61.0%)	26.4%	(23.7%, 29.4%)
Nelson County	51125	26.1%	(10.0%, 53.0%)	21.6%	(19.1%, 24.3%)
Prince William County	51153	21.6%	(16.0%, 28.5%)	28.3%	(25.2%, 31.6%)
Roanoke County	51161	25.2%	(18.1%, 34.0%)	28.3%	(25.6%, 31.1%)
Alexandria City	51510	18.5%	(11.8%, 27.8%)	26.9%	(24.2%, 29.7%)
Charlottesville City	51540	25.1%	(6.8%, 60.6%)	20.8%	(17.1%, 24.9%)
Covington City	51580	0.0%	(0.0%, 99.4%)	20.0%	(14.9%, 26.2%)
Fairfax City	51600	40.8%	(26.0%, 57.4%)	31.4%	(28.1%, 34.9%)
Falls Church City	51610	10.2%	(1.7%, 79.6%)	35.2%	(29.9%, 40.9%)
Lynchburg City	51680	18.2%	(9.0%, 33.3%)	17.0%	(12.6%, 22.5%)
Manassas City	51683	15.1%	(2.1%, 59.8%)	27.3%	(23.6%, 31.3%)
Manassas Park City	51685	0.0%	(0.0%, 99.4%)	14.5%	(8.1%, 24.5%)
Salem City	51775	21.6%	(5.7%, 55.6%)	25.6%	(22.8%, 28.7%)

Indicator 25: Tetanus Diphtheria (Tdap)



County name	County FIPS	Direct estimate	Direct 95% CI	SAE composite	SAE 95% CI
Bland County	51021	0.0%	(0.0%, 42.3%)	16.5%	(11.8%, 22.7%)
Buchanan County	51027	12.8%	(4.8%, 30.1%)	16.7%	(11.7%, 23.3%)
Carroll County	51035	24.6%	(12.4%, 42.7%)	20.2%	(16.5%, 24.5%)
Dickenson County	51051	18.9%	(8.3%, 37.6%)	19.9%	(15.1%, 25.7%)
Floyd County	51063	12.6%	(4.3%, 31.4%)	20.1%	(16.5%, 24.1%)
Franklin County	51067	40.4%	(23.3%, 60.3%)	29.0%	(25.0%, 33.5%)
Giles County	51071	34.0%	(11.5%, 67.0%)	22.8%	(19.2%, 26.9%)
Grayson County	51077	31.0%	(12.6%, 58.2%)	22.8%	(17.8%, 28.9%)
Henry County	51089	14.3%	(8.2%, 23.9%)	20.4%	(17.8%, 23.4%)
Lee County	51105	15.7%	(6.7%, 32.8%)	22.5%	(18.4%, 27.3%)
Montgomery County	51121	30.0%	(19.8%, 42.6%)	24.8%	(20.5%, 29.7%)
Patrick County	51141	36.6%	(20.0%, 57.0%)	21.9%	(18.3%, 26.0%)
Pittsylvania County	51143	31.9%	(22.3%, 43.3%)	21.7%	(17.9%, 26.1%)
Pulaski County	51155	17.8%	(8.9%, 32.5%)	28.7%	(24.4%, 33.3%)
Russell County	51167	8.3%	(4.7%, 22.7%)	20.7%	(17.1%, 24.7%)
Scott County	51169	26.5%	(15.7%, 41.1%)	29.2%	(24.2%, 34.7%)
Smyth County	51173	21.0%	(9.8%, 39.2%)	19.1%	(15.9%, 22.7%)
Tazewell County	51185	15.1%	(7.3%, 28.9%)	21.9%	(18.9%, 25.2%)
Washington County	51191	21.2%	(12.3%, 34.0%)	28.1%	(24.5%, 32.0%)
Wise County	51195	25.0%	(13.7%, 41.2%)	23.0%	(19.0%, 27.5%)
Wythe County	51197	33.2%	(19.4%, 50.6%)	21.1%	(17.9%, 24.7%)
Bristol City	51520	9.7%	(2.1%, 68.3%)	17.0%	(12.8%, 22.1%)
Danville City	51590	17.5%	(6.1%, 40.9%)	15.4%	(11.6%, 20.2%)
Galax City	51640	24.1%	(2.4%, 80.3%)	14.6%	(8.4%, 24.0%)
Martinsville City	51690	0.0%	(0.0%, 57.4%)	14.3%	(9.4%, 21.2%)
Norton City	51720	0.0%	(0.0%, 69.6%)	11.8%	(5.2%, 24.6%)
Radford City	51750	12.3%	(2.3%, 69.2%)	12.6%	(6.9%, 21.8%)
Roanoke City	51770	21.1%	(13.4%, 31.5%)	20.5%	(17.9%, 23.3%)

Indicator 25: Tetanus Diphtheria (Tdap)



County name	County FIPS	Direct estimate	Direct 95% CI	SAE composite	SAE 95% CI
Amelia County	51007	20.2%	(7.6%, 43.8%)	24.0%	(19.5%, 29.3%)
Brunswick County	51025	23.8%	(8.5%, 51.1%)	20.2%	(15.8%, 25.5%)
Buckingham County	51029	5.0%	(3.0%, 28.1%)	17.4%	(14.2%, 21.1%)
Charles City County	51036	8.8%	(2.2%, 54.6%)	16.3%	(10.7%, 24.1%)
Charlotte County	51037	13.0%	(3.8%, 36.2%)	15.5%	(12.4%, 19.3%)
Chesterfield County	51041	22.9%	(17.6%, 29.4%)	24.1%	(21.7%, 26.7%)
Cumberland County	51049	39.2%	(15.8%, 68.9%)	23.4%	(18.9%, 28.6%)
Dinwiddie County	51053	23.4%	(10.6%, 44.1%)	20.8%	(17.7%, 24.3%)
Goochland County	51075	14.7%	(5.8%, 32.7%)	15.7%	(11.6%, 20.9%)
Greensville County	51081	0.0%	(0.0%, 39.2%)	21.3%	(16.9%, 26.4%)
Halifax County	51083	6.4%	(2.3%, 16.5%)	17.9%	(14.0%, 22.7%)
Hanover County	51085	21.7%	(13.6%, 32.7%)	29.4%	(25.9%, 33.1%)
Henrico County	51087	26.5%	(20.1%, 34.0%)	25.3%	(23.2%, 27.5%)
Lunenburg County	51111	10.2%	(2.4%, 34.5%)	18.0%	(14.2%, 22.4%)
Mecklenburg County	51117	12.1%	(6.0%, 22.9%)	15.8%	(13.0%, 19.1%)
New Kent County	51127	24.3%	(9.0%, 51.0%)	23.5%	(18.5%, 29.4%)
Nottoway County	51135	21.6%	(5.5%, 56.6%)	16.0%	(11.6%, 21.6%)
Powhatan County	51145	6.5%	(2.8%, 45.2%)	16.6%	(12.9%, 21.0%)
Prince Edward County	51147	13.0%	(3.0%, 42.3%)	17.0%	(11.6%, 24.3%)
Prince George County	51149	17.1%	(7.2%, 35.4%)	22.3%	(19.8%, 25.1%)
Surry County	51181	17.9%	(3.3%, 58.4%)	20.4%	(15.2%, 26.9%)
Sussex County	51183	7.3%	(3.9%, 35.7%)	19.5%	(13.8%, 26.8%)
Colonial Heights City	51570	0.0%	(0.0%, 42.5%)	29.4%	(25.3%, 33.9%)
Emporia City	51595	31.4%	(2.7%, 88.9%)	22.3%	(14.1%, 33.5%)
Hopewell City	51670	32.9%	(11.4%, 65.1%)	23.3%	(20.0%, 26.9%)
Petersburg City	51730	19.6%	(7.2%, 43.2%)	23.1%	(15.9%, 32.4%)
Richmond City	51760	18.7%	(12.9%, 26.4%)	22.3%	(19.7%, 25.1%)

Indicator 25: Tetanus Diphtheria (Tdap)




County name	County FIPS	Direct estimate	Direct 95% CI	SAE composite	SAE 95% CI
Accomack County	51001	22.3%	(12.8%, 36.0%)	15.5%	(12.0%, 19.7%)
Essex County	51057	18.0%	(5.3%, 46.6%)	20.2%	(16.0%, 25.3%)
Gloucester County	51073	31.7%	(16.0%, 52.9%)	22.5%	(19.7%, 25.5%)
Isle of Wight County	51093	16.2%	(7.4%, 31.9%)	29.2%	(25.6%, 33.2%)
James City County	51095	26.7%	(16.5%, 40.2%)	26.7%	(24.0%, 29.7%)
King and Queen County	51097	21.9%	(3.3%, 69.7%)	23.7%	(18.6%, 29.7%)
King William County	51101	11.5%	(2.6%, 38.9%)	20.6%	(16.9%, 24.9%)
Lancaster County	51103	15.7%	(5.1%, 39.2%)	20.5%	(16.4%, 25.2%)
Mathews County	51115	20.8%	(7.0%, 47.9%)	24.0%	(18.5%, 30.5%)
Middlesex County	51119	13.7%	(3.6%, 70.6%)	25.1%	(20.4%, 30.4%)
Northampton County	51131	30.3%	(13.2%, 55.2%)	14.8%	(11.1%, 19.4%)
Northumberland County	51133	8.5%	(2.1%, 29.0%)	14.2%	(9.1%, 21.4%)
Richmond County	51159	16.9%	(6.7%, 36.6%)	21.8%	(17.6%, 26.7%)
Southampton County	51175	25.8%	(6.6%, 63.3%)	22.9%	(19.6%, 26.5%)
Westmoreland County	51193	15.4%	(3.8%, 45.6%)	17.3%	(14.6%, 20.3%)
York County	51199	31.0%	(17.7%, 48.3%)	26.9%	(23.3%, 30.8%)
Chesapeake City	51550	24.5%	(18.3%, 32.0%)	25.2%	(23.4%, 27.2%)
Franklin City	51620	38.0%	(20.1%, 59.9%)	21.9%	(17.6%, 26.9%)
Hampton City	51650	30.4%	(22.4%, 39.7%)	24.6%	(21.2%, 28.4%)
Newport News City	51700	23.0%	(15.6%, 32.5%)	24.2%	(21.2%, 27.6%)
Norfolk City	51710	19.9%	(13.6%, 28.2%)	21.4%	(18.9%, 24.1%)
Poquoson City	51735	30.7%	(4.7%, 80.0%)	27.5%	(21.8%, 34.0%)
Portsmouth City	51740	27.3%	(17.1%, 40.6%)	23.6%	(20.6%, 26.8%)
Suffolk City	51800	15.9%	(8.9%, 26.8%)	24.2%	(21.3%, 27.5%)
Virginia Beach City	51810	22.2%	(16.6%, 29.0%)	26.6%	(24.6%, 28.7%)
Williamsburg City	51830	44.1%	(9.2%, 86.0%)	11.5%	(5.2%, 23.6%)



Section 4: Graphical representation


TDAP vaccination since 2005 Rappahannock/Rapidan and Rappahannock HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval




TDAP vaccination since 2005 Alleghany, Roanoke and Central Virginia HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval




TDAP vaccination since 2005 Alexandria, Fairfax, Arlington, Loudon, Prince William HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval




TDAP vaccination since 2005 Cumberland Plateau and Lenowisco HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval




TDAP vaccination since 2005 Norfolk, Portsmouth, Chesapeake, VA Beach, W. Tidewater HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval




TDAP vaccination since 2005 Pittsylvania/Danville, Southside and West Piedmont HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval




TDAP vaccination since 2005 Chesterfield, Chickahominy, Henrico and Richmond HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval




TDAP vaccination since 2005 Central Shenandoah and Lord Fairfax HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval




TDAP vaccination since 2005 Thomas Jefferson and Piedmont HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval




TDAP vaccination since 2005 New River and Mount Rogers HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval




TDAP vaccination since 2005 Crater, Peninsula and Hampton HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval



TDAP vaccination since 2005 Eastern Shore and Three Rivers HDs



Text at right: 1-sided 95% LCB | Point Estimate | 1-sided 95% UCB
 Gray markers: 90% confidence interval



Section 5: Additional diagnostics

Direct estimate is inside the 95% SAE Wilson CI: 43 areas.

Direct estimate is outside the 95% SAE Wilson CI: 90 areas.

SAE estimate is inside the 95% direct Wilson CI: 131 areas.

SAE estimate is outside the 95% direct Wilson CI: 2 areas.

SAE Wilson 95% CI is fully inside the 95% direct Wilson CI: 112 areas.

SAE Wilson 95% CI partially overlaps with the 95% direct Wilson CI: 21 areas.

SAE Wilson 95% CI and the 95% direct Wilson CI do not overlap: 0 areas.

SAE standard error is less than the direct standard error: 122 areas.

SAE standard error is greater than the (nonzero) direct standard error: 1 areas.

Direct standard error is zero: 10 areas.

Proportion of SAE variance due to ACS sampling error: min = 0.05%; med = 3.51%; max = 14.54%.

Proportion of SAE variance to sampling error in regression coefficient estimates: min = 77.12%; med = 91.55%; max = 98.97%.

Proportion of SAE variance due to model selection: min = 0.36%; med = 3.54%; max = 22.50%.