# COMMONWEALTH OF VIRGINIA DEPARTMENT OF HEALTH

#### RADIOLOGICAL HEALTH PROGRAM

109 Governor Street, Room 730 Richmond, Virginia 23218-2448 Office (804) 864-8150 Fax (804) 864-8165

# 2007

# ENVIRONMENTAL RADIATION PROGRAM



#### **ACKNOWLEDGEMENTS**

We would like to acknowledge the following organizations and agencies that contributed to the environmental surveillance program:

- BWX Technologies Inc (Formerly Babcock and Wilcox Naval Nuclear Fuel Division)
- Department of Agriculture and Consumer Services Dairy and Food Division
- Department of Conservation and Recreation Division of State Parks
- Department of Emergency Management Preparedness and Mitigation Division
- Department of General Services Division of Consolidated Laboratory Services
- Department of Health Division of Shellfish Sanitation
- Northrop Grumman Newport News (Formerly Newport News Shipbuilding & Drydock Company)
- U. S. Norfolk Naval Shipyard
- Dominion Virginia Power

#### **VIRGINIA DEPARTMENT OF HEALTH**

#### ENVIRONMENTAL RADIATION SURVEILLANCE DATA ANNUAL REPORT 2007

#### **TABLE OF CONTENTS**

-i-

**FOREWORD** 

	LING PROGRAM CES OF RADIOACTIVITY IN THE ENVIRONMENT		1 4
ATAC	TABLES:		
	NORTH ANNA and SURRY NUCLEAR POWER STATIONS & Selected Air Particulate Ambient Gamma Exposure (Thermoluminescent Dosimeters) Fish Milk Radiogas Shellfish Silt Surface Water Vegetation	Other L	7 10 13 14 15 16 17 20 23
	BWX TECHNOLOGIES, INC. (Formerly Babcock & Wilcox)		
	Air Particulate Soil Surface Water Vegetation		25 26 27 28
APPEN	NDIX I: LOWER LIMITS OF DETECTION LLD NDIX II: SAMPLING LOCATIONS NDIX III: EMERGENCY PREPAREDNESS	29	41 46

#### **FOREWORD**

The Radiological Health Program conducts an extensive environmental radiological monitoring program around nuclear facilities in the Commonwealth of Virginia to determine compliance with applicable federal and state regulations and guidelines.

Sampling locations are primarily located around the two nuclear power stations in the Commonwealth of Virginia.

- (1) North Anna power Station, Louisa County, Virginia
- (2) Surry power Station, Surry County, Virginia

Sampling locations are also present at:

- (3) BWX Technologies, Inc., Lynchburg, Virginia
- (4) Northrop Grumman Newport News (Formerly Newport News Shipbuilding & Drydock Company)
- (5) Norfolk Naval Shipyard, Portsmouth, Virginia

Samples are also collected at various control locations. This data can be compared to data for samples collected at plant environs. This provides a comparison between naturally occurring radiation and any radiological deposition resulting from nuclear power plant operation or radioactive fallout.

All State samples (with two exceptions) are analyzed by Consolidated Laboratories of the Commonwealth of Virginia.

All the data, with the exception of higher than normal tritium levels in Lake Anna(??) are within normal expected levels.

This report represents a compilation of all samples collected between January 1, 2007 and December 31, 2007.

Tritium, air particulate and radiogas analysis are performed by The Radiological Health Mobile Laboratory. Thermoluminescent dosimeter readings (ambient gamma exposure) are calculated by the Radiological Health Staff.

#### **PREFACE**

The Division of Radiological Health conducts an extensive environmental monitoring program of radiological conditions around certain fixed nuclear facilities in the Commonwealth of Virginia to provide an independent assessment of each facility's compliance with applicable federal and state regulations. Each of these fixed nuclear facilities has it's own routine surveillance program. The objectives of a routine surveillance program includes:

- a) Providing information useful In assessing the adequacy of protection of the public;
- b) Meeting requirements of regulatory agencies;
- c) Verifying radionuclide containment and plant waste management practices;
- d) Meeting legal liability obligations; and
- e) Providing public assurance and acceptance (NCRP,1976).

In addition to these stated objectives, the RHP as identified other objectives such as;

- Maintenance of a database of background radionuclide levels and trends to assist with the assessment of other environmental data;
- b) Identification of radiological releases not associated with the licensed facility; and
- c) Maintenance of equipment and proficiency of capabilities used in emergency preparedness and response activities.

Part of this work is funded by the Virginia Department of Emergency Management.

This report is distributed to the licensee, as well as state and local agencies, which have a direct interest in the results. Single copies of this report are available by contacting:

Virginia Department of Health Division of Radiological Health 109 Governor Street, Room 730 Richmond, Virginia 23219 (804) 864-8150

You are invited to submit any comments or questions regarding this report to the Radiological Health Program.

Leslie P. Foldesi, M.S., CHP Director Radiological Health Program

NCRP (1976) National Council on Radiation Protection and Measurements, Environmental *Radiation Measurements*, NCRP Report No. 50, National Council on Radiation Protection and Measurements, Washington.

#### **SAMPLING PROGRAM**

The Radiological Health Program maintains an environmental surveillance program with primary focus on the environs of the nuclear power facilities in Virginia. The objectives of this radiological monitoring program are:

- (1) To detect and measure radioactive releases during routine nuclear power plant operation.
- (2) To detect and measure radioactive releases during abnormal events occurring at nuclear facilities.
- (3) To measure reconcentration of radioactive effluents in the environment particularly in human exposure pathways.
- (4) To provide an independent means of verification of utility release reports.

These objectives are achieved through continuous sampling of air and ambient radiation, as well as, periodic sampling of water, milk, vegetation, fish, shellfish, etc. Details on sample locations and frequencies are outlined in Appendix III of this report.

A brief description of each sampling medium follows:

#### AIR PARTICULATE AND RADIOGAS

Stationary air samplers are utilized at the Surry Power Station, the North Anna Power Station, and one control location at Pocahontas State Park. Pumps run approximately 168 hours per week at an average flow rate of 40 cubic feet per hour. All samplers are continuously equipped with a charcoal filter. Air particulate filters are used at every sampling location to measure any radioactive particulates. All stations except the control station duplicate utility stations. At BWX Technologies, Inc there is one air sampler located on site. This air pump is equipped with air particulate filters and run approximately 168 hours per week with an average flow rate of 55 cubic feet per hour.

Each quarterly air particulate filter is analyzed for a gross beta activity.

Charcoal filters are analyzed quarterly for gamma activity with special emphasis on I-131 retention.

Samples obtained from BWX Technologies, Inc. undergo gross alpha analysis following each filter change.

#### **FISH**

Fish samples are collected annually in Lake Anna near the North Anna Power Station. Each sample consists of approximately one kilogram of flesh from either catfish, sunfish, bass or bluegill.

All fish samples are counted for gamma activity with data based on wet weight.

#### MILK

Raw milk samples are collected quarterly from a dairy near each reactor site. Each sample consists of one gallon of raw milk with no preservatives added. Raw milk is a primary indicator of radioiodine incorporation in the food chain.

All milk samples are counted for gamma activity and analyzed quarterly for Strontium-89 & 90 and are also radiochemically separated for I-131.

#### SHELLFISH

Shellfish are collected as a part of the environmental surveillance program around Surry Power Station. Samples consisting of one kilogram of flesh are collected annually approximately 0.5 mile off the mouth of the SPS discharge canal in the James River and are indicators of incorporation of radioactivity within the food chain.

All shellfish samples are counted for gamma activity with data based on activity per unit of wet weight.

#### SILT

Silt is collected annually from each nuclear power station's water discharge canal. Each sample consists of one kilogram of bottom sediment and is an indicator of radioactive deposition in sediment.

Silt is collected quarterly at Norfolk Naval Shipyard (NNSY) on the Elizabeth River to ensure that shipyard operations result in minimal radioactive effluents. Silt is also collected quarterly at Northrop Grumman Newport News (NGNN) on the James River to ensure that NGNN operations result in minimal radioactive deposition. Northrop Grumman Newport News was formerly known as Newport News Shipbuilding & Drydock Company (NNSBDDC).

Silt samples are counted for gamma activity and gross beta activity with data based on activity per unit of dry weight.

#### SOIL

Two soil samples are collected at the BWX facility. One sample site is located at a ballfield on the facility's eastern boundary and the other is a control location at the Department of Agriculture's Lynchburg Regional Animal Health Laboratory (LRAHL), located 5 miles southwest of the plant site, off Route 460. These samples are collected annually. Samples obtained undergo uranium separation followed by alpha analysis.

#### **VEGETATION**

Green leafy vegetation is collected from home gardens located near each nuclear power facility. Samples of one kilogram of kale, cabbage or turnip greens are collected annually at harvest. These samples would indicate incorporation of radioactivity in edible vegetation.

Vegetation is counted for gamma activity with data based on activity per unit wet weight.

Two vegetation samples are collected at BWX. These consist of one kilogram of grass from the ballfield at the eastern site boundary and one control location at the Department of Agriculture's Lynchburg Regional Animal Health Laboratory (LRAHL), located 5 miles southwest of the plant site, off Route 460. These samples are collected annually and undergo uranium separation followed by alpha analysis.

#### SURFACE WATER

Surface water is collected quarterly at each nuclear power facility. One gallon samples of station discharge water and an upstream control are collected. These samples provide data on radioactive effluents.

Two surface water samples are collected from the James River at BWX Technologies, Inc. on an annual basis. One is located approximately 3 miles downstream of the BWX plant near the ballfield at the eastern site boundary and the other is at a control location near Six Mile Bridge, which is approximately 1.5 miles upstream of the plant. Samples undergo uranium separation followed by alpha counting.

Surface water is also collected quarterly on the James River at Northrop Grumman Newport News (NGNN), and on the Elizabeth River at the Norfolk Naval Shipyard (NNSY) to ensure that shipyard operations result in minimal radioactive effluents.

#### AMBIENT GAMMA EXPOSURE (TLD)

Ambient gamma exposure readings are collected using either Calcium fluoride or Lithium fluoride thermoluminescent dosimeters (TLD). There are twelve TLD sample stations surrounding North Anna Power Station and fourteen stations surrounding Surry Power Station. One control TLD station is located at Pocahontas State Park. Several stations at each site duplicate utility sampling stations.

The TLD's are read quarterly for net exposure during their time in the field, resulting in a millirem/quarter reading.

#### Sources of Radioactivity in the Environment

Radioactivity from natural sources is found everywhere. Naturally occurring radioactivity comes from the decay of primordial terrestrial sources such as uranium and thorium. Other sources are continually produced in our upper atmosphere through interactions of atoms with cosmic rays. These naturally occurring sources produce the background levels of radioactivity.

In the past century, environmental radiation levels have been influenced by human practices using or manufacturing radioactive materials. Such practices include the use of radioactive materials in the healing arts, uranium mining and milling operations, nuclear power generation, nuclear weapons manufacturing and testing, storage and disposal of nuclear weapons.

Background radiation levels were most altered by residual fallout from nuclear weapons testing. The United States ceased atmospheric testing following adoption of the 1963 Nuclear Test Ban Treaty. Only long-lived fallout radionuclides remain.


#### **Doses to the Public**

The primary source of radiation dose received by the general public is due to radon exposure (See Figure 1 next page). The average individual receives approximately 200 mrem/year from radon and less than 1 mrem/year from nuclear facilities. Another 158 mrem/year are received from other natural sources and medical procedures. The total average whole body dose nationwide is approximately 360 mrem/year.

Inherent in all standards for radiation control is the philosophy of limiting exposure to levels "AS LOW AS REASONABLY ACHIEVABLE" (ALARA). In practice, this philosophy continues to result in the very low average doses to the public from nuclear facilities cited earlier. The monitoring program maintained by the Radiological Health Program continues to verify compliance to these standards.

#### FIGURE 1. SOURCES OF RADIATION EXPOSURE

Source: National Council on Radiation Protection & Measurement; Estimated Annual Dose of 360 Millirem for an Average Person





# COMMONWEALTH OF VIRGINIA DEPARTMENT OF HEALTH

#### RADIOLOGICAL HEALTH PROGRAM


109 Governor Street, Room 730 Richmond, Virginia 23218-2448 Office (804) 864-8150 Fax (804) 864-8165

# North Anna and Surry Nuclear Power Stations & Other Selected Locations

#### **AIR PARTICULATE**

January 1, 2007 through December 31, 2007


		Date	Gross Beta Activity
Location	Station	Start Stop	pCi/meter3
Surry Power Station	A-20	1/4/07 - 1/11/07	0.02 +/- 0.02
Surry Power Station	A-20	6/14/07 - 6/21/07	0.04 +/- 0.02
Surry Power Station	A-20	7/12/07 - 7/19/07	0.06 +/- 0.02
Surry Power Station	A-20	10/10/07 - 10/17/07	0.02 +/- 0.01



#### **AIR PARTICULATE**

January 1, 2007 through December 31, 2007

		Date	Gross Beta Activity
Location	Station	Start Stop	pCi/meter3
Pocahontas State Park	A-40	1/3/07 - 1/10/07	0.10 +/- 0.01
Pocahontas State Park	A-40	6/12/07 - 6/19/07	0.04 +/- 0.01
Pocahontas State Park	A-40	7/3/07 - 7/11/07	0.02 +/- 0.009
Pocahontas State Park	A-40	10/9/07 - 10/16/07	0.02 +/- 0.009




#### **AIR PARTICULATE**

January 01, 2007 through December 31, 2007

ANNUAL REPORT 2007

			Date				Activity
Location	Station	Start		Stop	рC	i/met	er3
Louisa County Rt. 701	A-88	1/3/07	-	1/10/07	0.03	+/-	0.016
Louisa County Rt. 701	A-88	6/12/07	-	6/19/07	0.09	+/-	0.03
Louisa County Rt. 701	A-88	7/3/07	-	7/11/07	0.08	+/-	0.02
Louisa County Rt. 701	A-88	10/9/07	-	10/16/07	0.05	+/-	0.02

data not available lab equipment down



# AMBIENT GAMMA EXPOSURE (THERMOLUMINESCENT DOSIMETERS)

January 1, 2007 through December 31, 2007

			Net Exposure Rate
Location	Station	Quarter	mR/Std. Qtr +/- 2 S.D.
Surry Power Station	D-20	1st	14.4 +/- 1.4
Surry Power Station	D-20 D-20	2nd	13.2 +/- 1.3
Surry Power Station	D-20 D-20	3rd	12.7 +/- 1.2
Surry Power Station	D-20 D-20	4th	17.9 +/- 1.8
Surry Power Station	D-20	4111	17.9 +/- 1.0
North Anna Power Station	D-35	1st	18.4 +/- 1.8
North Anna Power Station	D-35	2nd	17.6 +/- 1.7
North Anna Power Station	D-35	3rd	19.6 +/- 1.9
North Anna Power Station	D-35	4th	18.1 +/- 1.8
Pocahontas State Park	D-40	1st	18.7 +/- 1.8
Pocahontas State Park	D-40	2nd	17.6 +/- 1.7
Pocahontas State Park	D-40	3rd	20.6 +/- 2.0
Pocahontas State Park	D-40	4th	*N/A +/- N/A
Surry-Lebanon Baptist Church	D-41	1st	13.4 +/- 1.3
Surry-Lebanon Baptist Church	D-41	2nd	12.4 +/- 1.2
Surry-Lebanon Baptist Church	D-41	3rd	tN/A +/- N/A
Surry-Lebanon Baptist Church	D-41	4th	16.5 +/- 1.6
Surry Lawnes Creek	D-42	1st	15.2 +/- 1.5
Surry Lawnes Creek	D-42	2nd	12.6 +/- 1.2
Surry Lawnes Creek	D-42	3rd	18.1 +/- 1.8
Surry Lawnes Creek	D-42	4th	15.8 +/- 1.6
,			+/-
Surry Rt. 628	D-43	1st	12.5 +/- 1.2
Surry Rt. 628	D-43	2nd	10.7 +/- 1.1
Surry Rt. 628	D-43	3rd	17.1 +/- 1.7
Surry Rt. 628	D-43	4th	13.6 +/- 1.3
Jamestown	D-44	1st	15.0 +/- 1.5
Jamestown	D-44	2nd	13.5 +/- 1.3
Jamestown	D-44	3rd	20.5 +/- 2.0
Jamestown	D-44	4th	15.4 +/- 1.5
Newport News-Lee Hall	D-45	1st	13.7 +/- 1.3
Newport News-Lee Hall	D-45	2nd	14.0 +/- 1.3
Newport News-Lee Hall	D-45	3rd	17.4 +/- 1.7
Newport News-Lee Hall	D-45	4th	16.6 +/- 1.6
Newport News-Lee Hall	D- <del>4</del> 3	401	10.0 47- 1.0
Louisa Co. Mineral	D-50	1st	15.6 +/- 1.5
Louisa Co. Mineral	D-50	2nd	13.0 +/- 1.3
Louisa Co. Mineral	D-50	3rd	16.9 +/- 1.7
Louisa Co. Mineral	D-50	4th	tN/A +/- N/A
Louisa CoWares Cross	D-51	1st	12.8 +/- 1.3
Louisa CoWares Cross	D-51	2nd	11.8 +/- 1.2
Louisa Co -Wares Cross	D-51	3rd	14.1 +/- 1.4

# AMBIENT GAMMA EXPOSURE (THERMOLUMINESCENT DOSIMETERS)

January 1, 2007 through December 31, 2007

Location	Station	Quarter	Net Exposure Rate mR/Std. Qtr +/- 2 S.D.
Naval Weapons Station I	D-73	1st	12.9 +/- 1.3
Naval Weapons Station I	D-73	2nd	12.7 +/- 1.2
Naval Weapons Station I	D-73	3rd	16.8 +/- 1.6
Naval Weapons Station I	D-73	4th	14.3 +/- 1.4
vavai vveaporis Station i	D-73	401	14.3 +/- 1.4
Newport News-Fort Eustis	D-76	1st	12.7 +/- 1.2
Newport News-Fort Eustis	D-76	2nd	13.1 +/- 1.3
Newport News-Fort Eustis	D-76	3rd	11.6 +/- 1.1
Newport News-Fort Eustis	D-76	4th	16.5 +/- 1.6
Williamsburg Busch Gardens	D-77	1st	15.2 +/- 1.5
Williamsburg Busch Gardens	D-77	2nd	13.8 +/- 1.4
•			
Williamsburg Busch Gardens	D-77	3rd	12.3 +/- 1.2
Villiamsburg Busch Gardens	D-77	4th	17.4 +/- 1.7
Villiamsburg Airport	D-78	1st	11.7 +/- 1.2
Villiamsburg Airport	D-78	2nd	11.8 +/- 1.2
Villiamsburg Airport	D-78	3rd	14.0 +/- 1.4
Villiamsburg Airport	D-78	4th	13.2 +/- 1.3
Surry Scotland Wharf	D-79	1st	14.5 +/- 1.4
Surry Scotland Wharf	D-79	2nd	14.6 +/- 1.4
Surry Scotland Wharf	D-79	3rd	tN/A +/- N/A
Surry Scotland Wharf	D-79	4th	15.7 +/- 1.5
Surry Bacon's Castle	D-80	1st	12.4 +/- 1.2
Surry Bacon's Castle	D-80	2nd	12.4 +/- 1.2 14.1 +/- 1.4
•			
Surry Bacon's Castle	D-80	3rd	11.1 +/- 1.1
Surry Bacon's Castle	D-80	4th	15.3 +/- 1.5
Surry - Alliance	D-81	1st	12.1 +/- 1.2
Surry - Alliance	D-81	2nd	12.9 +/- 1.3
Surry - Alliance	D-81	3rd	17.1 +/- 1.7
Surry - Alliance	D-81	4th	13.5 +/- 1.3
Curry Hog Doint	D 02	1 o t	14.2 ./ 1.4
Surry Hog Point	D-82	1st	14.2 +/- 1.4
Surry Hog Point	D-82	2nd	14.0 +/- 1.4
Surry Hog Point	D-82	3rd	12.3 +/- 1.2
Surry Hog Point	D-82	4th	15.7 +/- 1.5
Louisa Co. Rt. 685	D-84	1st	14.0 +/- 1.4
ouisa Co. Rt. 685	D-84	2nd	xN/A +/- N/A
ouisa Co. Rt. 685	D-84	3rd	16.8 +/- 1.6
Louisa Co. Rt. 685	D-84	4th	14.3 +/- 1.4
N	D 0=		
Spotsylvania Rt. 713	D-85	1st	11.3 +/- 1.1
Spotsylvania Rt. 713	D-85	2nd	10.2 +/- 1.0
Spotsylvania Rt. 713	D-85	3rd	15.0 +/- 1.5
Spotsylvania Rt. 713	D-85	4th	11.4 +/- 1.1
ouisa Co. Bumpass	D-86	1st	13.8 +/- 1.4
ouisa Co. Bumpass	D-86	2nd	12.4 +/- 1.2
ouisa Co. Bumpass	D-86	3rd	15.4 +/- 1.5
ouisa Co. Bumpass	D-86	4th	14.5 +/- 1.4
No ataudo a ata d	D 07		47.4
Spotsylvania-Levy	D-87	1st	17.1 +/- 1.7
Spotsylvania-Levy	D-87	2nd	16.5 +/- 1.6
Spotsylvania-Levy	D-87	3rd	19.0 +/- 1.9
Spotsylvania-Levy	D-87	4th	19.9 +/- 2.0
Louisa Co. Rt. 700	D-88	1st	14.5 +/- 1.4
ouisa Co. Rt. 700	D-88	2nd	16.2 +/- 1.6
.ouiou O0. IXI. 100	D-00		
ouica Co. Pt. 700	D-8o	ろいろ	170 1/ 17
Louisa Co. Rt. 700 Louisa Co. Rt. 700	D-88 D-88	3rd 10-12 <sup>4th</sup>	17.0 +/- 1.7 18.7 +/- 1.8


## AMBIENT GAMMA EXPOSURE (THERMOLUMINESCENT DOSIMETERS)

January 1, 2007 through December 31, 2007

Location	Station	Quarter	Net Exposure Rate mR/Std. Qtr +/- 2 S.D.
Louisa Co. Aspen Hill	D-89	1st	16.5 +/- 1.6
Louisa Co. Aspen Hill	D-89	2nd	19.2 +/- 1.9
Louisa Co. Aspen Hill	D-89	3rd	19.9 +/- 2.0
Louisa Co. Aspen Hill	D-89	4th	20.7 +/- 2.0
Rad Health	Control 1	1st	6.1 +/- 0.6
Rad Health	Control 1	2nd	4.6 +/- 0.5
Rad Health	Control 1	3rd	5.7 +/- 0.6
Rad Health	Control 1	4th	6.0 +/- 0.6
Rad Health	Control 2	1st	6.6 +/- 0.6
Rad Health	Control 2	2nd	4.6 +/- 0.5
Rad Health	Control 2	3rd	4.4 +/- 0.4
Rad Health	Control 2	4th	7.0 +/- 0.7

<sup>\*</sup>N/A = dose values not valid due to prolonged exposure to water

xN/A = data not available due to computer glitch



tN/A = dosimeter missing at time of change out

#### **FISH**

January 1, 2007 through December 31, 2007

Location	Date	Isotope	pCi/gram
Name			
North Anna Lake	3/14/2007	Ва	<0.12
Second Cooling Lagoon	37.1.7.2.3.1	Cs-134	<0.01
F-24		Cs-137	0.02 +/- 0.01
(Catfish)		Co-58	<0.02
		Co-60	<0.01
		I-131	<0.50
		Fe-59	<0.04
		Mn-54	<0.01
		Ru-106	<0.12
		Ag-110M	<0.01
		Zn-65	< 0.03
		Nb-95	<0.03
North Anna Lake	10/17/2007	Ва	<1.0
Second Cooling Lagoon		Cs-134	<0.01
F-24		Cs-137	0.02 +/- 0.01
(Catfish)		Co-58	< 0.03
		Co-60	<0.01
		I-131	<16.00
		Fe-59	<0.08
		Mn-54	<0.01
		Ru-106	<0.13
		Ag-110M	< 0.02
		Zn-65	< 0.03

MILK

January 1, 2007 through December 31, 2007

**ANNUAL REPORT 2007** 

Location Name	Date	Isotope	Results pCi/Liter	Location Name	Date	Isotope	Results pCi/Liter
Louisa County Terrell Dairy M-29	NA	Ba Cs-134 Cs-137 K-40 I-131 St-89 St-90		Surry County Epps Dairy M-66	1/24/07	Ba Cs-134 Cs-137 K-40 I-131 St-89 St-90	<5.0 <5.0 <4.0 1.5+/-0.1 0.0+/-0.4 <4.0 0.6+/-0.6
Louisa County Terrell Dairy M-29	N/A	Ba Cs-134 Cs-137 K-40 I-131 St-89 St-90		Surry County Epps Dairy M-66	4/18/07	Ba Cs-134 Cs-137 K-40 I-131 St-89 St-90	<6.0 <5.0 <6.0 1.5+/-0.1 0.2+/-0.5 <4.0 1.3+/-0.6
Louisa County Terrell Dairy M-29	9/24/07	Ba Cs-134 Cs-137 K-40 I-131 St-89 St-90	<5.0 <5.0 <6.0 1.5+/-0.1 0.0+/-0.6 <4.0 0.9+/-0.6	Surry County Epps Dairy M-66	7/25/07	Ba Cs-134 Cs-137 K-40 I-131 St-89 St-90	<5.0 <5.0 <6.0 2.2+/-0.5 0.4+/-0.5 <4.0 2.3+/-0.9
Louisa County Terrell Dairy M-29	10/24/07	Ba Cs-134 Cs-137 K-40 I-131 St-89 St-90	<6.0 <5.0 <6.0 1.5+/-0.1 1.1+/-0.3 <4.0 0.8+/-0.6	Surry County Epps Dairy M-66	10/24/07	Ba Cs-134 Cs-137 K-40 I-131 St-89 St-90	<5.0 <5.0 <6.0 1.5+/-0.1 0.0+/-0.4 <4.0 0.5+/-0.6

NA = scheduled sampling not conducted

#### **RADIOGAS**

January 1, 2007 through December 31,2007

		Date		I-131 Activity
Location	Station	Start	Stop	pCi/meter <sup>3</sup>
Surry Power Station	C-20	01/04/07 -	01/11/07	<0.10
Surry Power Station	C-20	6/14007 -	06/21/07	< 0.04
Surry Power Station	C-20	07/12/07 -	07/19/07	< 0.04
Surry Power Station	C-20	10/10/07 -	10/17/07	<0.03
Pocahontas State Park	C-40	01/03/07 -	01/10/07	<0.07
Pocahontas State Park	C-40	06/12/07 -	06/19/07	< 0.03
Pocahontas State Park	C-40	07/03/07 -	07/11/07	< 0.02
Pocahontas State Park	C-40	10/09/07 -	10/16/07	<0.02
Louisa County Rt. 700	C-88	01/03/07 -	01/10/07	<0.14
Louisa County Rt. 700	C-88	06/12/07 -	06/19/07	< 0.06
Louisa County Rt. 700	C-88	07/03/07 -	07/11/07	< 0.05
Louisa County Rt. 700	C-88	10/09/07 -	10/16/07	< 0.05

#### **SHELLFISH**

January 1, 2007 through December 31, 2007

**ANNUAL REPORT 2007** 


Location	Date Collected	Distance & Direction	Activity : pCi/g	gram (wet wt.)
R-17	N/A	approx. 0.5 mi. from		N/A
		mouth of canal	Ba-140	
James River			Cs-134	
Mouth of SPS			Cs-137	
Discharge Canal			Co-58	
-			Co-60	
			Fe-59	
			I-131	
			Mn-54	
			Rh-106	
			Ag-110M	
			Zn-65	
			Zr-95	

N/A = live clams could not be found

SILT

January 1, 2007 through December 31,2007
ANNUAL REPORT 2007

	Date	Gross Beta
Location	Collected	pCi/Gram of Silt
James River	3/21/07	50.0 +/- 5.6
Pier 1	6/6/07	30.0 +/- 1.5
NGNN	9/5/07	27.4 +/- 4.9
S-15	11/13/07	30.7 +/- 4.4
James River	3/21/07	55.8 +/- 5.9
Shipway 11	6/6/07	28.7 +/- 1.6
NGNN	9/5/07	25.1 +/- 4.9
S-16	11/13/07	29.7 +/- 4.5



SILT

January 01, 2007 through December 31, 2007

	Date		Gamma A	ctivity pCi/Gra	am (Wet)	Gross Beta
Location	Collected	Cs-134	Cs-137	Co-58	Co-60	pCi/Gram (dry
Elizabeth River	03/21/07	<0.01	0.03 +/- 0.01	<0.01	<0.01	53.7 +/- 5.9
Drydock #8	06/06/07	< 0.01	0.03 +/- 0.01	<0.01	< 0.01	29.9 +/- 1.6
NNSY	09/05/07	< 0.01	0.03 +/- 0.01	<0.01	< 0.01	26.9 +/- 5.2
S-18	11/06/07	<0.01	0.03 +/- 0.01	<0.01	<0.01	28.3 +/- 4.3
Elizabeth River	03/21/07	<0.01	0.04 +/- 0.01	<0.01	<0.01	59.6 +/- 6.0
Drydock #4	06/06/07	< 0.01	0.04 +/- 0.01	<0.01	< 0.01	28.7 +/- 1.5
NNSY	09/05/07	< 0.01	0.03 +/- 0.01	<0.01	< 0.01	28.8 +/- 5.2
S-19	11/06/07	<0.01	0.04 +/- 0.01	<0.01	<0.01	35.1 +/- 4.7
Elizabeth River	03/21/07	<0.01	0.04 +/- 0.01	<0.01	<0.01	57.1 +/- 5.8
Wetslip #1	06/06/07	<0.01	0.04 +/- 0.01	<0.01	< 0.01	31.8 +/- 1.7
NNSY	09/05/07	< 0.01	0.03 +/- 0.01	<0.01	< 0.01	25.2 +/- 4.8
S-20	11/06/07	<0.01	0.03 +/- 0.01	<0.01	< 0.01	36.0 +/- 4.8

#### **SILT**

January 1, 2007 through December 31, 2007

#### ANNUAL REPORT 2007

	Date	Distance &	Acti	vity pCi/Gram (dry	wt.)
Location	Collected	Direction	Cs-134	Cs-137	Co-60
James River SPS Discharge Canal S-17	N/A	0.5 Miles NNW	N/A	N/A	N/A
NAPS Waste Treatment Shoreline Soil S-24	03/13/07	1.1 Miles SSE	<0.01	0.02 +/- 0.01	<0.01
NAPS Waste Treatment Shoreline Soil S-24	10/15/07	1.1 Miles SSE	<0.01	0.01 +/- 0.01	<0.01

N/A = sample not collected

#### **SURFACE WATER**

January 1, 2007 through December 31, 2007

#### ANNUAL REPORT 2007

		Date			Gamma	Activity p	Ci/L		_	<u> </u>
Location	Station	Collected	Ba-140	Cs-137	I-131	Mn-54	Zn 65	Zr-95/Nb-95	Beta Ac	tivity
									SS (pCi/L)	BS (pCi/L)
James River -	W - 15A	03/21/07	<6	<4	<6	<5	<11	<9	0.2 +/- 0.4	3.5 +/- 0.6
Pier 1	W - 15A	06/06/07	<5	<6	<6	<5	<11	<9	0.1 +/- 0.4	0.6 +/- 0.5
NGNN	W - 15A	09/05/07	<7	<5	<11	<5	<11	<9	0.0 +/- 0.4	0.6 +/- 0.5
	W - 15A	11/13/07	<5	<5	<6	<5	<10	<9	0.3 +/- 0.3	0.2 +/- 0.4
									SS (pCi/L)	BS (pCi/L)
James River -	W - 16	03/21/07	<10	<4	<16	<5	<11	<11	0.3 +/- 0.4	0.4 +/- 0.5
Shipway 11	W - 16	06/06/07	<6	<6	<7	<5	<11	<9	0.4 +/- 0.4	0.2 +/- 0.5
NGNN	W - 16	09/05/07	<8	<5	<11	<5	<11	<10	0.4 +/- 0.4	0.0 +/- 0.4
	W - 16	11/13/07	<6	<6	<7	<5	<12	<9	0.3 +/- 0.3	0.1 +/- 0.4

SS = SUSPENDED SOLIDS

BS = BASIC SULFIDES

NA = NO ANALYSIS

NGNN = Northrup Grumman Newport News

#### **SURFACE WATER**

January 1, 2007 through December 31, 2007

**ANNUAL REPORT 2007** 

		Date			Gamma	Activity pC	i/L			
Location	Station	Collected	Ba-140	Cs-137	I-131	Mn-54	Zn 65	Zr-95/Nb-95	Beta Ad	ctivity
									SS (pCi/L)	BS (pCi/L)
Elizabeth River	W - 37	03/21/07	<7	<5	<10	<5	<11	<9	0.0 +/- 0.4	1.4+/- 0.5
Dry Dock 4	W - 37	06/06/07	<7	<5	<9	<5	<11	<9	0.0 +/- 0.4	0.7+/- 0.5
NNSY	W - 37	9/5//2007	<10	<5	<15	<5	<11	<10	0.0 +/- 0.4	0.2 +/- 0.5
	W - 37	11/06/07	<5	<5	<6	<5	<11	<9	0.1 +/- 0.3	0.3 +/- 0.4
									SS (pCi/L)	BS (pCi/L)
Elizabeth River	W - 38	03/21/07	<11	<6	<19	<5	<12	<11	0.2 +/- 0.4	0.9 +/- 0.5
Wet Slip 1	W - 38	06/06/07	<7	<5	<9	<5	<11	<9	0.1 +/- 0.4	0.6 +/- 0.5
NNSY	W - 38	9/5//2007	<7	<5	<9	<5	<11	<9	0.6 +/- 0.3	0.0 +/- 0.5
	W - 38	11/06/07	<8	<5	<10	<5	<11	<10	0.0 +/- 0.3	0.9 +/- 0.4
									SS (pCi/L)	BS (pCi/L)
Elizabeth River	W - 39	03/21/07	<11	<6	<21	<6	<11	<10	0.2 +/- 0.3	0.9 +/- 0.5
Dry Dock 8	W - 39	06/06/07	<7	<5	<10	<5	<11	<10	0.0 +/- 0.4	0.2 +/- 0.5
NNSY	W - 39	9/5//2007	<6	<5	<8	<5	<11	<9	0.9 +/- 0.3	0.4+/- 0.5
	W - 39	11/06/07	<6	<5	<7	<5	<11	<9	0.2 +/- 0.3	0.1+/- 0.4

SS = SUSPENDED SOLIDS BS = BASIC SULFIDES NA = NO ANALYSIS

#### **SURFACE WATER**

January 1, 2007 through December 31, 2007

ANNUAL REPORT 2007

		Date		Gamma	a Activi	ty pCi/l							Gross	;	
Location	Station	Collected	Ba140	Cs134	Cs137	Co58	Co60	I131	Mn54	Zn65	ZrNb95	Н3	Beta	B.S.	٤
SPS	W-19	Jan-07	<11	<5	<5	<5	<5	<19	<5	<11	<10	75.1		0.6+/-0.3	1.5+
Discharge	W-19	Apr-07	<10	<5	<5	<6	<5	<17	<5	<11	<10	NDC		0.2+/-0.5	1.0+
Canal	W-19	Jul-07	<6	<5	<6	<5	<5	<8	<5	<11	<9	1800		0.7+/-0.4	0.3+
	W-19	Oct-07	<8	<5	<5	<5	<5	<13	<5	<11	<10	676		1.3+/-0.5	0.6+
North Anna	W-27	Jan-07	<10	<5	<3	<5	<5	<17	<5	<11	<10	NDC	3+/-1		
River	W-27	Apr-07	<7	<5	<6	<5	<5	<9	<5	<11	<9	75.1	2+/-1		
	W-27	Jul-07	<30	<5	<5	<7	<5	<88>	<5	<12	<12	1500	3+/-1		
	W-27	Oct-07	<5	<5	<3	<5	<5	<6	<5	<11	<9	3450	3+/-1		
NAPS	W-33	Jan-07	<8	<5	<5	<5	<5	<12	<5	<11	<9	3530	5+/-3		
Discharge	W-33	Apr-07	<9	<5	<6	<6	<5	<12	<5	<11	<10	4350	4+/-4		
Canal	W-33	Jul-07	<25	<5	<6	<7	<5	<72	<6	<12	<12	3300	5+/-4		
	W-33	Oct-07	<8	<5	<5	<5	<5	<12	<5	<11	<10	5710	3+/-3		
James River	W-79	Jan-07	<7	<5	<5	<5	<5	<11	<5	<11	<9	450		0.4+/-0.4	0.4
Scotland	W-79	Apr-07	<14	<5	<6	<6	<5	<29	<5	<11	<11	NDC		0.5+/-0.4	0.1
Wharf	W-79	Jul-07	<24	<5	<6	<7	<5	<66	<6	<12	<12	150		0.6+/-0.4	0.5
	W-79	Oct-07	<8	<5	<6	<5	<5	<12	<5	<11	<10	676		0.4+/-0.4	0.5

NDC = No Detectable counts

#### **VEGETATION**

January 1, 2007 through December 31, 2007

ANNUAL REPORT 2007

Location Name	Date	Туре	Isotope	State Results pCi/Gram (wet wt.)
Surry County	10/10/07	Collard	I-131	<0.04
Rickmond Garden		Greens	Cs-134	<0.01
V-96B			Cs-137	<0.01+/-0.01
Louisa County	N/A	Collard	I-131	N/A
Garden		Greens	Cs-134	N/A
V-98B			Cs-137	N/A

N/A = no garden sample available/collected due to drought

# COMMONWEALTH OF VIRGINIA DEPARTMENT OF HEALTH

#### RADIOLOGICAL HEALTH PROGRAM

109 Governor Street, Room 730 Richmond, Virginia 23218-2448 Office (804) 864-8150 Fax (804) 864-8165


# BABCOCK & WILCOX NAVAL NUCLEAR FUEL DIVISION

# Virginia Department of Health Babcock & Wilcox Naval Nuclear Fuel Division

#### AIR PARTICULATE COMPOSITE SAMPLES

January 1, 2007 through December 31, 2007

Location		Date		Gross A	Ipha
Name	Start		Stop	pCi/me	ter3
Eastern Site	01/03/07	-	01/10/07	<0.0039 +/-	??
Boundary	04/04/07	-	04/11/07	<0.0019 +/-	??
Ballfield	07/04/07	-	07/11/07	<0.0019 +/-	??
A-101	10/03/07	-	10/10/07	<0.0019 +/-	??



# Virginia Department of Health Babcock & Wilcox Naval Nuclear Fuel Division

#### **SOIL**

January 1, 2007 through December 31, 2007

#### **ANNUAL REPORT 2007**

Location Name	Distance & Direction	Type Date		Alpha * pCi/Gram			
Eastern Site Boundary-Ballfield S-101	Site Boundary	Soil	7/25/2007	2.7	+/-	2.6	
LRAHL Bldg. Off Rt. 460 control S-102	5 Miles SW	Soil	7/25/2007	1.4	+/-	0.4	

Alpha \* - Uranium Separation Followed by Alpha Counting

LRAHL = Lynchburg Regional Animal Health Laboratory

## Virginia Department of Health Babcock & Wilcox Naval Nuclear Fuel Division

#### **SURFACE WATER**

January 1, 2007 to December 31, 2007

#### ANNUAL REPORT 2007

Location Name	Distance & Direction	Date	pCi/Liter Alpha *
from James River shoreline near Ballfield at eastern site boundary W-101	approx. 3 mi. downstream from plant	7/25/2007	0.4 +/- 0.3
from James River shoreline near Six Mile Bridge control W-102	approx. 1.5 mi. upstream from plant	7/31/2007	0.0 +/- 0.2

Alpha \* - Uranium Separation Followed by Alpha Counting

# Virginia Department of Health Babcock & Wilcox Naval Nuclear Fuel Division

#### **VEGETATION**

January 1, 2007 through December 31, 2007

**ANNUAL REPORT 2007** 

Location Name	Distance & Direction	Туре	Date	Alpha * pCi/Gram
Eastern Site Boundary-Ballfield V-101	Site Boundary	Vegetation	7/25/2007	0.5 +/- 0.4
LRAHL Bldg. Off RT 460 control V-102	5 Miles SW	Vegetation	7/25/2007	0.5 +/- 0.3

Alpha \* - Uranium Separation Followed by Alpha Counting

# COMMONWEALTH OF VIRGINIA DEPARTMENT OF HEALTH

#### RADIOLOGICAL HEALTH PROGRAM

109 Governor Street, Room 730 Richmond, Virginia 23218-2448 Office (804) 864-8150 Fax (804) 864-8165

# APPENDIX I

# LOWER LIMITS OF DETECTION "LLD"

# LOWER LIMITS OF DETECTION "LLD"

Definition: "Lower Limit of Detection" – The smallest amount or concentration of a radioactive or nonradioactive element that can be reliably detected in a sample.

All radioactive measurements for samples are reported with an uncertainty. The uncertainty arises for a number of reasons including imperfections in the apparatus or procedure, human error and counting uncertainty. The counting uncertainty arises because radioactive decay is a random process. This means that if one counts the radioactive decay of a sample several times, each for a fixed time, one will find that the measured number of decays varies randomly. However, these random answers all cluster near an average value. It is usually assumed that the counting uncertainty is the dominant uncertainty. The uncertainties that are reported are the counting uncertainties only. The interpretation of this is that we are 95% confident that the true concentration in the sample lies somewhere between the measured concentration minus the counting uncertainty and the measured concentration plus the counting uncertainty.

One consequence of the uncertainties in a measurement of radioactivity is that it is not possible to determine a zero concentration of a radioisotope. Rather, when the uncertainty is such that one cannot distinguish between the sample and background counting rates, we report that the sample radioactivity is less than some concentration. This minimum concentration is termed the Lower Limit of Detection (LLD). Practical sample size, counting time, and background radiation all combine to determine the LLD. The LLD for most radioisotopes is at least several orders of magnitude (factors of ten) less than the standards for a level of a concern that has been set by the state or federal government.

#### **CONDITIONS**

#### **Consolidated Laboratories**

LLD values apply to samples analyzed immediately after collection with no decay corrections used in the calculations. Decay corrections normally required during sample processing may result in significant increases in the LLD's for the short-lived isotopes.

Gamma isotopic analysis is performed with a 4" X 4" Sodium Iodide (TI) detector and a high purity Germanium detector.

Gross alpha, beta, Sr-89, and Sr-90 LLD's were based on variable averages normally encountered in sample processing. The LLD may vary from sample to sample depending on self-absorption corrections, counting efficiency, background changes, counting time and recovery yields. Fish values will depend on the wet to ash weight ratio of the collected sample.

The lower limits of detection for all analysis were calculated using the methods found on the following pages:

## LOWER LIMITS OF DETECTION (LLD's) FOR GAMMA COUNTING Consolidated Laboratories

For Tissue, Silt, Vegetation, etc., as provided by SPECTRAN-F V2 Technical Reference Manual using the HpGe Detector

Required Sample Size: 1 Kilogram

NOMINAL LLD's for selected isotopes are given below. Actual LLD's are determined at the time of analysis, and vary with decay time, background radiation, sample size, etc.

Isotope* LLD	, pCi/Liter
Cs-134	0.0046
Cs-137	0.0041
Co-58	0.0041
Co-60	0.0048
I-131	0.0049
Ru/Rh-106	0.0370
Zn-65	0.0093
Zr-95	0.0075
Ba/La-140	0.0150
Ag-110m	0.0046
Mn-54	0.0039
Fe-59	0.0083

Canberra's Spectran-F Software calculates LLD using the following relationships:

\* LLD = LD\* 
$$e^{(.693^{*}Td/T)}$$
  
T \* Y \* e \* V \* 0.037

where: Td = Decay Time

T = Half-Life T = Count Time

Y = Yield of the gamma ray in question

e = Detector efficiency at the energy of gamma ray in question

V = Sample size

0.037= Conversion factor: gammas/second to picocuries

and:  $LD = k^2 = 2*LC$ 

Where: LC is the weakest signal the instrument can detect as a peak.

and: k is a constant which depends on the desired confidence limit for the result.

(At the 95% confidence level, k= 1.645.)

## LOWER LIMITS OF DETECTION (LLD's) FOR GAMMA COUNTING Consolidated Laboratories

For Water, Milk, etc, as provided by GAMMA-M SOFTWARE CISE 551 Technical Reference Manual using the NaI Detector

Required Sample Size: 3.5 Liters

NOMINAL LLD's for selected isotopes are given below. Actual LLD's are determined at the time of analysis, and vary with decay time, background radiation, sample size, etc.

Isotope*	LLD, pCi/Liter
Cs-134	7.3
Cs-137	7.6
Co-58	7.2
Co-60	12.0
I-131	7.9
Zn-65	21.0
Zr-95	15.0
Ba/La-140	10.0
Mn-54	7.8
Fe-59	19.0

Canberra's GAMMA-M Software calculates LLD using the following relationships:

\* LLD = LD\* 
$$e^{(.693*Td/T)}$$
  
T \* Y \* e \* V \* 0.037

where: Td = Decay Time

T = Half-Life T = Count Time

Y = Yield of the gamma ray in question

e = Detector efficiency at the energy of gamma ray in question

V = Sample size

0.037= Conversion factor: gammas/second to picocuries

and:  $LD = k^2 = 2*LC$ 

Where: LC is the weakest signal the instrument can detect as a peak.

and: k is a constant which depends on the desired confidence limit for

the result. (At the 95% confidence level, k= 1.645.)

# LOWER LIMITS OF DETECTION (LLD's) FOR GAMMA COUNTING Consolidated Laboratories

For Air Particulate and Charcoal Canister, as provided by GAMMA-M Software CISE 551 Technical Reference Manual using the Nal Detector

Required Sample Size: 2300 m³ (Air Particulate Composite) Required Sample Size: 120 m³ (Charcoal Canister)

NOMINAL LLD's for selected isotopes are given below. Actual LLD's are determined at the time of analysis, and vary with decay time, background radiation, sample size, etc.

Isotope\* LLD, pCi/m<sup>3</sup>

Cs-134 in Air particulate Composite	0.002
Cs-137 in Air particulate Composite	0.002
I-131 in Charcoal Canister	0.050

Canberra's Gamma-M Software calculates LLD using the following relationships:

LLD = 
$$4.65^* \frac{(R_b/T_s)^{1/2}}{Y * e * V * d * 2.22}$$

where:  $R_b$  = Background rate (CPM)

T<sub>s</sub> = Sample Count Time

Y = Chemical Yield (Gamma ray abundance for I-131 @ 364KeV)

e = Detector efficiency

V = Sample size

d = Decay Correction Factor

2.22 = Conversion factor: counts/minute to picocuries

## LOWER LIMITS OF DETECTION (LLD's) FOR BETA COUNTING **Consolidated Laboratories**

For Milk and Water (Radiochemical Analysis).

Matrix*	LLD Weight or Volume Re	equired
Sr-89/90 in Milk & Water:		
Sr-89	4.00 pCi/Liter	1000 ml
Sr-90	1.00 pCi/Liter	1000 ml
I-131 in Water	0.34 pCi/Liter	1000 ml
l-131 in Milk	0.36 pCi/Liter	1000 ml

LLD = 
$$4.65^{\circ}$$
  $\frac{\sqrt{p(Rb/Ts)}}{\text{Y * e * V * d * 2.22}}$ 

where: Rb = Background rate (CPM)

Ts = Sample Count Time = Chemical Yield Υ e = Detector efficiency V = Sample size

d = Decay Correction Factor
2.22 = Conversion factor: counts/minute to picocuries
4.65 = 95% Confidence Factor

# LOWER LIMITS OF DETECTION (LLD's) FOR BETA COUNTING Consolidated Laboratories

For Air Particulate, Surface and Ground Water, Saline Water, Silt, Soil, Fish.

Matrix* L	LD Weight or Volume Re	equired
Air particulate	0.01 pCi/m <sup>3</sup>	120 m <sup>3</sup>
Surface and Ground Water	0.82 pCi/Liter	500 ml
Saline Water (Surry Power Station)	49.00 pCi/Liter	10 ml
Suspended Solids/ Saline Water	0.54 pCi/Liter	1000 ml
Basic Sulfides in Saline Water	0.41 pCi/Liter	1000 ml
Silt/Soil	2.90 pCi/gram	200 mg
Fish	0.046 pCi/gram	1000 grams

LLD = 
$$4.65^{*}$$
  $(\sqrt{Rb/Ts})$   
Y \* e \* V \* d \* 2.22

where: Rb = Background rate (CPM)

Ts = Sample Count Time Y = Chemical Yield e = Detector efficiency

V = Sample size

d = Decay Correction Factor

2.22 = Conversion factor: <del>counts/min</del>ute to picocuries

4.65 = 95% Confidence Factor

## LOWER LIMITS OF DETECTION (LLD's) FOR ALPHA COUNTING **Consolidated Laboratories**

For Air Particulate, Surface and Ground Water, Saline Water, Silt and Soil.

Matrix*	LLD	Weight or Volume Required
Air Particulate	0.001 pCi/m <sup>3</sup>	150 m <sup>3</sup>
Surface and Ground Water	0.50 pCi/liter	500 ml
Saline Water: (SS & BS)		
Suspended Solids	0.23 pCi/liter	1000 ml
Basic Sulfides	0.23 pCi/liter	1000 ml
Silt/Soil	1.9 pi/gram	100 mg

LLD = 
$$4.65^* \underline{(2.71/Ts) + (\sqrt{(Rb/Ts)})}$$
  
Y \* e \* V \* d \* 2.22

where: Rb = Background rate (CPM)

Ts = Sample Count Time

Y = Chemical Yield (Gamma ray abundance for I-131 @ 634 KeV)

e = Detector efficiency V = Sample size

d = Decay Correction Factor

2.22 = Conversion factor: counts/minute to picocuries

4.65 = 95% Confidence Factor

2.71 = Conversion factor used to compensate for low backgrounds

encountered in Alpha counting

# LOWER LIMITS OF DETECTION (LLD's) FOR ALPHA COUNTING Consolidated Laboratories

For Water, Vegetation, Silt and Soil (Uranium Radiochemical Analysis).

Matrix*	LLD	Weight or Volume Required
Water	0.20 pCi/Liter	1000 ml
Vegetation	0.02 pCi/gram	1000 grams
Silt	0.02 pCi/gram	1000 grams
Soil	0.02 pCi/gram	1000 grams

LLD = 
$$4.65^* (2.71/Ts) + (\sqrt{(Rb/Ts)})$$
  
Y \* e \* V \* d \* 2.22

where: Rb = Background rate (CPM)

Ts = Sample Count Time —

Y = Chemical Yield (Gamma ray abundance for I-131 @ 634 KeV)

e = Detector efficiency

V = Sample size

d = Decay Correction Factor

2.22 = Conversion factor: counts/minute to picocuries

4.65 = 95% Confidence Factor

2.71 = Conversion factor used to compensate for low backgrounds encountered in Alpha counting

## LOWER LIMITS OF DETECTION (LLD's) FOR ALPHA COUNTING **Consolidated Laboratories**

For Air Particulate and Waste Water (Fluorometric Uranium Analysis).

Matrix*	LLD	Weight or Volume Required
Air Particulate	2.00 E-09 ug/ml	1440 m <sup>3</sup>
Waste Water	0.04 ug/Liter	1000 ml

LLD = 
$$4.65^* (2.71/Ts) + (\sqrt{(Rb/Ts)})$$
  
Y \* e \* V \* d \* 2.22

where: Rb = Background rate (CPM)

Ts = Sample Count Time

Y = Chemical Yield (Gamma ray abundance for I-131 @ 634 KeV)

e = Detector efficiency

V = Sample size

d = Decay Correction Factor 2.22 = Conversion factor: counts/minute to picocuries

4.65 = 95% Confidence Factor

2.71 = Conversion factor used to compensate for low backgrounds encountered in Alpha counting

## LOWER LIMITS OF DETECTION FOR TRITIUM ANALYSES

Required Volume: 50 ml Sample Aliquot: 8 ml

## APPROXIMATE LLD \* COUNTING TIME

80 pCi	i/L 6	600	minutes
200 pCi	i/L 2	200	minutes
400 pCi	i/L 1	00	minutes
1000 pCi	/L	20	minutes
5000 pCi	/L	10	minutes

\* LLD in pCi/L =  $\frac{4.66(R_{Bkg}/T)^{1/2}}{(F)}$ 

2.22 (V) (E)

where: R<sub>Bkg</sub> = Background rate (CPM) T = Background Counting Time

E = Counter Efficiency

V = Sample Volume or Size 4.66 = 95% Confidence Factor

# COMMONWEALTH OF VIRGINIA DEPARTMENT OF HEALTH

#### RADIOLOGICAL HEALTH PROGRAM

109 Governor Street, Room 730 Richmond, Virginia 23218-2448 Office (804) 864-8150 Fax (804) 864-8165

# APPENDIX II

# SAMPLING LOCATIONS

## **SPS Sampling Locations**

LOCATION	TYPE	FREQUENCY
Milk	_	
* M-66 Surry County - W.B. Epps Dairy	Raw	Quarterly
<u>Air</u>		
* A-20 Surry Power Station	Air Particulate	Quarterly
Charcoal Filter		
* C-20 Surry Power Station	Release Gas	Quarterly
<u>Dosimeters</u>		
*D-20 Surry Power Station	Gamma in Air	Quarterly
D-41 Surry Lebanon Baptist Church	Gamma in Air	Quarterly
D-42 Surry County - Lawnes Creek	Gamma in Air	Quarterly
D-43 Surry County - Route 628	Gamma in Air	Quarterly
*D-44 Jamestown	Gamma in Air	Quarterly
D-45 Newport News - Lee Hall	Gamma in Air	Quarterly
D-73 Naval Weapons Station - Enlisted Quarter	Gamma in Air	Quarterly
*D-76 Newport News - Fort Eustis	Gamma in Air	Quarterly
D-77 Williamsburg - Busch Gardens	Gamma in Air	Quarterly
D-78 Williamsburg - Williamsburg Airport	Gamma in Air	Quarterly
D-79 Surry County - Scotland Wharf	Gamma in Air	Quarterly
*D-80 Surry County - Bacon's Castle	Gamma in Air	Quarterly
*D-81 Surry County - Alliance	Gamma in Air	Quarterly
*D-82 Surry County - Hog Point	Gamma in Air	Quarterly
<u>Shellfish</u>		
R-17 James River - 1/2 Mile Off Discharge Canal	Clams	Annually
Silt		
S-17 James River - 1/2 Mile Off Discharge Canal	Silt	Annually
Surface Water		
* W-19 Surry Discharge Canal	Surface Water	Quarterly
* W-79 James River - Scotland Wharf	Surface Water	Quarterly
Vegetation		
* V-96B Surry County - Rickmond Garden	Edible Vegetation	Annually
* V-97 James City - Carter's Grove Plantation	Edible Vegetation	Annually
•	9	•

<sup>\*</sup>Virginia and Virginia Power Duplicate Samples

## **NAPS Sampling Locations**

	NAPS Station		
LOCATION	Designations	TYPE	<b>FREQUENCY</b>
<u>Milk</u>			
* M-29 Louisa County - E. A. Terrell Dairy	13	Raw	Quarterly
Λir			
<u>Air</u> * A-88 Louisa County Route 700	22	Air Particulate	Quarterly
A do Louisa County Noute 700	22	All I articulate	Quarterly
Charcoal Filter			
* C-88 Louisa County Route 700	22	Release Gas	Quarterly
<u>Dosimeters</u>		۸:"	Outputoul
* D-35 NAPS * D-50 Louisa County - Mineral		Air Air	Quarterly Quarterly
* D-51 Louisa County - Wares Crossroads		Air	Quarterly
* D-52 Spotsylvania - Good Hope Church		Air	Quarterly
D-53 Spotsylvania - Route 614		Air	Quarterly
D-54 Louisa County - Frederick's Hall		Air	Quarterly
D-84 Louisa County - Route 685		Air	Quarterly
D-85 Spotsylvania Co Route 713		Air	Quarterly
* D-86 Louisa County - Bumpass P.O.		Air	Quarterly
* D-87 Spotsylvania Co Levy		Air	Quarterly
* D-88 Louisa Co Rt. 700 (near station)		Air	Quarterly
* D-89 Louisa County - Aspen Hill		Air	Quarterly
, ,			·
<u>Fish</u>			
* F-24 North Anna Lake - Second Cooling Lagoon	08	Edible Fish	2/Year
Soil			
S-24 NAPS Waste Treatment shoreline soil	08	Soil	Annually
2 2 1 Will & Waste Freditherit Griefeline con	00	Con	7 timidany
Surface Water			
* W-27 North Anna River - Route 522		Surface Water	Quarterly
* W-33 North Anna Discharge Canal		Surface Water	Quarterly
<u>Vegetation</u>			
* V-92A Spotsylvania County		Edible Vegetation	Annually
* V-98C Louisa County		Edible Vegetation	Annually

<sup>\*</sup>Virginia and Virginia Power Duplicate Samples

## Sampling Locations - Babcock & Wilcox

SAMPLE	LOCATION	TYPE	FREQUENCY
<u>AIR</u> A-101	Eastern Site Boundary Ballfield	Air	Quarterly
SURFACE WATER W-101	James River 3 mi. downstream of plant at eastern site boundary	Surface Water	Annually
W-102	James River 1.5 mi. upstream of plant at Six Mile Bridge control	Surface Water	Annually
<u>SOIL</u> S-101	Eastern Site Boundary Ballfield	Soil	Annually
S-102	LRAHL Bldg. Off Route 460 5 Miles S.W. Control	Soil	Annually
VEGETATION V-101	Eastern Site Boundary Ballfield	Grass	Annually
V-102	LRAHL Bldg. Off Route 460 5 Miles S.W. Control	Grass	Annually

#### Other Sampling Locations in VA

LOCATION	TYPE	FREQUENCY
Air		
A-40 Pocahontas State Park	Air Particulate	Quarterly
Silt		
S-15A James River - NGNN Pier 1	Silt	Quarterly
S-16 James River - NGNN Shipway 11	Silt	Quarterly
S-18 Elizabeth River - NNSY - Drydock #8	Silt	Quarterly
S-19 Elizabeth River - NNSY - Drydock #4	Silt	Quarterly
S-20 Elizabeth River - NNSY - Wet Slip #1	Silt	Quarterly
Charcoal Filter		
C-40 Pocahontas State Park	Air Particulate	Quarterly
<u>Dosimeters</u>		
D-40 Pocahontas State Park	Air Gamma	Changed 4/Year
Surface Water		
W-15 James River - NGNN Pier 1	Surface Water	Quarterly
W-16 James River - NGNN Shipway 11	Surface Water	Quarterly
W-37 Elizabeth River - NNSY - Drydock #8	Surface Water	Quarterly
W-38 Elizabeth River - NNSY - Drydock #4	Surface Water	Quarterly
W-39 Elizabeth River - NNSY - Wet Slip #1	Surface Water	Quarterly

# COMMONWEALTH OF VIRGINIA DEPARTMENT OF HEALTH

#### RADIOLOGICAL HEALTH PROGRAM

109 Governor Street, Room 730 Richmond, Virginia 23218-2448 Office (804) 864-8150 Fax (804) 864-8165

# APPENDIX III EMERGENCY PREPAREDNESS

#### **EMERGENCY PREPAREDNESS**

The Division of Radiological Health (DRH) is one of the lead response agencies for emergencies involving the potential or actual release of radioactive materials. Overall state level emergency response is described in the <u>Commonwealth of Virginia Radiological Emergency Response Plan (COVRERP)</u>, which is developed and maintained by the Department of Emergency Management (DEM) for the Commonwealth of Virginia. In addition to generic guidelines for responding to any major radiological emergency, the response procedures contain segments addressing response to several types of accidents. There are sections, which provide information needed for response to Licensee and Transportation accidents. Other sections contain background information and response guidance for accidents at fixed nuclear facilities.

Primary tasks of the Department of Health (DOH) and DRH, in response to a radiological emergency are to locate, identify, and predict the impact of any radioactive materials released to the environment. Based on the predicted or known impact, the DOH then recommends appropriate measures to protect the public. The DRH also supervises cleanup and ensures proper disposal of radioactive waste. A duty officer maintains 24-hour coverage for the DRH to ensure personnel are available at all times for coverage in case of a radiological emergency.

Under the provisions of current Federal Emergency Management Agency regulations, the DRH conducts or participates in periodic drills that are designed to provide needed team training and to test our emergency plan and procedures. The scope of these drills ranges from receiving and acknowledging simulated emergency communications to full-scale team deployment. In the latter case, the DRH personnel are presented with problems similar to those that might be encountered during an actual emergency.

Federal regulations for commercial nuclear power generating facilities stipulate that a full-scale exercise involving appropriate local government participation and testing all significant response elements must be conducted and evaluated every other year. Because there are two such facilities, Surry and North Anna Nuclear Power Stations, Commonwealth of Virginia agencies will perform exercise activities on a yearly basis, alternating between the sites each year. The DOH, DRH, and DEM have elected to participate in each exercise as fully as resources and local response organizations participation permit.