

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity	37.0	29.4 - 45.3	83	43.1	36.6 - 50.0	131	-	-	18	39.7	34.9 - 44.8	232
b. Nutrition	38.9	31.7 - 46.6	84	33.2	27.4 - 39.6	131	26.7	13.5 - 46.1	19	34.8	30.3 - 39.5	234
c. Tobacco-use prevention	37.2	29.6 - 45.4	83	29.2	23.2 - 36.1	129	37.1	22.7 - 54.2	19	32.8	28.2 - 37.8	231
d. Asthma	21.6	15.1 - 30.1	82	15.5	11.2 - 21.0	126	-	-	18	17.8	14.2 - 22.2	226
e. Injury and violence prevention	30.2	22.9 - 38.7	82	25.3	19.7 - 31.9	128	26.0	12.4 - 46.5	19	27.2	22.8 - 32.1	229
f. HIV, STD, and teen pregnancy prevention	30.6	23.2 - 39.1	81	13.9	10.2 - 18.7	127	-	-	18	20.2	16.6 - 24.4	226

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Health education	17.0	11.5 - 24.5	87	15.4	11.0 - 21.3	128	25.3	12.2 - 45.4	20	16.9	13.3 - 21.2	235
b. Physical education	14.9	9.8 - 22.0	86	19.3	14.4 - 25.5	128	26.7	12.8 - 47.3	19	18.2	14.5 - 22.6	233
c. Physical activity	9.1	5.1 - 15.6	87	18.1	13.3 - 24.1	126	16.3	6.6 - 34.9	19	14.5	11.2 - 18.5	232
d. School meal programs	9.0	5.5 - 14.5	86	9.4	5.9 - 14.6	127	14.8	5.7 - 33.2	20	9.7	7.1 - 13.2	233
e. Foods and beverages available at school outside the school meal programs	6.7	3.5 - 12.5	87	4.5	2.4 - 8.6	128	14.8	5.7 - 33.2	20	6.2	4.1 - 9.3	235
f. Health services	8.1	4.4 - 14.4	86	10.1	6.5 - 15.5	128	20.4	9.2 - 39.4	20	10.2	7.4 - 14.0	234
g. Counseling, psychological, and social services	32.1	25.2 - 40.0	87	32.7	26.4 - 39.7	128	35.2	19.7 - 54.5	20	32.7	28.1 - 37.6	235
h. Physical environment	27.2	19.8 - 36.2	87	30.9	25.0 - 37.6	129	35.2	21.4 - 52.0	20	29.9	25.3 - 34.9	236
i. Social and emotional climate	53.3	45.7 - 60.7	86	58.0	51.3 - 64.4	129	30.2	18.4 - 45.4	20	53.9	49.2 - 58.5	235
j. Family engagement	46.8	38.0 - 55.7	87	53.9	46.7 - 60.9	128	45.0	27.3 - 64.1	20	50.4	45.0 - 55.8	235
k. Community involvement	51.4	42.5 - 60.2	87	51.1	43.5 - 58.6	127	49.9	31.4 - 68.4	20	51.1	45.6 - 56.6	234
l. Employee wellness	17.8	12.1 - 25.3	88	17.7	13.3 - 23.3	129	14.8	5.7 - 33.2	20	17.5	14.0 - 21.7	237

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
56.7	48.6 - 64.5	88	47.2	39.8 - 54.7	120	-	-	17	51.4	46.1 - 56.7	225

*Among schools that engaged in an improvement planning process during the past year.
 - Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
86.8	79.4 - 91.8	93	90.3	85.6 - 93.6	134	84.5	66.7 - 93.7	20	88.5	84.7 - 91.5	247

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
52.0	44.3 - 59.6	94	50.1	43.3 - 56.9	133	54.9	37.2 - 71.4	20	51.2	46.3 - 56.1	247

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Identified student health needs based on a review of relevant data	76.2	65.2 - 84.5	46	68.8	58.2 - 77.8	65	73.1	46.7 - 89.4	11	72.1	64.9 - 78.3	122
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	74.3	63.2 - 82.9	46	53.7	44.2 - 62.8	65	55.2	31.7 - 76.6	11	61.8	54.9 - 68.2	122
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	54.1	42.1 - 65.7	46	40.4	31.5 - 50.1	64	44.8	20.9 - 71.3	11	46.2	39.2 - 53.3	121
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	87.0	76.8 - 93.1	46	78.0	69.3 - 84.9	65	82.1	54.9 - 94.5	11	81.9	75.8 - 86.7	122
e. Reviewed health-related curricula or instructional materials	75.9	66.6 - 83.3	46	78.2	70.3 - 84.4	65	73.1	52.6 - 87.0	11	76.8	71.4 - 81.5	122
f. Assessed the availability of physical activity opportunities for students	69.8	58.8 - 78.9	46	78.0	69.4 - 84.8	65	64.0	45.4 - 79.2	11	73.6	67.3 - 79.0	122
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	10.8	5.4 - 20.5	45	18.9	12.6 - 27.3	63	9.0	1.9 - 33.6	11	14.8	10.8 - 20.1	119

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
85.0	78.2 - 90.0	90	56.2	50.4 - 61.7	132	60.6	42.5 - 76.1	20	67.5	63.5 - 71.3	242	

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	85.2	77.6 - 90.6	90	80.0	73.5 - 85.3	131	84.5	66.4 - 93.7	19	82.4	77.8 - 86.2	240
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	76.5	68.9 - 82.7	91	60.5	53.7 - 66.9	131	63.8	41.0 - 81.7	19	67.0	62.1 - 71.5	241

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
60.6	53.6 - 67.2	90	13.3	9.1 - 19.1	134	19.8	9.3 - 37.3	20	31.7	28.1 - 35.6	244	

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	82.7	75.8 - 87.9	90	61.4	55.0 - 67.5	133	45.2	31.5 - 59.6	20	68.2	63.9 - 72.2	243
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.8	94.2 - 99.8	91	94.8	90.7 - 97.2	134	95.1	78.1 - 99.1	20	96.3	93.8 - 97.9	245
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	70.0	62.4 - 76.7	91	55.6	48.6 - 62.4	133	69.8	48.8 - 84.8	20	62.3	57.4 - 67.0	244
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	56.4	48.8 - 63.7	91	30.7	24.5 - 37.6	134	45.1	27.1 - 64.4	20	41.6	36.9 - 46.5	245
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	62.9	54.7 - 70.5	89	41.3	34.9 - 48.0	133	50.0	30.2 - 69.8	20	50.2	45.2 - 55.1	242

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
76.2	68.2 - 82.7	89	87.3	81.6 - 91.4	134	75.4	54.4 - 88.7	20	82.2	77.8 - 85.8	243

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.2	83.2 - 93.2	91	96.3	92.5 - 98.2	133	85.2	66.8 - 94.3	20	92.6	89.6 - 94.9	244

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
94.3	88.6 - 97.2	90	94.7	90.5 - 97.1	134	89.6	70.7 - 96.9	19	94.2	91.1 - 96.2	243

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Sixth grade	§	§	§	97.5	93.8 - 99.0	121	-	-	5	96.8	93.0 - 98.5	126
b. Seventh grade	§	§	§	97.7	94.2 - 99.1	132	-	-	6	97.0	93.5 - 98.7	138
c. Eighth grade	§	§	§	81.6	74.8 - 86.8	119	95.1	78.1 - 99.1	20	83.6	77.6 - 88.2	139
d. Ninth grade	100.0	†	88	-	-	2	95.1	78.1 - 99.1	20	99.1	95.8 - 99.8	110
e. Tenth grade	100.0	†	91	§	§	§	95.1	78.1 - 99.1	20	99.1	95.8 - 99.8	111
f. Eleventh grade	8.2	4.3 - 15.3	72	§	§	§	-	-	18	7.7	4.2 - 13.7	90
g. Twelfth grade	9.5	5.2 - 16.7	73	§	§	§	-	-	18	8.7	4.9 - 14.9	91

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.4	88.8 - 97.3	91	88.4	82.8 - 92.4	134	90.2	72.0 - 97.0	20	90.8	87.2 - 93.5	245

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Goals, objectives, and expected outcomes for physical education	98.9	94.9 - 99.8	91	100.0	†	134	100.0	†	20	99.6	98.0 - 99.9	245
b. A chart describing the annual scope and sequence of instruction for physical education	94.5	89.1 - 97.3	91	89.2	84.7 - 92.5	131	90.2	73.2 - 96.8	20	91.3	88.4 - 93.6	242
c. Plans for how to assess student performance in physical education	95.5	90.3 - 98.0	90	94.6	90.3 - 97.1	133	80.3	61.7 - 91.2	20	93.8	90.7 - 95.9	243
d. A written physical education curriculum	97.7	93.2 - 99.3	91	91.5	86.7 - 94.6	132	90.2	72.0 - 97.0	20	93.8	90.8 - 95.8	243
e. Resources for fitness testing	98.8	94.2 - 99.8	91	99.2	96.2 - 99.8	133	90.2	72.0 - 97.0	20	98.3	96.3 - 99.2	244
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	84.2	77.7 - 89.1	91	79.4	73.7 - 84.2	134	52.6	31.9 - 72.5	19	79.2	74.9 - 82.9	244

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
24.4	18.2 - 32.0	90	48.3	42.6 - 54.1	135	29.5	16.3 - 47.4	20	37.8	33.7 - 42.1	245

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
49.6	40.8 - 58.5	89	66.1	59.4 - 72.2	134	24.7	11.8 - 44.6	20	56.5	51.4 - 61.5	243

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
88.9	83.8 - 92.5	91	66.7	60.5 - 72.3	133	74.7	59.9 - 85.3	20	75.8	71.9 - 79.4	244

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
31.0	23.1 - 40.3	91	19.2	14.4 - 25.0	135	25.4	12.8 - 44.2	20	24.2	19.9 - 29.0	246

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
65.0	57.9 - 71.4	91	74.4	69.0 - 79.2	134	59.9	41.8 - 75.6	20	69.6	65.6 - 73.4	245

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
98.9	94.9 - 99.8	91	97.8	94.7 - 99.1	134	90.2	87.7 - 92.2	20	97.6	96.0 - 98.6	245

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.7	94.5 - 98.1	90	96.3	92.6 - 98.2	132	90.2	87.7 - 92.2	20	96.0	94.1 - 97.3	242
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	96.7	94.5 - 98.1	90	95.5	91.6 - 97.7	131	90.2	87.7 - 92.2	20	95.5	93.5 - 97.0	241
c. Cigars	96.7	94.5 - 98.1	90	95.5	91.5 - 97.6	130	90.2	87.7 - 92.2	20	95.5	93.5 - 96.9	240
d. Pipes	96.7	94.5 - 98.1	90	94.7	90.5 - 97.1	131	90.2	87.7 - 92.2	20	95.1	92.9 - 96.6	241
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	96.7	94.5 - 98.1	90	93.1	88.8 - 95.8	131	90.2	87.7 - 92.2	20	94.3	92.0 - 95.9	241

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	95.6	92.4 - 97.5	89	95.5	91.5 - 97.6	131	90.2	87.7 - 92.2	20	95.1	92.9 - 96.6	240
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	93.4	88.8 - 96.2	90	94.0	89.6 - 96.6	131	90.2	87.7 - 92.2	20	93.4	90.8 - 95.3	241
c. Cigars	93.4	88.8 - 96.2	90	93.9	89.4 - 96.5	130	90.2	87.7 - 92.2	20	93.4	90.7 - 95.3	240
d. Pipes	94.4	90.2 - 96.8	89	93.9	89.5 - 96.5	131	90.2	87.7 - 92.2	20	93.8	91.2 - 95.6	240
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	93.4	88.8 - 96.2	90	89.3	84.1 - 92.9	130	90.2	87.7 - 92.2	20	90.9	87.8 - 93.3	240

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	93.2	88.6 - 96.0	88	94.6	90.4 - 97.1	129	90.2	87.7 - 92.2	20	93.7	91.1 - 95.6	237
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	92.2	87.1 - 95.4	89	91.4	86.4 - 94.7	128	90.2	87.7 - 92.2	20	91.6	88.5 - 93.9	237
c. Cigars	92.0	86.9 - 95.2	87	93.1	88.5 - 96.0	130	90.2	87.7 - 92.2	20	92.4	89.6 - 94.6	237
d. Pipes	93.3	88.6 - 96.1	89	93.1	88.5 - 96.0	130	89.7	86.7 - 92.0	19	92.9	90.1 - 94.9	238
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	93.0	88.1 - 95.9	85	87.4	81.7 - 91.4	127	89.7	87.0 - 91.8	19	89.7	86.3 - 92.3	231

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	97.8	93.5 - 99.3	90	97.8	94.6 - 99.1	132	90.2	87.7 - 92.2	20	97.2	95.4 - 98.3	242
b. During non-school hours	93.3	87.3 - 96.5	89	90.1	85.4 - 93.4	131	85.2	74.6 - 91.9	20	90.9	87.7 - 93.3	240

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	94.4	88.8 - 97.3	89	95.4	91.4 - 97.6	131	90.2	87.7 - 92.2	20	94.6	91.9 - 96.4	240
b. During non-school hours	88.7	82.8 - 92.8	89	84.3	78.8 - 88.6	128	85.2	74.6 - 91.9	20	86.1	82.5 - 89.1	237

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	93.4	87.5 - 96.6	90	96.2	92.3 - 98.1	129	90.2	87.7 - 92.2	20	94.6	91.9 - 96.4	239
b. During non-school hours	87.3	80.9 - 91.8	88	81.9	76.2 - 86.4	127	80.3	65.7 - 89.7	20	83.8	80.0 - 87.1	235

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.8	93.5 - 99.3	90	97.8	94.6 - 99.1	132	90.2	87.7 - 92.2	20	97.2	95.4 - 98.3	242
b. Outside on school grounds, including parking lots and playing fields	97.8	93.4 - 99.3	89	97.8	94.6 - 99.1	132	90.2	87.7 - 92.2	20	97.2	95.3 - 98.3	241
c. On school buses or other vehicles used to transport students	97.8	93.5 - 99.3	90	97.8	94.6 - 99.1	132	90.2	87.7 - 92.2	20	97.2	95.4 - 98.3	242
d. At off-campus, school-sponsored events	96.6	91.7 - 98.7	90	94.8	90.6 - 97.1	132	85.2	74.6 - 91.9	20	94.7	92.1 - 96.5	242

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.8	93.5 - 99.3	90	97.8	94.5 - 99.1	131	90.2	87.7 - 92.2	20	97.2	95.3 - 98.3	241
b. Outside on school grounds, including parking lots and playing fields	93.3	87.3 - 96.5	89	93.2	88.6 - 96.0	131	85.2	74.6 - 91.9	20	92.6	89.5 - 94.8	240
c. On school buses or other vehicles used to transport students	97.8	93.5 - 99.3	90	97.8	94.5 - 99.1	131	90.2	87.7 - 92.2	20	97.2	95.3 - 98.3	241
d. At off-campus, school-sponsored events	93.3	88.6 - 96.1	89	90.2	84.9 - 93.7	131	85.2	74.6 - 91.9	20	90.9	87.8 - 93.4	240

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	96.6	91.6 - 98.6	89	97.0	93.5 - 98.7	131	90.2	87.7 - 92.2	20	96.3	94.1 - 97.7	240
b. Outside on school grounds, including parking lots and playing fields	93.0	86.9 - 96.4	86	92.3	87.5 - 95.3	130	80.3	75.4 - 84.5	20	91.5	88.5 - 93.9	236
c. On school buses or other vehicles used to transport students	96.6	91.6 - 98.6	89	97.7	94.5 - 99.1	129	89.7	86.7 - 92.0	19	96.6	94.6 - 97.9	237
d. At off-campus, school-sponsored events	78.6	70.9 - 84.6	88	71.3	64.8 - 76.9	129	70.5	57.9 - 80.6	20	74.0	69.6 - 77.9	237

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

25N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
68.1	60.4 - 75.0	79	57.5	50.2 - 64.5	120	58.6	44.5 - 71.5	19	61.5	56.6 - 66.2	218

*Responses to question 23 (a, b, c, and d), question 24 (a and b), and question 25 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
84.8	77.8 - 89.8	91	82.0	76.5 - 86.5	133	73.3	58.1 - 84.4	19	82.4	78.4 - 85.8	243	

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	32.2	25.8 - 39.4	90	19.1	14.2 - 25.2	134	15.6	6.4 - 33.5	19	23.8	19.9 - 28.1	243
b. Students	37.0	29.1 - 45.6	89	23.0	17.6 - 29.5	133	31.2	16.3 - 51.4	19	29.0	24.5 - 33.9	241

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	40.9	33.0 - 49.4	90	29.4	24.2 - 35.2	134	19.8	8.8 - 38.4	20	33.0	28.6 - 37.6	244
b. Students	34.6	27.2 - 42.7	90	29.4	23.8 - 35.8	134	24.8	12.9 - 42.1	20	31.0	26.6 - 35.7	244

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that provide tobacco-use cessation services to faculty, staff, and students through direct service at school or arrangements with providers not on school property.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
33.4	25.9 - 41.9	90	20.5	15.8 - 26.2	134	10.4	3.6 - 26.8	19	24.6	20.6 - 29.1	243	

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that never, rarely, sometimes, or almost always or always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Foods or beverages are not offered at school celebrations	4.5	2.0 - 9.6	90	5.1	2.8 - 9.2	134	5.2	1.0 - 22.9	19	4.9	3.1 - 7.7	243
b. Never	0.0	†	90	0.8	0.2 - 3.8	134	0.0	†	19	0.4	0.1 - 2.1	243
c. Rarely	10.5	6.1 - 17.5	90	14.1	10.2 - 19.4	134	31.9	19.2 - 47.9	19	14.1	11.0 - 18.0	243
d. Sometimes	48.4	40.5 - 56.5	90	48.7	41.7 - 55.8	134	37.1	24.8 - 51.3	19	47.7	42.8 - 52.7	243
e. Always or almost always	36.7	28.3 - 46.0	90	31.2	25.3 - 37.8	134	25.9	14.1 - 42.7	19	32.9	28.1 - 38.0	243

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

29N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
17.4	11.9 - 24.7	91	6.7	4.5 - 9.7	134	14.8	5.7 - 33.2	20	11.4	8.8 - 14.6	245

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
83.3	76.7 - 88.3	91	42.4	36.2 - 48.8	134	80.2	60.4 - 91.5	20	61.1	56.7 - 65.2	245

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	18.9	13.3 - 26.1	89	5.9	3.3 - 10.1	134	24.7	11.3 - 45.7	20	12.3	9.5 - 15.9	243
b. Other kinds of candy	26.6	20.1 - 34.2	89	6.7	3.9 - 11.1	134	29.6	15.4 - 49.3	20	16.0	12.8 - 19.8	243
c. Salty snacks that are not low in fat (e.g., regular potato chips)	29.2	22.2 - 37.3	88	14.2	10.3 - 19.2	134	19.8	8.5 - 39.6	20	20.2	16.6 - 24.4	242
d. Low sodium or "no added salt" pretzels, crackers, or chips	64.7	56.4 - 72.2	89	33.3	27.2 - 40.1	134	59.8	41.8 - 75.6	20	47.3	42.4 - 52.2	243
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	35.9	28.1 - 44.4	89	14.1	9.9 - 19.6	134	14.8	6.0 - 32.2	20	22.3	18.5 - 26.7	243
f. Ice cream or frozen yogurt that is not low in fat	15.9	10.3 - 23.7	89	10.3	6.7 - 15.6	134	24.6	13.5 - 40.5	20	13.6	10.4 - 17.5	243
g. 2% or whole milk (plain or flavored)	31.7	24.8 - 39.5	88	16.1	11.5 - 22.0	134	29.5	14.1 - 51.6	20	23.0	19.1 - 27.5	242
h. Nonfat or 1% (low-fat) milk (plain)	41.0	33.2 - 49.4	89	22.2	17.2 - 28.2	134	50.6	32.1 - 69.0	20	31.6	27.2 - 36.4	243
i. Water ices or frozen slushes that do not contain juice	17.8	11.8 - 25.9	89	5.3	2.9 - 9.5	134	24.7	12.3 - 43.3	20	11.6	8.6 - 15.3	243
j. Soda pop or fruit drinks that are not 100% juice	53.1	45.2 - 60.9	90	14.8	10.7 - 20.1	134	50.7	33.6 - 67.7	20	32.2	28.2 - 36.5	244
k. Sports drinks (e.g., Gatorade)	67.0	60.1 - 73.1	89	12.0	8.0 - 17.6	134	55.6	35.3 - 74.3	20	36.2	32.3 - 40.3	243

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	4.4	2.0 - 9.5	89	0.7	0.1 - 3.5	134	4.9	0.9 - 21.9	20	2.4	1.3 - 4.7	243
m. Bottled water	82.9	76.2 - 88.1	89	38.7	32.8 - 44.9	134	80.2	60.4 - 91.5	20	58.7	54.4 - 62.9	243
n. 100% fruit or vegetable juice	56.5	48.3 - 64.4	88	26.1	21.2 - 31.7	134	49.9	31.4 - 68.4	20	39.4	35.1 - 43.9	242
o. Foods or beverages containing caffeine	37.1	29.9 - 44.9	89	4.5	2.3 - 8.5	133	50.0	34.6 - 65.4	20	20.5	17.2 - 24.3	242
p. Fruits (not fruit juice)	31.1	23.7 - 39.5	89	19.4	15.4 - 24.1	133	40.1	24.4 - 58.2	20	25.5	21.7 - 29.8	242
q. Non-fried vegetables (not vegetable juice)	26.7	19.8 - 34.9	89	15.4	11.2 - 20.9	134	26.6	15.3 - 42.2	19	20.5	16.8 - 24.8	242

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	7.1	3.7 - 13.2	85	11.4	7.9 - 16.1	133	9.8	3.4 - 25.5	20	9.7	7.2 - 12.8	238
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	47.8	39.5 - 56.2	87	35.1	29.8 - 40.7	133	24.6	12.3 - 43.2	20	38.9	34.5 - 43.5	240
c. Provided information to students or families on the nutrition and caloric content of foods available	60.5	52.4 - 68.2	87	62.7	55.9 - 68.9	132	70.4	50.7 - 84.6	20	62.5	57.6 - 67.1	239
d. Conducted taste tests to determine food preferences for nutritious items	30.5	24.0 - 37.8	86	32.7	26.5 - 39.6	133	24.6	11.3 - 45.6	20	31.2	26.8 - 36.0	239
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	11.6	7.8 - 16.8	85	19.4	14.3 - 25.6	133	24.6	11.3 - 45.6	20	16.9	13.6 - 21.0	238
f. Served locally or regionally grown foods in the cafeteria or classrooms	47.5	40.3 - 54.7	87	42.6	35.6 - 49.9	130	44.3	28.2 - 61.6	20	44.6	39.7 - 49.6	237
g. Planted a school food or vegetable garden	27.5	20.7 - 35.7	87	33.2	27.2 - 39.8	133	45.0	32.2 - 58.6	20	32.1	27.8 - 36.7	240
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	83.1	75.8 - 88.6	87	81.1	75.3 - 85.8	134	95.0	79.3 - 99.0	20	83.0	78.9 - 86.5	241

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	70.1	62.3 - 76.9	87	67.7	61.0 - 73.7	131	85.2	74.6 - 91.9	20	70.1	65.3 - 74.4	238
j. Offered a self-serve salad bar to students	19.8	13.6 - 28.1	86	23.5	18.5 - 29.4	132	45.7	27.9 - 64.7	20	24.0	20.0 - 28.6	238
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	34.8	27.6 - 42.8	86	39.6	32.9 - 46.7	131	24.7	12.3 - 43.3	20	36.5	31.7 - 41.7	237
l. Encouraged students to drink plain water	79.3	71.9 - 85.1	87	76.1	69.7 - 81.5	130	84.4	66.6 - 93.6	20	78.0	73.5 - 81.9	237
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	17.8	12.7 - 24.4	86	26.1	20.7 - 32.4	133	29.6	15.4 - 49.3	20	23.3	19.4 - 27.8	239
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	30.1	22.6 - 38.9	84	41.4	35.0 - 48.0	133	25.3	12.7 - 44.1	20	35.9	31.2 - 40.9	237

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In school buildings	59.5	51.2 - 67.3	89	74.8	68.6 - 80.1	132	59.2	42.6 - 73.9	20	67.7	62.9 - 72.1	241
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	48.6	40.7 - 56.6	87	70.4	64.1 - 76.1	133	59.2	42.6 - 73.9	20	61.4	56.6 - 65.9	240
c. On school buses or other vehicles used to transport students	64.5	56.7 - 71.5	89	76.4	70.1 - 81.7	132	64.8	48.0 - 78.6	20	70.9	66.3 - 75.1	241
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	46.9	38.9 - 55.1	88	69.0	62.7 - 74.6	133	49.4	35.9 - 62.9	20	59.1	54.4 - 63.6	241
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	53.1	45.3 - 60.7	87	69.7	63.0 - 75.7	133	57.5	40.8 - 72.7	19	62.6	57.7 - 67.2	239

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	77.6	69.3 - 84.1	90	65.9	58.6 - 72.4	133	55.0	37.6 - 71.2	20	69.4	64.3 - 74.1	243
b. Yes, in certain locations	20.3	13.8 - 28.7	90	28.0	22.0 - 34.9	133	35.2	18.2 - 56.9	20	25.7	21.2 - 30.7	243
c. No	2.1	0.7 - 6.5	90	6.1	3.7 - 9.8	133	9.8	3.0 - 28.0	20	4.9	3.2 - 7.4	243

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
97.9	93.5 - 99.3	90	93.9	90.2 - 96.3	133	90.2	72.0 - 97.0	20	95.1	92.6 - 96.8	243

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cafeteria during breakfast	95.3	89.8 - 97.9	88	90.0	85.3 - 93.4	130	85.2	66.8 - 94.3	20	91.6	88.4 - 94.0	238
b. Cafeteria during lunch	95.3	89.8 - 97.9	88	92.3	88.1 - 95.1	129	89.7	71.9 - 96.7	19	93.2	90.2 - 95.3	236
c. Gymnasium or other indoor physical activity facilities	97.7	93.0 - 99.3	89	97.0	93.4 - 98.6	132	100.0	†	20	97.5	95.2 - 98.7	241
d. Outdoor physical activity facilities and sports fields	76.7	68.3 - 83.3	87	41.4	35.0 - 48.2	123	75.4	59.5 - 86.5	20	58.1	53.3 - 62.7	230
e. Hallways throughout the school	98.9	94.7 - 99.8	88	99.3	96.5 - 99.9	134	100.0	†	20	99.2	97.5 - 99.7	242

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.1	77.0 - 89.3	88	82.9	77.4 - 87.3	133	63.7	43.5 - 80.0	19	81.8	77.7 - 85.4	240

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
25.2	19.0 - 32.6	86	23.1	18.3 - 28.7	132	50.0	30.2 - 69.8	20	26.2	22.1 - 30.6	238

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
13.6	8.8 - 20.3	88	19.5	14.9 - 25.1	132	36.2	22.1 - 53.3	19	18.6	15.1 - 22.7	239

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	0.0	†	88	0.0	†	134	0.0	†	20	0.0	†	242
b. HIV treatment (ongoing medical care for persons living with HIV)	1.1	0.2 - 5.3	88	0.0	†	134	0.0	†	20	0.4	0.1 - 2.0	242
c. STD testing	1.2	0.3 - 5.9	88	0.8	0.2 - 3.6	131	0.0	†	20	0.9	0.3 - 2.7	239
d. STD treatment	1.3	0.3 - 6.0	87	0.7	0.1 - 3.5	134	0.0	†	20	0.9	0.3 - 2.7	241
e. Pregnancy testing	1.2	0.3 - 5.9	88	0.7	0.2 - 3.6	132	0.0	†	20	0.9	0.3 - 2.7	240
f. Provision of condoms	1.2	0.3 - 5.9	88	0.7	0.2 - 3.6	133	0.0	†	20	0.9	0.3 - 2.7	241
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	87	0.7	0.2 - 3.6	133	0.0	†	20	0.4	0.1 - 2.0	240
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	1.3	0.3 - 6.0	87	0.7	0.2 - 3.6	133	0.0	†	20	0.9	0.3 - 2.7	240
i. Prenatal care	1.2	0.3 - 5.9	88	0.7	0.2 - 3.6	132	0.0	†	20	0.9	0.3 - 2.7	240
j. Human papillomavirus (HPV) vaccine administration	1.2	0.2 - 5.5	84	0.7	0.1 - 3.4	133	0.0	†	19	0.8	0.3 - 2.5	236

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. HIV testing	31.7	24.8 - 39.5	73	14.3	9.9 - 20.1	119	-	-	17	22.7	18.8 - 27.1	209
b. HIV treatment (ongoing medical care for persons living with HIV)	34.0	26.8 - 42.0	83	21.2	16.3 - 27.1	132	52.6	37.9 - 66.9	19	28.4	24.2 - 33.1	234
c. nPEP (non-occupational post-exposure prophylaxis for HIV--a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	33.3	25.8 - 41.8	84	20.4	15.6 - 26.1	133	52.6	37.9 - 66.9	19	27.7	23.5 - 32.3	236
d. STD testing	33.5	26.4 - 41.5	75	14.1	9.5 - 20.4	120	-	-	16	23.4	19.3 - 28.0	211
e. STD treatment	31.6	24.9 - 39.2	73	14.0	9.5 - 20.2	121	-	-	16	22.5	18.6 - 27.0	210
f. Pregnancy testing	33.5	26.4 - 41.5	75	14.0	9.4 - 20.3	121	-	-	16	23.3	19.2 - 27.9	212
g. Provision of condoms	26.4	19.5 - 34.6	79	12.1	7.9 - 18.0	124	-	-	16	19.6	15.8 - 24.1	219

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	25.2	18.2 - 33.7	79	11.2	7.3 - 16.9	125	-	-	16	18.7	14.9 - 23.2	220
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	28.2	21.4 - 36.1	78	12.9	8.6 - 18.9	124	-	-	16	20.7	16.9 - 25.2	218
j. Prenatal care	33.5	26.3 - 41.6	72	14.1	9.5 - 20.4	120	-	-	16	23.2	19.2 - 27.9	208
k. Human papillomavirus (HPV) vaccine administration	38.3	30.6 - 46.7	84	21.8	16.6 - 28.1	133	-	-	18	30.0	25.6 - 34.8	235

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
60.1	51.1 - 68.4	85	65.2	58.7 - 71.2	130	73.4	51.1 - 87.9	19	64.0	58.8 - 68.8	234	

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	100.0	†	88	97.0	93.3 - 98.6	134	100.0	†	20	98.3	96.4 - 99.3	242
b. Food allergies	100.0	†	88	97.7	94.2 - 99.1	134	100.0	†	20	98.7	96.8 - 99.5	242
c. Diabetes	100.0	†	88	97.6	94.2 - 99.1	133	100.0	†	20	98.7	96.8 - 99.5	241
d. Epilepsy or seizure disorder	100.0	†	88	96.9	93.2 - 98.6	134	100.0	†	20	98.3	96.3 - 99.2	242
e. Obesity	30.3	23.9 - 37.6	86	36.4	30.8 - 42.4	131	60.6	41.2 - 77.1	20	36.2	31.8 - 40.8	237
f. Hypertension/high blood pressure	75.9	67.8 - 82.5	87	70.0	62.9 - 76.3	133	85.2	65.6 - 94.6	20	73.5	68.5 - 78.0	240

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	41.0	33.0 - 49.5	83	34.1	27.9 - 41.0	132	59.8	40.4 - 76.6	20	38.8	34.0 - 43.9	235
b. Food allergies	38.5	30.6 - 47.2	83	33.4	27.1 - 40.4	132	59.8	40.4 - 76.6	20	37.5	32.7 - 42.6	235
c. Diabetes	38.5	30.6 - 47.2	83	33.7	27.3 - 40.7	131	59.8	40.4 - 76.6	20	37.7	32.8 - 42.8	234
d. Epilepsy or seizure disorder	38.5	30.6 - 47.2	83	32.9	26.6 - 39.8	131	64.8	46.5 - 79.5	20	37.6	32.9 - 42.7	234
e. Obesity	30.2	22.7 - 38.8	83	21.4	16.5 - 27.1	131	49.9	30.1 - 69.7	20	27.0	22.8 - 31.7	234
f. Hypertension/high blood pressure	37.0	29.4 - 45.4	81	29.8	24.0 - 36.3	131	59.8	40.4 - 76.6	20	35.0	30.4 - 39.8	232

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	84.4	77.8 - 89.2	83	91.6	86.6 - 94.9	132	85.2	76.3 - 91.2	20	88.5	85.1 - 91.1	235
b. Parental consent is required before any sexual or reproductive health services are provided	14.3	9.3 - 21.5	83	6.9	4.0 - 11.5	132	9.8	3.2 - 26.8	20	9.8	7.2 - 13.2	235
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	0.0	†	83	0.0	†	132	4.9	0.9 - 21.9	20	0.4	0.1 - 2.0	235
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	0.0	†	83	0.8	0.2 - 3.8	132	0.0	†	20	0.4	0.1 - 2.1	235
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	1.3	0.3 - 6.3	83	0.7	0.1 - 3.4	132	0.0	†	20	0.9	0.3 - 2.7	235
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	83	0.0	†	132	0.0	†	20	0.0	†	235

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	62.0	54.0 - 69.4	71	78.8	72.0 - 84.3	118	-	-	16	71.1	66.2 - 75.5	205
b. Parental consent is required before any sexual or reproductive health services are referred	16.8	12.9 - 21.6	71	15.4	10.7 - 21.7	118	-	-	16	16.6	13.4 - 20.4	205
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services referred only upon request	8.6	5.2 - 13.7	71	1.7	0.5 - 5.0	118	-	-	16	4.5	2.9 - 6.9	205
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service referred	5.5	2.5 - 11.8	71	1.7	0.5 - 5.1	118	-	-	16	3.4	1.8 - 6.1	205
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services referred	0.0	†	71	0.0	†	118	-	-	16	0.5	0.1 - 2.3	205
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services referred	7.2	3.5 - 14.2	71	2.4	1.0 - 6.0	118	-	-	16	3.9	2.2 - 6.8	205

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	9.3	5.6 - 15.1	85	23.0	18.3 - 28.6	134	14.8	5.7 - 33.2	20	17.4	14.1 - 21.1	239
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	40.3	32.7 - 48.4	86	60.4	53.9 - 66.6	134	59.8	41.8 - 75.6	20	53.0	48.2 - 57.7	240
c. Involved parents as school volunteers in the delivery of health education activities and services	15.0	10.3 - 21.3	85	15.8	11.7 - 20.9	132	20.4	9.2 - 39.4	20	15.9	12.8 - 19.5	237
d. Linked parents and families to health services and programs in the community	62.5	55.3 - 69.2	87	78.1	71.9 - 83.3	128	-	-	18	70.4	66.1 - 74.4	233

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
75.3	68.2 - 81.3	86	79.9	74.0 - 84.8	134	74.7	59.9 - 85.3	20	77.8	73.6 - 81.5	240

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
35.3	27.7 - 43.8	85	42.0	34.9 - 49.4	135	24.7	12.3 - 43.3	20	38.1	33.1 - 43.4	240

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
69.1	60.3 - 76.6	85	52.3	45.4 - 59.1	135	50.7	32.2 - 69.1	20	58.2	53.1 - 63.2	240

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
Percent	95% Confidence Interval		Percent	95% Confidence Interval		N	Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N			Interval	N		Interval	N
88.0	80.6 - 92.8	86	82.1	75.8 - 87.0	135	84.5	64.0 - 94.3	19	84.4	80.1 - 88.0	240	

VIRGINIA

2016 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
34.1	27.1 - 41.9	85	23.2	18.0 - 29.5	134	36.0	21.3 - 54.1	20	28.3	24.1 - 32.8	239