

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education and physical activity	48.3	41.1 - 55.6	105	50.0	43.7 - 56.2	142	-	-	13	48.7	44.1 - 53.3	260
b. Nutrition	43.1	35.6 - 50.9	104	40.9	34.7 - 47.3	142	-	-	13	42.4	37.7 - 47.3	259
c. Tobacco-use prevention	43.5	36.3 - 51.0	105	40.0	33.8 - 46.4	143	-	-	13	41.3	36.7 - 46.1	261
d. Chronic health conditions (e.g., asthma, food allergies)	30.9	24.7 - 37.9	103	30.2	25.1 - 35.8	142	-	-	13	30.1	26.2 - 34.4	258
e. Unintentional injury and violence prevention (safety)	35.9	29.1 - 43.4	105	34.6	28.8 - 40.8	142	-	-	13	35.8	31.4 - 40.3	260
f. Sexual health, including HIV, other STD, and pregnancy prevention	40.7	33.8 - 47.9	105	31.8	26.4 - 37.7	142	-	-	13	35.7	31.5 - 40.2	260

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Health education	24.7	18.7 - 32.0	101	13.5	9.3 - 19.0	141	-	-	12	18.1	14.6 - 22.3	254
b. Physical education	25.0	18.9 - 32.2	100	14.1	10.2 - 19.0	142	-	-	12	18.1	14.7 - 22.0	254
c. Physical activity	24.9	18.8 - 32.2	100	14.9	10.5 - 20.6	142	-	-	12	18.5	14.9 - 22.7	254
d. School meal programs	19.1	13.5 - 26.3	100	10.0	6.6 - 15.1	140	-	-	12	13.6	10.5 - 17.5	252
e. Foods and beverages available at school outside the school meal programs	18.1	12.7 - 25.1	100	7.1	4.3 - 11.4	142	-	-	12	11.1	8.3 - 14.6	254
f. Health services	23.0	17.3 - 30.0	100	11.4	7.8 - 16.2	142	-	-	11	15.5	12.3 - 19.2	253
g. Counseling, psychological, and social services	40.0	33.4 - 47.0	100	25.4	20.5 - 31.2	142	-	-	12	31.2	27.2 - 35.5	254
h. Physical environment	45.9	37.9 - 54.1	100	27.1	22.1 - 32.7	141	-	-	13	35.2	30.8 - 39.8	254
i. Social and emotional climate	64.9	57.5 - 71.7	100	54.3	47.5 - 61.0	141	-	-	13	58.9	54.1 - 63.6	254
j. Family engagement	51.8	43.5 - 60.0	100	51.5	44.8 - 58.2	142	-	-	12	51.5	46.4 - 56.7	254
k. Community involvement	53.9	46.2 - 61.3	100	50.8	44.3 - 57.3	142	-	-	12	51.6	46.8 - 56.4	254
l. Employee wellness	30.6	24.3 - 37.7	102	18.8	14.8 - 23.6	144	-	-	12	23.0	19.5 - 26.9	258

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
56.1	47.9 - 64.0	96	48.4	41.9 - 54.9	126	-	-	13	52.3	47.3 - 57.2	235

*Among schools that engaged in an improvement planning process during the past year.
 - Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Reviewed district's local wellness policy	83.6	76.4 - 88.9	104	84.8	79.4 - 89.0	145	-	-	13	83.5	79.4 - 86.9	262
b. Helped revise district's local wellness policy	46.7	38.0 - 55.5	101	37.5	31.0 - 44.5	145	-	-	13	42.0	36.8 - 47.3	259
c. Communicated to school staff about district's local wellness policy	77.0	69.9 - 82.7	104	75.5	69.2 - 80.8	143	-	-	13	75.8	71.2 - 79.8	260
d. Communicated to parents and families about district's local wellness policy	61.7	52.9 - 69.7	102	62.1	55.5 - 68.3	145	-	-	13	61.9	56.8 - 66.7	260
e. Communicated to students about district's local wellness policy	65.5	57.0 - 73.1	102	58.6	52.2 - 64.7	145	-	-	13	61.1	56.1 - 65.8	260
f. Measured school's compliance with district's local wellness policy	53.8	46.1 - 61.4	102	51.7	44.8 - 58.6	145	-	-	12	52.9	47.8 - 57.9	259
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	49.8	41.9 - 57.7	102	38.9	32.5 - 45.7	144	-	-	13	43.2	38.4 - 48.2	259

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.6	83.2 - 91.0	105	89.6	84.6 - 93.1	145	-	-	13	88.5	85.3 - 91.1	263

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., a school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
49.6	42.0 - 57.2	107	48.9	42.7 - 55.2	147	-	-	13	49.0	44.3 - 53.8	267

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	78.4	69.1 - 85.5	51	72.7	63.8 - 80.1	70	-	-	6	75.6	69.5 - 80.8	127
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	74.3	62.9 - 83.1	51	61.0	52.0 - 69.4	69	-	-	6	66.7	59.8 - 72.9	126
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	48.8	38.3 - 59.4	51	50.7	40.6 - 60.7	71	-	-	6	49.9	42.7 - 57.1	128
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	83.9	75.6 - 89.7	51	69.2	60.1 - 77.0	71	-	-	6	75.7	69.7 - 80.9	128
e. Reviewed health-related curricula or instructional materials	76.5	66.7 - 84.2	51	84.2	76.6 - 89.6	70	-	-	6	80.2	74.4 - 84.9	127
f. Assessed the availability of physical activity opportunities for students	79.9	70.3 - 87.0	50	79.0	70.6 - 85.4	71	-	-	6	77.9	71.9 - 83.0	127
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	27.9	19.0 - 39.1	50	27.1	19.4 - 36.6	70	-	-	6	26.9	21.1 - 33.8	126

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.
 - Results are suppressed due to insufficient number of respondents in subgroup.
 N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.7	82.5 - 91.5	108	58.3	52.3 - 64.1	143	-	-	13	69.4	65.4 - 73.1	264

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	82.1	77.2 - 86.2	107	85.5	79.9 - 89.8	145	-	-	12	84.4	80.8 - 87.4	264
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	84.7	78.9 - 89.1	107	67.0	60.6 - 72.9	143	-	-	12	73.5	69.1 - 77.4	262

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
67.5	61.4 - 73.0	105	20.1	15.3 - 26.0	143	-	-	13	39.4	35.6 - 43.3	261

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	83.5	77.6 - 88.1	105	81.8	76.7 - 85.9	144	-	-	13	81.0	77.4 - 84.2	262
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.1	94.3 - 99.4	105	97.1	93.9 - 98.7	144	-	-	13	97.3	95.1 - 98.5	262
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	73.2	65.8 - 79.6	105	67.1	61.1 - 72.5	143	-	-	13	67.3	62.8 - 71.4	261
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	52.7	44.9 - 60.3	104	45.8	39.5 - 52.3	144	-	-	13	47.8	43.0 - 52.6	261
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	61.3	54.1 - 68.1	104	54.6	48.6 - 60.5	143	-	-	13	56.5	52.0 - 60.8	260

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
75.7	69.3 - 81.2	108	76.7	70.7 - 81.9	142	-	-	13	76.3	72.2 - 80.0	263

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.6	80.1 - 91.2	106	95.8	92.3 - 97.8	145	-	-	13	91.9	88.8 - 94.3	264

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
93.5	88.4 - 96.4	108	96.6	93.2 - 98.3	145	-	-	13	95.1	92.5 - 96.8	266

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Sixth grade	§	§	§	98.4	95.2 - 99.5	127	-	-	2	98.4	95.3 - 99.5	129
b. Seventh grade	§	§	§	98.6	95.9 - 99.5	144	-	-	4	98.6	96.0 - 99.5	148
c. Eighth grade	§	§	§	84.9	79.1 - 89.3	126	-	-	12	86.3	81.0 - 90.3	138
d. Ninth grade	99.1	95.7 - 99.8	106	-	-	1	-	-	13	99.2	96.2 - 99.8	120
e. Tenth grade	99.1	95.7 - 99.8	107	§	§	§	-	-	13	99.2	96.2 - 99.8	120
f. Eleventh grade	12.6	8.2 - 19.1	87	§	§	§	-	-	11	11.2	7.2 - 16.8	98
g. Twelfth grade	11.4	7.2 - 17.5	88	§	§	§	-	-	11	10.0	6.4 - 15.5	99

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.0	91.5 - 98.2	104	91.3	87.1 - 94.3	141	-	-	13	92.0	89.2 - 94.2	258

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Goals, objectives, and expected outcomes for physical education	99.1	95.7 - 99.8	107	98.6	95.8 - 99.5	143	-	-	13	98.8	97.2 - 99.5	263
b. A chart describing the annual scope and sequence of instruction for physical education	94.3	89.4 - 97.0	107	89.9	84.9 - 93.4	141	-	-	13	91.8	88.6 - 94.2	261
c. Plans for how to assess student performance in physical education	89.5	84.3 - 93.1	105	93.6	90.0 - 96.0	141	-	-	13	91.9	89.0 - 94.0	259
d. A written physical education curriculum	95.3	90.9 - 97.7	107	92.8	88.3 - 95.6	141	-	-	12	94.2	91.4 - 96.1	260
e. Resources for fitness testing	97.2	93.2 - 98.9	105	98.6	95.9 - 99.5	142	-	-	13	98.1	96.2 - 99.1	260
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	80.1	72.9 - 85.7	106	77.4	71.6 - 82.3	143	-	-	13	78.0	73.8 - 81.7	262

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
23.3	17.7 - 30.1	107	54.7	47.8 - 61.3	141	-	-	13	40.9	36.3 - 45.6	261

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
57.2	49.3 - 64.8	105	72.4	66.8 - 77.4	142	-	-	13	65.2	60.7 - 69.5	260

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.7	82.0 - 91.8	106	67.5	61.2 - 73.3	142	-	-	13	76.2	72.1 - 79.9	261

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

21. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Before the school day	41.7	35.1 - 48.6	105	21.1	16.1 - 27.1	142	-	-	13	30.8	26.6 - 35.2	260
b. After the school day	86.9	81.0 - 91.2	107	76.0	69.6 - 81.4	143	-	-	13	80.5	76.3 - 84.1	263

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

22. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity or sports facilities	72.5	64.9 - 78.9	106	77.6	71.8 - 82.4	143	-	-	13	74.2	69.8 - 78.2	262
b. Kitchen facilities and equipment	27.0	20.4 - 34.7	107	18.3	13.9 - 23.6	143	-	-	13	22.4	18.6 - 26.7	263

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

23. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	†	108	96.5	93.1 - 98.3	144	-	-	13	98.1	96.2 - 99.1	265

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	106	96.5	93.1 - 98.3	144	100.0	†	13	98.1	96.2 - 99.1	263
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	106	96.5	93.1 - 98.3	144	100.0	†	13	98.1	96.2 - 99.1	263
c. Cigars	99.1	95.8 - 99.8	106	93.0	88.7 - 95.8	144	100.0	†	13	95.8	93.4 - 97.4	263
d. Pipes	99.1	95.8 - 99.8	106	91.5	86.9 - 94.6	142	100.0	†	13	95.0	92.4 - 96.8	261
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	100.0	†	105	95.1	91.2 - 97.3	143	100.0	†	13	97.3	95.2 - 98.5	261

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.2	91.9 - 98.3	105	93.7	89.5 - 96.3	142	100.0	†	13	95.0	92.4 - 96.8	260
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	96.2	91.8 - 98.2	104	95.7	92.0 - 97.7	141	100.0	†	13	96.1	93.7 - 97.6	258
c. Cigars	95.3	90.7 - 97.7	105	90.8	85.9 - 94.0	141	100.0	†	13	93.1	90.1 - 95.2	259
d. Pipes	95.3	90.7 - 97.7	105	90.0	85.1 - 93.4	141	100.0	†	13	92.7	89.6 - 94.9	259
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	96.2	91.9 - 98.3	105	91.5	86.8 - 94.6	141	100.0	†	13	93.9	91.0 - 95.8	259

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	95.1	90.4 - 97.6	104	93.6	89.5 - 96.2	141	100.0	†	12	94.5	91.8 - 96.4	257
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	96.2	91.8 - 98.3	104	93.5	89.3 - 96.1	139	100.0	†	12	94.9	92.3 - 96.7	255
c. Cigars	95.1	90.4 - 97.6	101	91.4	86.7 - 94.5	140	100.0	†	12	93.3	90.3 - 95.4	253
d. Pipes	95.2	90.6 - 97.6	104	90.6	85.7 - 93.9	139	100.0	†	12	92.9	89.9 - 95.1	255
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	96.2	91.8 - 98.3	104	90.7	85.9 - 94.0	140	100.0	†	13	93.4	90.5 - 95.5	257

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.0	95.4 - 99.8	106	96.5	93.1 - 98.3	144	100.0	†	13	97.7	95.7 - 98.8	263
b. During non-school hours	93.3	88.2 - 96.3	106	91.5	87.3 - 94.4	141	92.2	68.9 - 98.4	13	92.3	89.3 - 94.5	260

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	95.2	90.5 - 97.6	105	96.5	93.1 - 98.3	144	100.0	†	13	96.1	93.8 - 97.7	262
b. During non-school hours	89.2	84.0 - 92.9	103	87.4	82.5 - 91.2	143	92.2	68.9 - 98.4	13	88.4	85.1 - 91.1	259

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	96.1	91.7 - 98.2	105	95.8	92.1 - 97.8	143	100.0	†	13	96.1	93.7 - 97.6	261
b. During non-school hours	89.4	84.2 - 93.0	105	88.1	83.2 - 91.7	142	92.2	68.9 - 98.4	13	88.8	85.5 - 91.4	260

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. In school buildings	100.0	†	106	96.5	93.0 - 98.2	143	100.0	†	13	98.1	96.2 - 99.0	262
b. Outside on school grounds, including parking lots and playing fields	99.1	95.7 - 99.8	106	96.5	93.1 - 98.3	144	100.0	†	13	97.7	95.7 - 98.8	263
c. On school buses or other vehicles used to transport students	100.0	†	106	96.5	93.1 - 98.3	144	100.0	†	13	98.1	96.2 - 99.1	263
d. At off-campus, school-sponsored events	98.1	94.3 - 99.3	106	91.5	87.4 - 94.4	142	100.0	†	13	94.6	92.2 - 96.3	261

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	99.1	95.6 - 99.8	105	96.4	93.0 - 98.2	142	100.0	†	13	97.7	95.7 - 98.8	260
b. Outside on school grounds, including parking lots and playing fields	96.2	91.8 - 98.3	105	94.4	90.4 - 96.8	143	100.0	†	13	95.4	92.9 - 97.1	261
c. On school buses or other vehicles used to transport students	99.1	95.6 - 99.8	105	95.8	92.1 - 97.8	143	100.0	†	13	97.3	95.2 - 98.5	261
d. At off-campus, school-sponsored events	89.4	83.4 - 93.4	105	88.7	84.4 - 91.9	141	92.2	68.9 - 98.4	13	89.2	85.9 - 91.8	259

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	104	96.4	92.9 - 98.2	140	100.0	†	12	98.0	96.1 - 99.0	256
b. Outside on school grounds, including parking lots and playing fields	97.2	93.2 - 98.9	104	93.7	89.5 - 96.2	143	92.2	68.9 - 98.4	13	95.0	92.4 - 96.8	260
c. On school buses or other vehicles used to transport students	100.0	†	105	93.6	89.4 - 96.2	142	100.0	†	13	96.5	94.2 - 97.9	260
d. At off-campus, school-sponsored events	76.9	69.3 - 83.1	104	74.4	68.2 - 79.8	140	69.5	42.7 - 87.5	13	75.2	70.5 - 79.3	257

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

26N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
68.3	60.3 - 75.3	101	57.3	50.4 - 63.9	126	54.7	29.2 - 77.9	11	61.8	56.7 - 66.7	238

*Responses to question 24 (a, b, c, and d), question 25 (a and b), and question 26 (a, b, c, and d) are all "yes."

N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
89.9	83.9 - 93.9	101	83.3	78.5 - 87.2	142	-	-	12	85.9	82.4 - 88.8	255

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Foods or beverages are not offered at school celebrations	2.9	1.2 - 7.1	103	3.5	2.1 - 6.0	142	-	-	13	3.1	1.9 - 5.0	258
b. Never	0.0	†	103	1.4	0.5 - 4.2	142	-	-	13	0.8	0.3 - 2.3	258
c. Rarely	7.9	4.5 - 13.3	103	15.4	11.7 - 19.9	142	-	-	13	12.4	9.7 - 15.6	258
d. Sometimes	54.4	46.0 - 62.5	103	50.8	45.2 - 56.3	142	-	-	13	53.6	48.9 - 58.2	258
e. Always or almost always	34.8	27.3 - 43.2	103	28.9	23.6 - 34.9	142	-	-	13	30.2	25.8 - 34.8	258

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
14.2	10.3 - 19.3	105	8.4	5.4 - 13.0	143	0.0	†	13	10.3	7.9 - 13.4	261

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.1	80.6 - 90.2	107	47.4	40.7 - 54.1	145	-	-	13	65.0	60.7 - 69.2	265

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Chocolate candy	22.1	16.4 - 29.0	105	7.5	4.9 - 11.4	145	15.6	15.4 - 15.7	13	13.8	11.0 - 17.2	263
b. Other kinds of candy	28.7	22.1 - 36.2	102	8.2	5.4 - 12.3	145	15.6	4.8 - 40.3	13	16.7	13.5 - 20.5	260
c. Salty snacks that are not low in fat (e.g., regular potato chips)	32.6	25.6 - 40.4	104	19.3	14.8 - 24.9	144	7.8	1.6 - 31.1	13	24.0	20.1 - 28.4	261
d. Low sodium or "no added salt" pretzels, crackers, or chips	66.6	59.5 - 72.9	105	38.0	31.8 - 44.6	144	46.2	27.4 - 66.2	13	49.9	45.4 - 54.5	262
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	31.3	25.1 - 38.4	105	13.8	9.9 - 19.1	143	8.4	1.7 - 33.5	12	20.7	17.2 - 24.7	260
f. Ice cream or frozen yogurt that is not low in fat	13.4	8.8 - 20.1	104	13.2	9.6 - 18.0	142	0.0	†	12	12.7	9.8 - 16.3	258
g. 2% or whole milk (plain or flavored)	30.1	22.9 - 38.3	104	23.0	17.8 - 29.1	143	7.3	1.5 - 29.4	13	25.0	20.8 - 29.7	260
h. Nonfat or 1% (low-fat) milk (plain)	42.1	34.7 - 49.9	105	28.0	22.4 - 34.4	142	38.4	18.6 - 63.0	13	34.3	29.7 - 39.1	260
i. Water ices or frozen slushes that do not contain juice	16.3	11.7 - 22.3	104	10.5	7.2 - 15.2	142	0.0	†	13	12.3	9.6 - 15.7	259
j. Soda pop or fruit drinks that are not 100% juice	49.8	41.5 - 58.0	103	15.2	11.2 - 20.4	143	46.2	27.4 - 66.2	13	30.7	26.5 - 35.2	259
k. Sports drinks (e.g., Gatorade)	71.3	65.0 - 76.9	104	9.1	6.1 - 13.4	143	61.8	50.1 - 72.2	13	36.8	33.7 - 40.1	260

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	7.6	4.3 - 12.8	105	1.4	0.5 - 4.1	142	0.0	†	13	3.8	2.3 - 6.2	260
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	82.8	76.5 - 87.7	104	39.8	33.5 - 46.4	143	85.1	61.1 - 95.4	13	59.5	55.0 - 63.7	260
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	62.7	55.0 - 69.8	104	18.4	13.9 - 23.8	142	54.0	31.1 - 75.3	13	38.1	33.9 - 42.5	259
o. 100% fruit or vegetable juice	54.8	46.3 - 62.9	104	28.5	22.8 - 34.9	143	38.4	23.6 - 55.7	13	39.5	34.8 - 44.4	260
p. Foods or beverages containing caffeine	29.0	23.2 - 35.5	104	7.0	4.3 - 11.3	143	54.0	31.1 - 75.3	13	18.3	15.2 - 21.9	260
q. Fruits (not fruit juice)	31.8	25.9 - 38.3	104	27.2	21.4 - 33.8	143	15.6	4.8 - 40.3	13	28.4	24.3 - 32.9	260
r. Non-fried vegetables (not vegetable juice)	25.2	19.3 - 32.2	103	18.3	13.5 - 24.3	141	7.8	1.6 - 31.1	13	20.5	16.9 - 24.8	257

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	6.7	3.7 - 11.8	105	15.2	11.0 - 20.7	138	-	-	13	10.9	8.2 - 14.3	256
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	31.5	24.7 - 39.2	104	40.7	34.2 - 47.5	138	-	-	13	36.4	31.7 - 41.3	255
c. Provided information to students or families on the nutrition and caloric content of foods available	56.5	48.5 - 64.3	104	61.4	54.6 - 67.7	140	-	-	13	57.4	52.4 - 62.2	257
d. Conducted taste tests to determine food preferences for nutritious items	32.2	25.1 - 40.3	102	36.7	30.9 - 42.9	139	-	-	13	34.5	30.1 - 39.3	254
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	17.2	12.6 - 23.1	104	16.5	12.2 - 21.9	140	-	-	13	16.7	13.5 - 20.5	257
f. Served locally or regionally grown foods in the cafeteria or classrooms	46.4	39.1 - 53.8	103	41.9	36.0 - 48.1	139	-	-	13	43.5	39.1 - 48.0	255
g. Planted a school food or vegetable garden	38.4	31.7 - 45.5	101	36.5	30.4 - 43.1	140	-	-	13	36.1	31.7 - 40.8	254
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	88.3	82.0 - 92.6	103	88.7	84.3 - 91.9	140	-	-	13	88.3	84.9 - 91.0	256

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	76.6	69.3 - 82.6	103	69.9	63.0 - 75.9	139	-	-	13	72.1	67.4 - 76.5	255
j. Offered a self-serve salad bar to students	24.0	17.8 - 31.4	101	18.8	14.7 - 23.6	139	-	-	13	21.9	18.4 - 25.9	253
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	40.6	33.0 - 48.8	103	36.9	30.7 - 43.5	136	-	-	13	38.1	33.3 - 43.1	252
l. Encouraged students to drink plain water	78.5	71.2 - 84.4	104	74.6	69.1 - 79.4	138	-	-	13	75.9	71.7 - 79.7	255
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	25.6	19.2 - 33.3	105	25.9	20.9 - 31.6	139	-	-	13	26.0	22.0 - 30.5	257
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	38.6	30.8 - 47.1	103	29.0	23.4 - 35.4	138	-	-	13	31.8	27.3 - 36.7	254

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In the school building	69.5	62.1 - 76.1	105	71.0	65.3 - 76.2	142	-	-	13	68.7	64.2 - 72.8	260
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	50.4	43.1 - 57.7	105	68.9	63.3 - 74.0	142	-	-	13	59.8	55.4 - 64.1	260
c. On school buses or other vehicles used to transport students	70.4	63.0 - 76.9	105	73.8	68.7 - 78.3	142	-	-	13	71.4	67.0 - 75.3	260
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	47.7	40.1 - 55.3	105	67.8	61.8 - 73.2	140	-	-	13	57.6	53.0 - 62.1	258
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	63.7	56.6 - 70.2	105	64.7	58.3 - 70.6	139	-	-	13	62.8	58.2 - 67.3	257

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes, in all locations	82.3	75.6 - 87.5	107	66.3	60.2 - 71.9	142	-	-	13	73.0	68.6 - 77.0	262
b. Yes, in certain locations	15.9	11.0 - 22.4	107	26.8	21.6 - 32.6	142	-	-	13	22.1	18.4 - 26.3	262
c. No	1.8	0.6 - 5.3	107	6.9	4.2 - 11.2	142	-	-	13	4.9	3.2 - 7.5	262

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.2	94.7 - 99.4	107	93.1	88.8 - 95.8	142	-	-	13	95.1	92.5 - 96.8	262

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cafeteria during breakfast	95.3	90.8 - 97.7	105	95.7	92.0 - 97.7	140	-	-	13	95.3	92.8 - 97.0	258
b. Cafeteria during lunch	95.3	90.8 - 97.7	105	96.4	92.9 - 98.2	141	-	-	13	95.7	93.3 - 97.3	259
c. Gymnasium or other indoor physical activity facilities	98.1	94.5 - 99.4	105	95.0	91.1 - 97.2	142	-	-	13	96.5	94.2 - 97.9	260
d. Outdoor physical activity facilities or sports fields	81.2	74.2 - 86.7	102	52.6	46.3 - 58.9	139	-	-	13	65.1	60.5 - 69.4	254
e. Hallways throughout the school	100.0	†	106	100.0	†	141	-	-	13	100.0	†	260

*Among schools with that location.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
84.7	79.2 - 88.9	105	80.0	74.0 - 84.9	140	-	-	13	81.7	77.9 - 85.0	258

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
22.9	17.9 - 28.8	105	23.4	18.0 - 29.9	136	-	-	13	23.6	19.8 - 27.9	254

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
22.1	16.9 - 28.3	104	23.3	17.9 - 29.6	138	-	-	13	22.8	19.0 - 27.1	255

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	1.0	0.2 - 4.4	103	0.0	†	139	-	-	13	0.4	0.1 - 1.8	255
b. HIV treatment (ongoing medical care for persons living with HIV)	1.9	0.6 - 5.7	103	0.7	0.1 - 3.2	140	-	-	13	1.2	0.5 - 2.8	256
c. STD testing	1.0	0.2 - 4.5	101	0.0	†	138	-	-	13	0.4	0.1 - 1.8	252
d. STD treatment	1.0	0.2 - 4.5	102	0.0	†	139	-	-	13	0.4	0.1 - 1.8	254
e. Pregnancy testing	1.0	0.2 - 4.5	102	0.0	†	139	-	-	13	0.8	0.3 - 2.4	254
f. Provision of condoms	1.0	0.2 - 4.4	103	0.0	†	139	-	-	13	0.4	0.1 - 1.8	255
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	102	0.0	†	139	-	-	13	0.0	†	254
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	103	0.0	†	139	-	-	13	0.0	†	255
i. Prenatal care	2.9	1.2 - 7.0	101	0.0	†	139	-	-	12	1.2	0.5 - 2.9	252

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
j. Human papillomavirus (HPV) vaccine administration	1.0	0.2 - 4.4	103	2.9	1.3 - 6.2	140	-	-	13	1.9	1.0 - 3.9	256
k. Assessment for alcohol or other drug use, abuse, or dependency	29.2	23.4 - 35.8	102	15.7	11.8 - 20.8	139	-	-	13	21.6	18.1 - 25.5	254
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	94.2	89.3 - 97.0	104	89.3	84.6 - 92.6	140	-	-	13	91.1	87.9 - 93.4	257
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	91.5	86.7 - 94.7	104	87.8	82.8 - 91.5	140	-	-	13	88.7	85.4 - 91.3	257
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	84.4	77.5 - 89.5	102	84.0	79.1 - 87.9	139	-	-	13	83.8	79.9 - 87.1	254

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. HIV testing	29.3	22.5 - 37.2	92	19.0	14.3 - 24.9	126	-	-	13	24.3	20.3 - 28.8	231
b. HIV treatment (ongoing medical care for persons living with HIV)	33.7	27.4 - 40.6	101	25.2	20.3 - 30.9	139	-	-	13	29.3	25.4 - 33.5	253
c. nPEP (non-occupational post-exposure prophylaxis for HIV-- a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	32.7	26.6 - 39.5	101	21.6	17.0 - 27.0	139	-	-	13	26.5	22.8 - 30.6	253
d. STD testing	31.0	24.2 - 38.7	90	19.0	14.3 - 24.9	126	-	-	13	24.9	20.9 - 29.4	229
e. STD treatment	31.0	24.2 - 38.7	90	18.3	13.6 - 24.1	126	-	-	13	24.5	20.6 - 28.9	229
f. Pregnancy testing	32.9	25.6 - 41.1	88	19.5	14.6 - 25.5	123	-	-	13	26.4	22.2 - 31.1	224
g. Provision of condoms	24.3	18.1 - 31.9	94	13.7	9.7 - 18.9	132	-	-	13	18.8	15.3 - 23.0	239

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	20.3	14.4 - 27.8	93	12.9	9.1 - 18.0	132	-	-	13	17.3	13.9 - 21.3	238
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	23.3	17.2 - 30.7	94	13.8	9.8 - 19.1	131	-	-	13	18.5	15.0 - 22.6	238
j. Prenatal care	31.1	23.8 - 39.5	87	17.5	13.0 - 23.3	125	-	-	13	24.5	20.4 - 29.1	225
k. Human papillomavirus (HPV) vaccine administration	36.9	30.5 - 43.8	100	27.3	22.2 - 33.0	136	-	-	13	31.8	27.8 - 36.0	249
l. Alcohol or other drug abuse treatment	59.4	51.6 - 66.8	101	42.2	36.2 - 48.6	137	-	-	13	49.4	44.8 - 54.0	251

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
66.0	58.2 - 73.1	103	64.8	58.5 - 70.6	139	-	-	13	64.7	59.9 - 69.2	255

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	98.1	94.5 - 99.4	105	98.6	95.7 - 99.5	139	-	-	12	98.5	96.7 - 99.3	256
b. Food allergies	97.1	93.0 - 98.8	104	98.5	95.7 - 99.5	138	-	-	11	98.0	96.0 - 99.0	253
c. Diabetes	99.1	95.7 - 99.8	105	97.8	94.7 - 99.1	139	-	-	12	98.4	96.6 - 99.3	256
d. Epilepsy or seizure disorder	99.1	95.7 - 99.8	105	97.8	94.8 - 99.1	139	-	-	12	98.5	96.7 - 99.3	256
e. Obesity	37.2	30.6 - 44.2	103	35.2	29.0 - 42.0	139	-	-	12	35.9	31.4 - 40.7	254
f. Hypertension/high blood pressure	74.8	67.3 - 81.0	103	69.7	63.1 - 75.6	139	-	-	12	72.0	67.2 - 76.3	254
g. Oral health condition (e.g., abscess, tooth decay)	42.5	35.4 - 49.9	104	47.6	41.3 - 54.0	139	-	-	12	45.6	41.0 - 50.3	255

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	45.6	38.2 - 53.2	101	44.8	38.8 - 50.9	139	-	-	12	44.9	40.4 - 49.6	252
b. Food allergies	44.1	36.5 - 51.9	100	44.0	38.0 - 50.3	139	-	-	12	43.9	39.3 - 48.7	251
c. Diabetes	45.6	38.2 - 53.2	101	44.0	38.0 - 50.3	139	-	-	12	44.5	39.9 - 49.2	252
d. Epilepsy or seizure disorder	45.6	38.2 - 53.2	101	43.3	37.2 - 49.7	139	-	-	11	44.3	39.7 - 49.1	251
e. Obesity	40.0	32.7 - 47.7	100	27.8	22.6 - 33.7	137	-	-	12	32.6	28.3 - 37.1	249
f. Hypertension/high blood pressure	44.0	36.4 - 51.9	100	39.7	33.7 - 46.2	139	-	-	12	41.5	36.9 - 46.4	251
g. Oral health condition (e.g., abscess, tooth decay)	43.4	35.7 - 51.4	101	41.2	35.2 - 47.4	134	-	-	12	42.5	37.9 - 47.3	247

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. This school does not provide any sexual or reproductive health services	88.8	83.0 - 92.8	98	89.7	84.6 - 93.3	136	-	-	12	88.6	85.0 - 91.4	246
b. Parental consent is required before any sexual or reproductive health services are provided	6.1	3.2 - 11.3	98	8.8	5.6 - 13.7	136	-	-	12	8.2	5.7 - 11.5	246
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	0.0	†	98	0.0	†	136	-	-	12	0.4	0.1 - 1.8	246
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	0.0	†	98	0.0	†	136	-	-	12	0.0	†	246
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	3.1	1.2 - 7.4	98	1.5	0.5 - 4.4	136	-	-	12	2.0	1.0 - 4.1	246
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	2.0	0.7 - 6.0	98	0.0	†	136	-	-	12	0.8	0.3 - 2.4	246

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	65.0	56.3 - 72.9	83	74.6	68.6 - 79.7	122	-	-	13	69.6	64.8 - 74.0	218
b. Parental consent is required before any sexual or reproductive health services are referred	19.4	13.8 - 26.7	83	18.9	14.9 - 23.6	122	-	-	13	19.4	15.9 - 23.3	218
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	3.6	1.5 - 8.5	83	1.6	0.5 - 4.8	122	-	-	13	2.3	1.1 - 4.5	218
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	6.0	3.0 - 11.8	83	0.8	0.2 - 3.9	122	-	-	13	3.7	2.1 - 6.4	218
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	1.2	0.3 - 5.5	83	3.3	1.5 - 7.0	122	-	-	13	2.3	1.1 - 4.5	218
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	4.7	2.2 - 10.0	83	0.8	0.2 - 3.7	122	-	-	13	2.7	1.5 - 5.1	218

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA
2018 School Health Profiles Report
Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	18.7	13.8 - 24.8	102	27.6	22.5 - 33.4	141	-	-	13	23.0	19.4 - 26.9	256
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	45.1	37.7 - 52.7	102	57.3	51.4 - 63.0	141	-	-	12	51.6	47.1 - 56.1	255
c. Involved parents as school volunteers in the delivery of health education activities and services	17.4	12.3 - 24.0	102	20.1	14.9 - 26.5	139	-	-	13	17.9	14.3 - 22.2	254
d. Linked parents and families to health services and programs in the community	73.5	66.4 - 79.6	102	77.1	70.9 - 82.3	140	-	-	13	75.6	71.3 - 79.5	255
e. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	37.7	31.3 - 44.6	98	44.2	37.6 - 51.0	140	-	-	12	40.7	36.1 - 45.4	250

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
76.4	68.9 - 82.5	102	77.3	71.3 - 82.4	141	-	-	13	77.3	72.9 - 81.2	256

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
33.5	26.9 - 40.8	101	33.1	27.6 - 39.1	139	-	-	13	32.3	28.1 - 36.7	253

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
76.9	70.0 - 82.6	104	56.3	50.4 - 62.0	140	-	-	13	64.5	60.2 - 68.6	257

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
86.2	80.8 - 90.4	104	70.0	64.0 - 75.3	140	-	-	13	76.1	72.1 - 79.7	257

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

VIRGINIA

2018 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
34.1	26.9 - 42.1	102	23.8	18.4 - 30.3	139	-	-	13	28.3	24.1 - 33.1	254

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations