

ICD-10-CM Casefinding List, 2017

Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2017

| COMPREHENSIVE ICD-10-CM Casefinding Code List for Reportable Tumors (EFFECTIVE DATES: 10/1/2016-9/30/2017) Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List | |
|---|--|
| ICD-10 Code | Explanation of Code |
| C00.- - C43.-, C4A.-, C45.- - C96.- | Malignant neoplasms (excluding category C44), stated or presumed to be primary (of specified site) and certain specified histologies <i>NEW for FY2017: C49.A-, Gastrointestinal Stromal Tumors, Effective 10/1/2016</i> |
| C44.00, C44.09 | Unspecified/other malignant neoplasm of skin of lip |
| C44.10-, C44.19- | Unspecified/other malignant neoplasm of skin of eyelid |
| C44.20-, C44.29- | Unspecified/other malignant neoplasm skin of ear and external auricular canal |
| C44.30-, C44.39- | Unspecified/other malignant neoplasm of skin of other/unspecified parts of face |
| C44.40, C44.49 | Unspecified/other malignant neoplasm of skin of scalp & neck |
| C44.50-, C44.59- | Unspecified/other malignant neoplasm of skin of trunk |
| C44.60-, C44.69- | Unspecified/other malignant neoplasm of skin of upper limb, incl. shoulder |
| C44.70-, C44.79- | Unspecified/other malignant neoplasm of skin of lower limb, including hip |
| C44.80, C44.89 | Unspecified/other malignant neoplasm of skin of overlapping sites of skin |
| C44.90, C44.99 | Unspecified/other malignant neoplasm of skin of unspecified sites of skin |
| D00.- - D09.- | In-situ neoplasms <i>Note: Carcinoma in situ of the cervix (CIN III-8077/2) and Prostatic Intraepithelial Carcinoma (PIN III-8148/2) are not reportable</i> |
| D18.02 | Hemangioma of intracranial structures and any site |
| D32.- | Benign neoplasm of meninges (cerebral, spinal and unspecified) |
| D33.- | Benign neoplasm of brain and other parts of central nervous system |
| D35.2 - D35.4 | Benign neoplasm of pituitary gland, craniopharyngeal duct and pineal gland |
| D42.-, D43.- | Neoplasm of uncertain or unknown behavior of meninges, brain, CNS |
| D44.3 - D44.5 | Neoplasm of uncertain or unknown behavior of pituitary gland, craniopharyngeal duct and pineal gland |
| D45 | Polycythemia vera (9950/3) <i>ICD-10-CM Coding instruction note: Excludes familial polycythemia (C75.0), secondary polycythemia (D75.1)</i> |
| D46.- | Myelodysplastic syndromes (9980, 9982, 9983, 9985, 9986, 9989, 9991, 9992) |
| D47.1 | Chronic myeloproliferative disease (9963/3, 9975/3) <i>ICD-10-CM Coding instruction note: Excludes the following: Atypical chronic myeloid leukemia BCR/ABL-negative (C92.2_) Chronic myeloid leukemia BCR/ABL-positive (C92.1_) Myelofibrosis & Secondary myelofibrosis (D75.81) Myelophthisic anemia & Myelophthisis (D61.82)</i> |
| D47.3 | Essential (hemorrhagic) thrombocythemia (9962/3) <i>Includes: Essential thrombocytosis, idiopathic hemorrhagic thrombocythemia</i> |
| D47.4 | Osteomyelofibrosis (9961/3) <i>Includes: Chronic idiopathic myelofibrosis Myelofibrosis (idiopathic) (with myeloid metaplasia) Myelosclerosis (megakaryocytic) with myeloid metaplasia Secondary myelofibrosis in myeloproliferative disease</i> |

ICD-10-CM Casefinding List, 2017

Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2017

| COMPREHENSIVE ICD-10-CM Casefinding Code List for Reportable Tumors (EFFECTIVE DATES: 10/1/2016-9/30/2017) | |
|---|--|
| Please refer to your standard setter(s) for specific reporting requirements before using the Casefinding List | |
| ICD-10 Code | Explanation of Code |
| D47.Z- | Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9960/3, 9970/1, 9971/3, 9931/3) |
| D47.9 | Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified (9970/1, 9931/3) |
| D49.6, D49.7 | Neoplasm of unspecified behavior of brain, endocrine glands and other CNS |
| R85.614 | Cytologic evidence of malignancy on smear of anus |
| R87.614 | Cytologic evidence of malignancy on smear of cervix |
| R87.624 | Cytologic evidence of malignancy on smear of vagina |

1 Note: *Pilocytic/juvenile astrocytoma M-9421 moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. However, SEER registries will CONTINUE to report these cases and code behavior as /3 (malignant).*

NOTE: Cases with the codes listed below should be screened as registry time allows. Experience in the SEER registries has shown that using the supplemental list increases casefinding for benign brain and CNS, hematopoietic neoplasms, and other reportable diseases

| SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2016-9/30/2017) | |
|---|---|
| ICD-10-CM Code | Explanation of Code |
| B20 | Human immunodeficiency virus [HIV] disease with other diseases |
| B97.33, B97.34, B97.35 | Human T-cell lymphotropic virus,(type I [HTLV-1], type II [HTLV-II], type 2 [HIV 2]) as the cause of diseases classified elsewhere |
| B97.7 | Papillomavirus as the cause of diseases classified elsewhere |
| C44.01, C44.02 | Basal/squamous cell carcinoma of skin of lip |
| C44.11-, C44.12- | Basal/squamous cell carcinoma of skin of eyelid |
| C44.21-, C44.22- | Basal/squamous cell carcinoma of skin of ear and external auricular canal |
| C44.31-, C44.32- | Basal/squamous cell carcinoma of skin of other and unspecified parts of face |
| C44.41, C44.42 | Basal/squamous cell carcinoma of skin of scalp and neck |
| C44.51-, C44.52- | Basal/squamous cell carcinoma of skin of trunk |
| C44.61-, C44.62- | Basal/squamous cell carcinoma of skin of upper limb, including shoulder |
| C44.71-, C44.72- | Basal/squamous cell carcinoma of skin of lower limb, including hip |
| C44.81, C44.82 | Basal/squamous cell carcinoma of skin of overlapping sites of skin |
| C44.91, C44.92 | Basal/squamous cell carcinoma of skin of unspecified sites of skin |
| D10.- - D31.-, D34, D35.0, D35.1, D35.5- D35.9, D36.- | Benign neoplasms (see "must collect" list for reportable benign neoplasms) <i>Note: Screen for incorrectly coded malignancies or reportable by agreement tumors</i> <i>Note: Borderline cystadenomas M-8442, 8451, 8462, 8472, 8473, of the ovaries moved from behavior /3 (malignant) to /1 (borderline malignancy) in ICD-O-3. SEER registries are not required to collect these cases for diagnoses made</i> |

ICD-10-CM Casefinding List, 2017

Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2017

| SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2016-9/30/2017) | |
|---|--|
| ICD-10-CM Code | Explanation of Code |
| | <i>1/1/2001 and after. However, cases diagnosed prior to 1/1/2001 should still be abstracted and reported to SEER.</i> |
| D3A._ | Benign carcinoid tumors |
| D37._ - D41._ | Neoplasms of uncertain or unknown behavior (see "must collect" list for reportable neoplasms of uncertain or unknown behavior) <i>Note: Screen for incorrectly coded malignancies or reportable by agreement tumors</i> |
| D44.0 - D44.2, D44.6-D44.9 | Neoplasm of uncertain or unknown behavior of other endocrine glands (see "must collect" list for D44.3-D44.5) <i>Note: Screen for incorrectly coded malignancies or reportable by agreement tumors</i> |
| D47.0 | Histiocytic and mast cell tumors of uncertain behavior <i>ICD-10-CM Coding instruction note: Excludes: malignant mast cell tumor (C96.2), mastocytosis (congenital)(cutaneous) (Q852.2)</i> |
| D47.2 | Monoclonal gammopathy <i>Note: Screen for incorrectly coded Waldenstrom's macroglobulinemia</i> |
| D47.Z2 | Castleman disease |
| D48.- | Neoplasm of uncertain behavior of other and unspecified sites |
| D49.0 - D49.9 | Neoplasm of unspecified behavior (except for D49.6 and D49.7) |
| D61.1 | Drug-induced aplastic anemia (also known as "aplastic anemia due to antineoplastic chemotherapy") <i>ICD-10-CM Coding instruction note: Use additional code for adverse effect, if applicable, to identify drug</i> |
| D61.810 | Antineoplastic chemotherapy induced pancytopenia |
| D61.82 | Myelophthisis <i>ICD-10-CM Coding instruction: Code first the underlying disorder, such as: malignant neoplasm of breast (C50._)</i> |
| D63.0 | Anemia in neoplastic disease <i>ICD-10-CM Coding instruction: Code first neoplasm (C00-C49)</i> |
| D64.81 | Anemia due to antineoplastic chemotherapy |
| D69.49, D69.59, D69.6 | Other thrombocytopenia <i>Note: Screen for incorrectly coded thrombocythemia</i> |
| D70.1 | Agranulocytosis secondary to cancer chemotherapy <i>ICD-10-CM Coding instruction: code also underlying neoplasm</i> |
| D72.1 | Eosinophilia (<i>Note: Code for eosinophilia (9964/3). Not every case of eosinophilia is a malignancy. Reportable Diagnosis is "Hypereosonophilic syndrome."</i>) |
| D75.81 | Myelofibrosis (<i>note: this is not primary myelofibrosis [9961/3]</i>) <i>ICD-10-CM Coding instruction note: Code first the underlying disorder, such as: malignant neoplasm of breast (C50._)</i> |
| D76.- | Other specified diseases with participation of lymphoreticular and reticulohistiocytic tissue |
| D89.0, D89.1 | Other disorders involving the immune mechanism, not elsewhere classified |

ICD-10-CM Casefinding List, 2017

Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2017

| SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2016-9/30/2017) | |
|---|--|
| ICD-10-CM Code | Explanation of Code |
| | <i>Note: Review for miscodes</i> |
| D89.4- | Mast cell activation syndrome and related disorders <i>Note: Effective 10/1/2016</i> |
| E08 | Diabetes mellitus due to underlying condition <i>ICD-10-CM Coding instruction note: Code first the underlying condition, such as: malignant neoplasm (C00-C96)</i> |
| E31.2- | Multiple endocrine neoplasia [MEN] syndromes <i>ICD-10-CM Coding instruction: Code also any associated malignancies and other conditions associated with the syndromes</i> |
| E34.0 | Carcinoid syndrome <i>ICD-10-CM Coding instruction: May be used as an additional code to identify functional activity associated with a carcinoid tumor</i> |
| E83.52 | Hypercalcemia |
| E88.09 | Other disorders of plasma-protein metabolism, not elsewhere classified |
| E88.3 | Tumor lysis syndrome (following antineoplastic chemotherapy) |
| G13.0 | Paraneoplastic neuromyopathy and neuropathy <i>ICD-10-CM Coding instruction note:: Code first underlying neoplasm (C00-D49)</i> |
| G13.1 | Other systemic atrophy primarily affecting central nervous system in neoplastic disease <i>ICD-10-CM Coding instruction note:: Code first underlying neoplasm (C00-D49)</i> |
| C32.8- | Other specified degenerative disorders of nervous system in diseases classified elsewhere <i>ICD-10-CM Coding instruction note: Code first underlying disease, such as: cerebral degeneration (due to) neoplasm (C00-D49)</i> |
| G53 | Cranial nerve disorders in diseases classified elsewhere <i>Note: Code first underlying neoplasm (C00-D49)</i> |
| G55 | Nerve root and plexus compressions in diseases classified elsewhere <i>ICD-10-CM Coding instruction note: code also underlying disease, such as neoplasm (C00-D49)</i> |
| G63 | Polyneuropathy in diseases classified elsewhere <i>ICD-10-CM Coding instruction note: Code first underlying disease, such as: neoplasm (C00-D49)</i> |
| G73.1 | Lambert-Eaton syndrome in neoplastic disease <i>ICD-10-CM Coding instruction: Code first underlying neoplasm (C00-D49)</i> |
| G89.3 | Neoplasm related pain (acute)(chronic) |
| G99.2 | Myelopathy in diseases classified elsewhere <i>ICD-10-CM Coding instruction: Code first underlying disease, such as: neoplasm (C00-D49)</i> |
| H47.42 | Disorders of optic chiasm in (due to) neoplasm <i>ICD-10-CM Coding instruction: Code also underlying condition</i> |
| H47.52- | Disorders of visual pathways in (due to) neoplasm <i>ICD-10-CM Coding instruction: Code also underlying condition</i> |

ICD-10-CM Casefinding List, 2017

Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2017

| SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2016-9/30/2017) | |
|---|--|
| ICD-10-CM Code | Explanation of Code |
| H47.63- | Disorders of visual cortex in (due to) neoplasm <i>ICD-10-CM Coding instruction: Code also underlying condition</i> |
| J34.81 | Nasal mucositis (ulcerative) |
| J91.0 | Malignant pleural effusion <i>ICD-10-CM Coding instruction: Code first underlying neoplasm</i> |
| J93.12 | Secondary spontaneous pneumothorax <i>ICD-10-CM Coding instruction: Code first underlying condition, such as: Malignant neoplasm of bronchus and lung (C34._) Secondary malignant neoplasm of lung (C78.0_)</i> |
| K12.31 | Oral mucositis (ulcerative) due to antineoplastic therapy |
| K12.33 | Oral mucositis (ulcerative) due to radiation |
| K22.711 | Barrett's esophagus with high grade dysplasia |
| K62.7 | Radiation proctitis |
| K62.82 | Dysplasia of anus (AIN I and AIN II) |
| K92.81 | Gastrointestinal mucositis (ulcerated) (due to antineoplastic therapy) |
| M36.0 | Dermato(poly)myositis in neoplastic disease <i>ICD-10-CM Coding instruction: Code first underlying neoplasm (C00-D49)</i> |
| M36.1 | Arthropathy in neoplastic disease <i>ICD-10-CM Coding instruction: Code first underlying neoplasm, such as: Leukemia (C91-C95), malignant histiocytosis (C96.A), multiple myeloma (C90.0)</i> |
| M84.5- | Pathologic fracture in neoplastic disease <i>ICD-10-CM Coding instruction: Code also underlying neoplasm (C00-D49)</i> |
| M90.6- | Osteitis deformans in neoplastic disease <i>ICD-10-CM Coding instruction: Code first the neoplasm (C40._, C41._)</i> |
| N42.3 | Dysplasia of prostate (PIN I and PIN II) |
| N76.81 | Mucositis (ulcerative) of vagina and vulva |
| N87.- | Dysplasia of cervix uteri (CIN I and CIN II) |
| N89.0, N89.1, N89.3 | Vaginal dysplasia (VIN I and VIN II) |
| N90.0, N90.1, N90.3 | Vulvar dysplasia (VAIN I and VAIN II) |
| O01.- | Hydatidiform mole <i>Note: Benign tumor that can become malignant. If malignant, report as Choriocarcinoma (9100/3,) malignancy code in the C00- C97 range</i> |
| O9A.1- | Malignant neoplasm complicating pregnancy, childbirth and the puerperium (conditions in C00-C96) <i>ICD-10-CM Coding instruction: Use additional code to identify neoplasm</i> |
| Q85.0- | Neurofibromatosis (nonmalignant) (9540/1) <i>Note: Neurofibromatosis is not cancer. These tumors can be precursors to acoustic neuromas, which are reportable</i> |
| R18.0 | Malignant ascites <i>ICD-10-CM Coding instruction: Code first malignancy, such as:</i> |

ICD-10-CM Casefinding List, 2017

Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2017

| SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2016-9/30/2017) | |
|---|---|
| ICD-10-CM Code | Explanation of Code |
| | <i>Malignant neoplasm of ovary (C56._), secondary malignant neoplasm of retroperitoneum and peritoneum (C78.6)</i> |
| R53.0 | Neoplastic (malignant) related fatigue <i>ICD-10-CM Coding instruction: Code first associated neoplasm</i> |
| R59.- | Enlarged lymph nodes |
| R85.6- | Abnormal findings on cytological and histological examination of digestive organs <i>Note: see "must collect" list for R85.614</i> |
| R87.61-, R87.62- | Abnormal findings on cytological/histological examination of female genital organs <i>Note: see "must collect" list for R87.614 and R87.624</i> |
| R92.- | Abnormal findings on diagnostic imaging of breast |
| R97.- | Abnormal tumor markers |
| T38.6- | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified |
| T38.8-, T38.9- | Poisoning by hormones and their synthetic substitutes |
| T45.1- | Poisoning by, adverse effect of and under dosing of antineoplastic and immunosuppressive drugs |
| T45.8-, T45.9- | Poisoning by primary systemic and hematological agent, unspecified |
| T66 | Unspecified effects of radiation |
| T80.1 | Vascular complications following infusion, transfusion and therapeutic injection |
| T80.2- | Infections following infusion, transfusion and therapeutic injection |
| T80.810 | Extravasation of vesicant antineoplastic chemotherapy |
| T80.818 | Extravasation of other vesicant agent |
| T86.0 | Complications of bone marrow transplant <i>ICD-10-CM Coding instruction: Use addition code to identify other transplant complications, such as: malignancy associated with organ transplant (C80.2) or post-transplant lymphoproliferative disorders (PTLD) (D47.Z1)</i> |
| Y63.2 | Overdose of radiation given during therapy |
| Y84.2 | Radiological procedure and radiotherapy as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure |
| Z03.89 | Encounter for observation for other suspected diseases and conditions ruled out |
| Z08 | Encounter for follow-up examination after completed treatment for malignant neoplasm (medical surveillance following completed treatment) <i>ICD-10-CM Coding instruction: Use additional code to identify the personal history of malignant neoplasm (Z85._)</i> |
| Z12.- | Encounter for screening for malignant neoplasms |
| Z13.0 | Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z15.0 | Genetic susceptibility to malignant neoplasm <i>ICD-10-CM Coding instruction: Code first, if applicable, any current malignant neoplasm (C00-C75, C81-C96); Use additional code, if applicable, for any personal</i> |

ICD-10-CM Casefinding List, 2017

Based on the International Classification of Diseases, ICD-10-CM Tabular List of Diseases and Injuries, FY 2017

| SUPPLEMENTAL LIST ICD-10-CM (EFFECTIVE DATES: 10/1/2016-9/30/2017) | |
|---|--|
| ICD-10-CM Code | Explanation of Code |
| | <i>history of malignant neoplasm (Z85._)</i> |
| Z17.0, Z17.1 | Estrogen receptor positive and negative status <i>ICD-10-CM Coding instruction: Code first malignant neoplasm of breast (C50._)</i> |
| Z40.0- | Encounter for prophylactic surgery for risk factors related to malignant neoplasms |
| Z42.1 | Encounter for breast reconstruction following mastectomy |
| Z48.3 | Aftercare following surgery for neoplasm <i>ICD-10-CM Coding instruction: Use additional code to identify the neoplasm</i> |
| Z48.290 | Encounter for aftercare following bone marrow transplant |
| Z51.0 | Encounter for antineoplastic radiation therapy |
| Z51.1- | Encounter for antineoplastic chemotherapy and immunotherapy |
| Z51.5, Z51.89 | Encounter for palliative care and other specified aftercare |
| Z79.81- | Long term (current) use of agents affecting estrogen receptors and estrogen levels <i>ICD-10-CM Coding instruction: Code first, if applicable, malignant neoplasm of breast (C50._), malignant neoplasm of prostate (C61)</i> |
| Z80.- | Family history of primary malignant neoplasm |
| Z85.- | Personal history of malignant neoplasm <i>ICD-10-CM Coding instruction: Code first any follow-up examination after treatment of malignant neoplasm (Z08)</i> |
| Z86.0-, Z86.01-, Z86.03 | Personal history of in situ and benign neoplasms and neoplasms of uncertain behavior |
| Z92.21, Z92.23, Z92.25, Z92.3 | Personal history of antineoplastic chemotherapy, estrogen therapy, immunosuppression therapy or irradiation (radiation) |
| Z94.81, Z94.84 | Bone marrow and stem cell transplant status |