

# JYNNEOS Intradermal Vaccine Administration Job Aid

## Step-by-Step Instructions

**MONKEYPOX**

**How to administer a JYNNEOS vaccine intradermally**



**STEP 1**

Locate and clean a site for injection in the inner (volar) surface of the forearm.



[www.cdc.gov/monkeypox](http://www.cdc.gov/monkeypox)

CS 333451 08/09/2022

**MONKEYPOX**

**How to administer a JYNNEOS vaccine intradermally**



**STEP 2**

While pulling the skin taut, position the needle with the bevel facing up and insert the needle at a 5- to 15-degree angle into the dermis.




[www.cdc.gov/monkeypox](http://www.cdc.gov/monkeypox)

CS 333451 08/09/2022

# MONKEYPOX

## How to administer a JYNNEOS vaccine intradermally



[www.cdc.gov/monkeypox](http://www.cdc.gov/monkeypox)

### STEP 2

While pulling the skin taut, position the needle with the bevel facing up and insert the needle at a 5- to 15-degree angle into the dermis.



CS 333451 08/09/2022

# MONKEYPOX

## How to administer a JYNNEOS vaccine intradermally



### STEP 3

Slowly inject 0.1mL intradermally. This should produce a noticeable pale elevation of the skin (wheal).



CS 333451 08/09/2022

[www.cdc.gov/monkeypox](http://www.cdc.gov/monkeypox)

# MONKEYPOX

## How to administer a JYNNEOS vaccine intradermally



[www.cdc.gov/monkeypox](https://www.cdc.gov/monkeypox)

### STEP 4

Observe patients for 15 minutes after vaccination or 30 minutes if they have a history of anaphylaxis to gentamicin, ciprofloxacin, chicken or egg protein.



CS 333451 08/09/2022

Source: CDC JYNNEOS Vaccine,  
<https://www.cdc.gov/poxvirus/monkeypox/interim-considerations/jynneos-vaccine.html>