

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 49A022	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 10/12/2017
--	---	--	---

NAME OF PROVIDER OR SUPPLIER CHILDRENS HOSPITAL	STREET ADDRESS, CITY, STATE, ZIP CODE 2924 BROOK RD RICHMOND, VA 23220
---	--

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	--	---------------	---	----------------------

F 000 INITIAL COMMENTS

F 000

An unannounced Medicare/Medicaid standard survey was conducted 10/11/17 through 10/12/17. The facility was in substantial compliance with 42 CFR Part 483 Federal Long Term Care requirement(s) and Virginia Rules and Regulations for the Licensure of Nursing Facilities. The Life Safety Code survey/report will follow.

The census in this 47 certified bed facility was 38 at the time of the survey. The survey sample consisted of 10 current resident reviews (Residents #1 through #9 and #11) and 1 closed record reviews (Resident #10).

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.