

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 04/09/2018
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 495318	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED R 10/18/2017
NAME OF PROVIDER OR SUPPLIER BERRY HILL NURSING HOME			STREET ADDRESS, CITY, STATE, ZIP CODE 621 BERRY HILL ROAD SOUTH BOSTON, VA 24592		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{K 000}	<p>INITIAL COMMENTS</p> <p>Construction: Type II (000)</p> <p>Building description: The building is a single story facility with a partial basement that houses utility rooms, mechanical room, generator room, and general storage. The Basement is separated from sleeping areas on the first floor by a 1-hour horizontal fire barrier consisting of a fire rated suspended ceiling assembly. The protected steel structure is supporting the metal pan and concrete slab main (1st) floor. The 1st floor has exterior masonry walls supporting unprotected steel bar joists, with a metal pan and built-up roof.</p> <p>Sprinkler Status: The facility is fully sprinklered by NFPA 13 sprinkler systems supplied by municipal water.</p> <p>An unannounced LSC revisit to the standard survey conducted on 08/29/17 was conducted on 10/18/17 in accordance with 42 Code of Federal Regulation, Part 483: Requirements for Long Term Care Facilities. The facility was surveyed for compliance using the LSC 2012 Existing regulations. The facility was in compliance with the Requirements for Participation Medicare and Medicaid.</p> <p>Corrected deficiencies are noted on the 2567B form.</p>	{K 000}			
LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE			TITLE		(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.