

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 05/13/2019  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>49G028</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>05/09/2019</b>
NAME OF PROVIDER OR SUPPLIER  <b>CRI RESERVOIR LANE ICF</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>4213 RESERVOIR ROAD RICHMOND, VA 23234</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments  An unannounced Emergency Preparedness survey was conducted 5/7/19 through 5/9/19. The facility was in substantial compliance with 42 CFR Part 483.73, 483.475, Condition of Participation for Intermediate Care Facilities for Individuals with Intellectual Disabilities. No complaints were investigated during the survey.	E 000			
W 000	INITIAL COMMENTS  An unannounced Fundamental Medicaid Certification survey was conducted 5/7/19 through 5/9/19. The facility was in substantial compliance with 42 CFR Part 483 Requirements for Intermediate Care Facilities for Individuals with Intellectual Disabilities (ICF/IID). The Life Safety Code survey/report will follow. No complaints were investigated during the survey.  The census in this 6 bed facility was 6 at the time of the survey. The survey sample consisted of 3 Individual reviews (Individuals #1 through #3).	W 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.