

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 06/29/2020  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>495247</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>06/25/2020</b>
NAME OF PROVIDER OR SUPPLIER  <b>ACCORDIUS HEALTH AT NANSEMOND POINTE LLC</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>200 WEST CONSTANCE ROAD SUFFOLK, VA 23434</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
E 000	Initial Comments  An unannounced Emergency Preparedness COVID-19 Focused Survey was conducted 05/12/20 through 05/14/20 and 06/25/2020. The facility was in compliance with E0024 of 42 CFR Part 483.73, Requirements for Long-Term Care Facilities.	E 000			
F 000	INITIAL COMMENTS  An unannounced COVID-19 Focused Infection Control Survey was conducted on 05/12/20 and 05/14/20 and 06/25/20. The facility was in substantial compliance with 42 CFR Part 483.80 infection control regulations, and has implemented the CMS and Centers for Disease Control (CDC) recommended practices to prepare for COVID-19.  The census in this 148 bed certified facility was 100 at the time of the survey. There were no COVID-19 positive residents in the facility at the time of the survey. All staff and residents were tested on 06/02/20 and all results were negative.	F 000			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.