STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING ____ B. WING ____	(X3) DATE SURVEY COMPLETED
	49G071		07/09/2020

NAME OF PROVIDER OR SUPPLIER	STREET ADDRESS, CITY, STATE, ZIP CODE
GALLOWAY PLACE	6831 WAY LUCY CORR DRIVE CHESTERFIELD, VA 23832

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
E 000	Initial Comments A COVID-19 Focused Emergency Preparedness Survey was conducted onsite on 07/09/2020. The facility was in substantial compliance with 42 CFR Part 483.73 emergency preparedness regulations, and has implemented The Centers for Medicare & Medicaid Services and Centers for Disease Control recommended practices to prepare for COVID-19. The census in this 12 certified bed facility was 12 at the time of the survey.	E 000		
W 000	INITIAL COMMENTS A COVID-19 Focused Infection Control Survey was conducted on 07/09/2020. The facility was in substantial compliance with 42 CFR Part 483.470(l)(1) infection control regulations, and has implemented The Centers for Medicare & Medicaid Services and Centers for Disease Control recommended practices to prepare for COVID-19. The census in this 12 certified bed facility was 12 at the time of the survey.	W 000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE TITLE (X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients . (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.