

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

Printed: 06/21/2019
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 495420	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING B. WING _____		(X3) DATE SURVEY COMPLETED R 06/18/2019
NAME OF PROVIDER OR SUPPLIER ALBEMARLE HEALTH AND REHABILITATION CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 1540 FOUNDERS PLACE CHARLOTTESVILLE, VA 22902		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{K 000}	<p>INITIAL COMMENTS</p> <p>Surveyor: 25557</p> <p>Description of Structure: This is a 1 story, fully sprinklered building of protected construction.</p> <p>Construction Type: V(III)</p> <p>Sprinkler status: Fully Sprinklered, NFPA 13 System, Quick Response Heads.</p> <p>An unannounced Life Safety Code revisit to the standard survey conducted 05/21/2019 was conducted on 06/18/2019, in accordance with 42 Code of Federal Regulation, Part 483: Requirements for for Long Term Care Facilities. The facility was surveyed for compliance using the LSC 2012 Health Existing regulations. The facility was in compliance with the Requirements for Participation Medicare and Medicaid.</p> <p>Corrected deficiencies are identified on the CMS-2567B.</p>	{K 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.