

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/05/2023
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 495352	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED R-C 09/05/2023
--------------------------------------------------	-------------------------------------------------------------------------	----------------------------------------------------------------------	-------------------------------------------------------------------

NAME OF PROVIDER OR SUPPLIER LEE HEALTH AND REHAB CENTER	STREET ADDRESS, CITY, STATE, ZIP CODE 208 HEALTH CARE DRIVE PENNINGTON GAP, VA 24277
------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
--------------------	------------------------------------------------------------------------------------------------------------------------	---------------	-----------------------------------------------------------------------------------------------------------------	----------------------

{F 000}	<p>INITIAL COMMENTS</p> <p>An offsite revisit survey was conducted on 9/5/23 for all previous deficiencies cited on 6/28/23. All deficiencies have been corrected. The facility is in compliance with all regulations surveyed.</p>	{F 000}		
---------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------	--	--

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
		07/13/2023

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.