

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/19/2023
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 49G069		(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - CVTC BRIDGING PROJECT B. WING _____		(X3) DATE SURVEY COMPLETED R 09/11/2023	
NAME OF PROVIDER OR SUPPLIER BOWYER ICF				STREET ADDRESS, CITY, STATE, ZIP CODE 529 RIVERVIEW ROAD MADISON HEIGHTS, VA 24572			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{K 000}	INITIAL COMMENTS Description of Structure: The main facility is a one story building with a construction type of V (000). Sprinkler Status: Fully sprinklered - NFPA 13R An unannounced revisit Life Safety Code recertification survey was conducted on 09-11-2023 of the initial survey conducted on 07-28-2023 in accordance with 42 Code of Federal Regulation, Part 483.150 and 410 to 480: Requirements for Intermediate Care Facilities for the Intellectually Disabled. The facility was surveyed for compliance using the LSC 2012 (Existing) regulations. The facility is in compliance with the Requirements for Participation for Medicare and Medicaid.			{K 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.