

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 09/04/2024
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 495279	(X2) MULTIPLE CONSTRUCTION A. BUILDING 01 - MAIN BUILDING 01 B. WING _____		(X3) DATE SURVEY COMPLETED R 09/04/2024
NAME OF PROVIDER OR SUPPLIER CULPEPER HEALTH & REHABILITATION CENTER			STREET ADDRESS, CITY, STATE, ZIP CODE 602 MADISON ROAD CULPEPER, VA 22701		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{K 000}	<p>INITIAL COMMENTS</p> <p>The Facility is a single story skilled nursing facility. The Facility is Type V (111) construction and is fully sprinklered with an attached wing constructed in 1984. An unannounced recertification Life Safety Code survey mwas conducted on 7/17/24 in accordance with 42 Code of Federal Regulations, Part 483.90(a): Requirements for Long Term Care Facilities. The Facility was surveyed for compliance using the LSC 2012 Existing Regulations.</p> <p>The facility was not in compliance with the Requirements for participation Medicare and Medicaid.</p> <p>The findings that follow demonstrate non-compliance with Title 42 Code of Regulations 483.90(a) et seq (Life Safety from Fire)</p> <p>On 09/04/24 a paper revisit was conducted, and the Facility was found to be in compliance with the Requirements for Participation for Medicare and Medicaid, demonstrate compliance with title. 42 Code of Regulations, Part 483.90 (a) et.seq(Life Safety from Fire)</p>	{K 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients . (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.